



## Target Species

Based on 68,290 complete checklists

**439** species observed in New Mexico, US (region/US-NM) in **Apr** that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0000%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0000%</b>
3. <b>Snow Goose</b>	<b>1.95%</b>
4. <b>Ross's Goose</b>	<b>0.4056%</b>
5. <b>Greater White-fronted Goose</b>	<b>0.1962%</b>
6. <b>Cackling Goose</b>	<b>0.1142%</b>
7. <b>Canada Goose</b>	<b>16.13%</b>
8. <b>Tundra Swan</b>	<b>0.0059%</b>
9. <b>Wood Duck</b>	<b>6.60%</b>
10. <b>Blue-winged Teal</b>	<b>7.80%</b>
11. <b>Cinnamon Teal</b>	<b>10.68%</b>
12. <b>Northern Shoveler</b>	<b>10.70%</b>
13. <b>Gadwall</b>	<b>9.37%</b>
14. <b>Eurasian Wigeon</b>	<b>0.0103%</b>
15. <b>American Wigeon</b>	<b>6.39%</b>
16. <b>Mallard</b>	<b>18.68%</b>
17. <b>Mexican Duck</b>	<b>2.40%</b>

18. Northern Pintail	1.72%
19. Green-winged Teal	7.40%
20. Canvasback	0.9108%
21. Redhead	2.15%
22. Ring-necked Duck	4.40%
23. Greater Scaup	0.0732%
24. Lesser Scaup	3.32%
25. Surf Scoter	0.0234%
26. White-winged Scoter	0.0220%
27. Black Scoter	0.0029%
28. Long-tailed Duck	0.0644%
29. Bufflehead	4.63%
30. Common Goldeneye	0.2665%
31. Hooded Merganser	0.3368%
32. Common Merganser	1.47%
33. Red-breasted Merganser	0.1757%
34. Ruddy Duck	7.55%
35. Northern Bobwhite	0.3793%
36. Scaled Quail	4.10%
37. Gambel's Quail	11.00%
38. Montezuma Quail	0.0879%
39. Wild Turkey	4.43%
40. Dusky Grouse	0.1376%

41. Lesser Prairie-Chicken	0.4583%
42. Ring-necked Pheasant	2.77%
43. Pied-billed Grebe	6.59%
44. Horned Grebe	0.1098%
45. Red-necked Grebe	0.0029%
46. Eared Grebe	2.23%
47. Western Grebe	1.29%
48. Clark's Grebe	0.9797%
49. Rock Pigeon	12.41%
50. Band-tailed Pigeon	0.4788%
51. Eurasian Collared-Dove	21.05%
52. Inca Dove	0.8347%
53. Common Ground Dove	0.0205%
54. Ruddy Ground Dove	0.0088%
55. White-winged Dove	34.04%
56. Mourning Dove	38.26%
57. Greater Roadrunner	7.34%
58. Yellow-billed Cuckoo	0.0103%
59. Lesser Nighthawk	0.4085%
60. Common Nighthawk	0.0337%
61. Common Poorwill	0.5360%
62. Mexican Whip-poor-will	0.0439%
63. Chimney Swift	0.0264%

64. Vaux's Swift	0.0029%
65. White-throated Swift	3.47%
66. Rivoli's Hummingbird	0.0498%
67. Blue-throated Mountain-gem	0.0015%
68. Lucifer Hummingbird	0.0410%
69. Ruby-throated Hummingbird	0.0015%
70. Black-chinned Hummingbird	20.30%
71. Anna's Hummingbird	0.0278%
72. Costa's Hummingbird	0.0351%
73. Calliope Hummingbird	0.0146%
74. Rufous Hummingbird	0.0556%
75. Broad-tailed Hummingbird	12.20%
76. Broad-billed Hummingbird	0.1054%
77. King Rail	0.0029%
78. Virginia Rail	1.14%
79. Sora	0.7878%
80. Common Gallinule	0.1538%
81. American Coot	13.92%
82. Sandhill Crane	0.3749%
83. Black-necked Stilt	5.39%
84. American Avocet	4.97%
85. Black-bellied Plover	0.0644%
86. American Golden-Plover	0.0922%

87. Killdeer	14.21%
88. Semipalmated Plover	0.4613%
89. Piping Plover	0.0029%
90. Mountain Plover	0.0278%
91. Snowy Plover	0.7600%
92. Whimbrel	0.0556%
93. Long-billed Curlew	1.36%
94. Hudsonian Godwit	0.0615%
95. Marbled Godwit	0.7292%
96. Long-billed Dowitcher	2.97%
97. Wilson's Snipe	1.43%
98. Wilson's Phalarope	2.70%
99. Red-necked Phalarope	0.0966%
100. Spotted Sandpiper	2.68%
101. Solitary Sandpiper	1.12%
102. Lesser Yellowlegs	2.06%
103. Willet	1.29%
104. Greater Yellowlegs	2.80%
105. Ruddy Turnstone	0.0000%
106. Red Knot	0.0000%
107. Ruff	0.0015%
108. Stilt Sandpiper	0.1787%
109. Sanderling	0.0410%

110. <b>Dunlin</b>	<b>0.0922%</b>
111. <b>Baird's Sandpiper</b>	<b>0.6033%</b>
112. <b>Least Sandpiper</b>	<b>3.19%</b>
113. <b>Pectoral Sandpiper</b>	<b>0.1142%</b>
114. <b>Western Sandpiper</b>	<b>1.92%</b>
115. <b>Semipalmated Sandpiper</b>	<b>0.3412%</b>
116. <b>Little Gull</b>	<b>0.0000%</b>
117. <b>Sabine's Gull</b>	<b>0.0000%</b>
118. <b>Bonaparte's Gull</b>	<b>0.4657%</b>
119. <b>Laughing Gull</b>	<b>0.0103%</b>
120. <b>Franklin's Gull</b>	<b>2.74%</b>
121. <b>Heermann's Gull</b>	<b>0.0000%</b>
122. <b>Short-billed Gull</b>	<b>0.0000%</b>
123. <b>Ring-billed Gull</b>	<b>4.10%</b>
124. <b>Western Gull</b>	<b>0.0059%</b>
125. <b>Herring Gull</b>	<b>0.0879%</b>
126. <b>Glaucous Gull</b>	<b>0.0015%</b>
127. <b>Lesser Black-backed Gull</b>	<b>0.0220%</b>
128. <b>California Gull</b>	<b>0.2358%</b>
129. <b>Glaucous-winged Gull</b>	<b>0.0000%</b>
130. <b>Least Tern</b>	<b>0.0469%</b>
131. <b>Caspian Tern</b>	<b>0.0747%</b>
132. <b>Forster's Tern</b>	<b>0.3602%</b>

133. Red-throated Loon	0.0044%
134. Pacific Loon	0.0044%
135. Common Loon	0.1025%
136. Anhinga	0.0015%
137. Double-crested Cormorant	2.78%
138. Neotropic Cormorant	4.36%
139. American White Pelican	1.29%
140. Brown Pelican	0.0190%
141. American Bittern	0.2489%
142. Least Bittern	0.0454%
143. Yellow-crowned Night Heron	0.0073%
144. Black-crowned Night Heron	2.67%
145. Little Blue Heron	0.0732%
146. Tricolored Heron	0.0190%
147. Reddish Egret	0.0029%
148. Snowy Egret	5.85%
149. Green Heron	1.03%
150. Western Cattle Egret	2.71%
151. Great Egret	4.43%
152. Great Blue Heron	7.48%
153. White Ibis	0.0029%
154. Glossy Ibis	0.0996%
155. White-faced Ibis	5.65%

156. California Condor	0.0044%
157. Black Vulture	0.0015%
158. Turkey Vulture	25.40%
159. Osprey	3.78%
160. White-tailed Kite	0.0425%
161. Golden Eagle	0.6516%
162. Mississippi Kite	0.0454%
163. Northern Harrier	4.76%
164. Sharp-shinned Hawk	2.12%
165. Cooper's Hawk	11.44%
166. American Goshawk	0.1259%
167. Bald Eagle	0.2358%
168. Common Black Hawk	1.67%
169. Harris's Hawk	0.0966%
170. Gray Hawk	0.2109%
171. Red-shouldered Hawk	0.0000%
172. Broad-winged Hawk	0.3104%
173. Swainson's Hawk	10.24%
174. Zone-tailed Hawk	0.6648%
175. Red-tailed Hawk	9.71%
176. Rough-legged Hawk	0.0117%
177. Ferruginous Hawk	0.3983%
178. Barn Owl	0.3910%



179. Flammulated Owl	0.0425%
180. Whiskered Screech-Owl	0.0322%
181. Western Screech-Owl	0.4437%
182. Great Horned Owl	3.44%
183. Northern Pygmy-Owl	0.1977%
184. Elf Owl	0.1420%
185. Burrowing Owl	0.7688%
186. Spotted Owl	0.1230%
187. Long-eared Owl	0.1303%
188. Short-eared Owl	0.0073%
189. Boreal Owl	0.0029%
190. Northern Saw-whet Owl	0.0571%
191. Elegant Trogon	0.0029%
192. Belted Kingfisher	3.74%
193. Williamson's Sapsucker	0.3822%
194. Yellow-bellied Sapsucker	0.0337%
195. Red-naped Sapsucker	1.75%
196. Lewis's Woodpecker	0.6267%
197. Red-headed Woodpecker	0.0454%
198. Acorn Woodpecker	3.67%
199. Gila Woodpecker	0.3251%
200. Red-bellied Woodpecker	0.0293%
201. American Three-toed Woodpecker	0.1084%

202. Downy Woodpecker	6.75%
203. Ladder-backed Woodpecker	13.04%
204. Hairy Woodpecker	7.85%
205. Arizona Woodpecker	0.0747%
206. Northern Flicker	16.29%
207. Crested Caracara	0.0264%
208. American Kestrel	13.50%
209. Merlin	0.4085%
210. Aplomado Falcon	0.0059%
211. Peregrine Falcon	1.33%
212. Prairie Falcon	0.4774%
213. Northern Beardless-Tyrannulet	0.0322%
214. Olive-sided Flycatcher	0.3046%
215. Greater Pewee	0.0674%
216. Western Wood-Pewee	0.8010%
217. Willow Flycatcher	0.0293%
218. Least Flycatcher	0.0015%
219. Hammond's Flycatcher	0.3339%
220. Gray Flycatcher	3.41%
221. Dusky Flycatcher	1.06%
222. Western Flycatcher	0.0454%
223. Black Phoebe	13.26%
224. Eastern Phoebe	0.4554%

225. Say's Phoebe	28.67%
226. Vermilion Flycatcher	5.01%
227. Dusky-capped Flycatcher	0.1567%
228. Ash-throated Flycatcher	8.21%
229. Brown-crested Flycatcher	0.1098%
230. Great Kiskadee	0.0015%
231. Cassin's Kingbird	3.93%
232. Thick-billed Kingbird	0.0044%
233. Western Kingbird	13.25%
234. Eastern Kingbird	0.0366%
235. Scissor-tailed Flycatcher	0.5272%
236. White-eyed Vireo	0.0190%
237. Bell's Vireo	1.83%
238. Gray Vireo	0.2358%
239. Hutton's Vireo	0.3104%
240. Yellow-throated Vireo	0.0439%
241. Cassin's Vireo	0.7205%
242. Blue-headed Vireo	0.0015%
243. Plumbeous Vireo	2.94%
244. Warbling Vireo	0.5242%
245. Red-eyed Vireo	0.0059%
246. Loggerhead Shrike	3.08%
247. Canada Jay	0.0351%

248. Pinyon Jay	2.21%
249. Steller's Jay	5.21%
250. Blue Jay	0.5345%
251. Woodhouse's Scrub-Jay	13.52%
252. Mexican Jay	0.6326%
253. Black-billed Magpie	3.49%
254. Clark's Nutcracker	0.5081%
255. American Crow	15.15%
256. Chihuahuan Raven	4.90%
257. Common Raven	28.69%
258. Black-capped Chickadee	4.84%
259. Mountain Chickadee	9.56%
260. Mexican Chickadee	0.0044%
261. Bridled Titmouse	0.9357%
262. Juniper Titmouse	7.48%
263. Verdin	3.72%
264. Horned Lark	2.86%
265. Bank Swallow	2.86%
266. Tree Swallow	4.61%
267. Violet-green Swallow	10.24%
268. Purple Martin	0.1201%
269. Northern Rough-winged Swallow	9.65%
270. Barn Swallow	18.45%

271. <b>Cliff Swallow</b>	<b>7.96%</b>
272. <b>Cave Swallow</b>	<b>0.7732%</b>
273. <b>Bushtit</b>	<b>13.39%</b>
274. <b>Ruby-crowned Kinglet</b>	<b>12.25%</b>
275. <b>Golden-crowned Kinglet</b>	<b>0.2548%</b>
276. <b>White-breasted Nuthatch</b>	<b>15.40%</b>
277. <b>Pygmy Nuthatch</b>	<b>5.24%</b>
278. <b>Red-breasted Nuthatch</b>	<b>2.58%</b>
279. <b>Brown Creeper</b>	<b>1.07%</b>
280. <b>Blue-gray Gnatcatcher</b>	<b>4.39%</b>
281. <b>Black-tailed Gnatcatcher</b>	<b>0.2680%</b>
282. <b>Rock Wren</b>	<b>5.28%</b>
283. <b>Canyon Wren</b>	<b>3.38%</b>
284. <b>House Wren</b>	<b>2.61%</b>
285. <b>Pacific Wren</b>	<b>0.0161%</b>
286. <b>Winter Wren</b>	<b>0.0264%</b>
287. <b>Sedge Wren</b>	<b>0.0117%</b>
288. <b>Marsh Wren</b>	<b>2.69%</b>
289. <b>Carolina Wren</b>	<b>0.2153%</b>
290. <b>Bewick's Wren</b>	<b>14.94%</b>
291. <b>Cactus Wren</b>	<b>3.45%</b>
292. <b>American Dipper</b>	<b>0.1113%</b>
293. <b>European Starling</b>	<b>14.58%</b>

294. <b>Gray Catbird</b>	<b>0.1904%</b>
295. <b>Curve-billed Thrasher</b>	<b>11.49%</b>
296. <b>Brown Thrasher</b>	<b>0.3588%</b>
297. <b>Long-billed Thrasher</b>	<b>0.0044%</b>
298. <b>Bendire's Thrasher</b>	<b>0.3148%</b>
299. <b>Crissal Thrasher</b>	<b>1.73%</b>
300. <b>Sage Thrasher</b>	<b>0.8215%</b>
301. <b>Northern Mockingbird</b>	<b>9.58%</b>
302. <b>Eastern Bluebird</b>	<b>2.48%</b>
303. <b>Western Bluebird</b>	<b>11.85%</b>
304. <b>Mountain Bluebird</b>	<b>3.33%</b>
305. <b>Townsend's Solitaire</b>	<b>5.77%</b>
306. <b>Varied Thrush</b>	<b>0.0059%</b>
307. <b>Swainson's Thrush</b>	<b>0.0674%</b>
308. <b>Hermit Thrush</b>	<b>3.91%</b>
309. <b>Wood Thrush</b>	<b>0.0176%</b>
310. <b>American Robin</b>	<b>31.96%</b>
311. <b>Rufous-backed Robin</b>	<b>0.0161%</b>
312. <b>Northern Wheatear</b>	<b>0.0205%</b>
313. <b>Bohemian Waxwing</b>	<b>0.0029%</b>
314. <b>Cedar Waxwing</b>	<b>2.64%</b>
315. <b>Phainopepla</b>	<b>1.62%</b>
316. <b>Olive Warbler</b>	<b>0.1977%</b>

317. House Sparrow	25.27%
318. White Wagtail	0.0000%
319. American Pipit	2.32%
320. Sprague's Pipit	0.0044%
321. Evening Grosbeak	4.02%
322. Pine Grosbeak	0.0176%
323. Gray-crowned Rosy-Finch	0.0366%
324. Black Rosy-Finch	0.0732%
325. Brown-capped Rosy-Finch	0.0586%
326. House Finch	53.33%
327. Cassin's Finch	6.57%
328. Red Crossbill	1.01%
329. Pine Siskin	14.82%
330. Lesser Goldfinch	18.82%
331. Lawrence's Goldfinch	0.0249%
332. American Goldfinch	4.90%
333. Lapland Longspur	0.0059%
334. Chestnut-collared Longspur	0.0308%
335. Thick-billed Longspur	0.0103%
336. Rufous-winged Sparrow	0.0015%
337. Cassin's Sparrow	1.22%
338. Grasshopper Sparrow	0.1318%
339. Chipping Sparrow	19.19%

340. Clay-colored Sparrow	0.2973%
341. Black-chinned Sparrow	0.8303%
342. Field Sparrow	0.1259%
343. Brewer's Sparrow	4.79%
344. Black-throated Sparrow	5.73%
345. Lark Sparrow	3.91%
346. Lark Bunting	1.48%
347. Fox Sparrow	0.0322%
348. Dark-eyed Junco	20.46%
349. Yellow-eyed Junco	0.0132%
350. White-crowned Sparrow	30.85%
351. Golden-crowned Sparrow	0.1362%
352. Harris's Sparrow	0.2299%
353. White-throated Sparrow	1.85%
354. Sagebrush Sparrow	0.1479%
355. Vesper Sparrow	4.35%
356. Savannah Sparrow	2.21%
357. Baird's Sparrow	0.0059%
358. Henslow's Sparrow	0.0000%
359. Song Sparrow	6.39%
360. Lincoln's Sparrow	4.09%
361. Swamp Sparrow	0.3968%
362. Canyon Towhee	13.30%



363. <b>Abert's Towhee</b>	<b>0.0805%</b>
364. <b>Rufous-crowned Sparrow</b>	<b>1.56%</b>
365. <b>Green-tailed Towhee</b>	<b>4.23%</b>
366. <b>Spotted Towhee</b>	<b>29.90%</b>
367. <b>Eastern Towhee</b>	<b>0.0117%</b>
368. <b>Yellow-breasted Chat</b>	<b>1.27%</b>
369. <b>Yellow-headed Blackbird</b>	<b>2.81%</b>
370. <b>Western Meadowlark</b>	<b>10.87%</b>
371. <b>Chihuahuan Meadowlark</b>	<b>1.85%</b>
372. <b>Orchard Oriole</b>	<b>0.1508%</b>
373. <b>Hooded Oriole</b>	<b>0.8449%</b>
374. <b>Streak-backed Oriole</b>	<b>0.0103%</b>
375. <b>Bullock's Oriole</b>	<b>4.22%</b>
376. <b>Baltimore Oriole</b>	<b>0.0366%</b>
377. <b>Scott's Oriole</b>	<b>1.76%</b>
378. <b>Red-winged Blackbird</b>	<b>22.00%</b>
379. <b>Bronzed Cowbird</b>	<b>0.2680%</b>
380. <b>Brown-headed Cowbird</b>	<b>4.51%</b>
381. <b>Rusty Blackbird</b>	<b>0.0234%</b>
382. <b>Brewer's Blackbird</b>	<b>4.31%</b>
383. <b>Common Grackle</b>	<b>2.23%</b>
384. <b>Great-tailed Grackle</b>	<b>14.39%</b>
385. <b>Ovenbird</b>	<b>0.0073%</b>

386. <b>Worm-eating Warbler</b>	<b>0.0264%</b>
387. <b>Louisiana Waterthrush</b>	<b>0.0425%</b>
388. <b>Northern Waterthrush</b>	<b>0.0996%</b>
389. <b>Golden-winged Warbler</b>	<b>0.0249%</b>
390. <b>Blue-winged Warbler</b>	<b>0.0000%</b>
391. <b>Black-and-white Warbler</b>	<b>0.1830%</b>
392. <b>Prothonotary Warbler</b>	<b>0.0103%</b>
393. <b>Tennessee Warbler</b>	<b>0.0410%</b>
394. <b>Orange-crowned Warbler</b>	<b>4.11%</b>
395. <b>Lucy's Warbler</b>	<b>7.33%</b>
396. <b>Nashville Warbler</b>	<b>0.3646%</b>
397. <b>Virginia's Warbler</b>	<b>2.77%</b>
398. <b>MacGillivray's Warbler</b>	<b>0.5565%</b>
399. <b>Kentucky Warbler</b>	<b>0.0527%</b>
400. <b>Common Yellowthroat</b>	<b>2.70%</b>
401. <b>Hooded Warbler</b>	<b>0.1172%</b>
402. <b>American Redstart</b>	<b>0.0600%</b>
403. <b>Cape May Warbler</b>	<b>0.0059%</b>
404. <b>Cerulean Warbler</b>	<b>0.0000%</b>
405. <b>Northern Parula</b>	<b>0.2475%</b>
406. <b>Magnolia Warbler</b>	<b>0.0000%</b>
407. <b>Bay-breasted Warbler</b>	<b>0.0015%</b>
408. <b>Yellow Warbler</b>	<b>5.19%</b>

409. Chestnut-sided Warbler	0.0029%
410. Blackpoll Warbler	0.0088%
411. Palm Warbler	0.0849%
412. Pine Warbler	0.0132%
413. Yellow-rumped Warbler	29.01%
414. Yellow-throated Warbler	0.0410%
415. Grace's Warbler	2.40%
416. Black-throated Gray Warbler	2.38%
417. Townsend's Warbler	0.3866%
418. Hermit Warbler	0.0366%
419. Black-throated Green Warbler	0.0439%
420. Wilson's Warbler	6.72%
421. Red-faced Warbler	0.4510%
422. Painted Redstart	0.9269%
423. Slate-throated Redstart	0.0000%
424. Hepatic Tanager	0.1845%
425. Summer Tanager	3.83%
426. Western Tanager	1.37%
427. Northern Cardinal	1.77%
428. Pyrrhuloxia	3.29%
429. Yellow Grosbeak	0.0000%
430. Rose-breasted Grosbeak	0.1347%
431. Black-headed Grosbeak	3.06%

432. <b>Blue Grosbeak</b>	<b>0.1069%</b>
433. <b>Lazuli Bunting</b>	<b>0.7746%</b>
434. <b>Indigo Bunting</b>	<b>0.2489%</b>
435. <b>Varied Bunting</b>	<b>0.0322%</b>
436. <b>Painted Bunting</b>	<b>0.0644%</b>
437. <b>Dickcissel</b>	<b>0.0117%</b>
<b>EXOTIC: PROVISIONAL</b>	
438. <b>Egyptian Goose</b>	<b>0.0015%</b> frequency
439. <b>Monk Parakeet</b>	<b>0.0059%</b>
<b>EXOTIC: ESCAPEE</b>	
<b>Graylag Goose</b>	<b>0.0220%</b> frequency
<b>Swan Goose</b>	<b>0.0893%</b>
<b>Mute Swan</b>	<b>0.0454%</b>
<b>Ruddy Shelduck</b>	<b>0.0015%</b>
<b>Muscovy Duck</b>	<b>0.1069%</b>
<b>Mandarin Duck</b>	<b>0.0015%</b>
<b>Helmeted Guineafowl</b>	<b>0.0015%</b>
<b>Golden Pheasant</b>	<b>0.0029%</b>
<b>Indian Peafowl</b>	<b>0.0059%</b>
<b>Chukar</b>	<b>0.0059%</b>
<b>African Collared-Dove</b>	<b>0.0044%</b>
<b>Cockatiel</b>	<b>0.0015%</b>

<b>Black-throated Magpie-Jay</b>	<b>0.0000%</b>
<b>Green Jay</b>	<b>0.0015%</b>
<b>Trumpeter Swan</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Snow x Ross's Goose (hybrid)	<b>0.0351%</b> frequency
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0132%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0015%</b>
Cinnamon Teal x Northern Shoveler (hybrid)	<b>0.0132%</b>
Mallard x Mexican Duck (hybrid)	<b>1.17%</b>
Bufflehead x Hooded Merganser (hybrid)	<b>0.0015%</b>
Scaled x Gambel's Quail (hybrid)	<b>0.0044%</b>
Western x Clark's Grebe (hybrid)	<b>0.0015%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0059%</b>
Golden-fronted x Red-bellied Woodpecker (hybrid)	<b>0.0000%</b>
Black x Eastern Phoebe (hybrid)	<b>0.0015%</b>
Black-capped x Mountain Chickadee (hybrid)	<b>0.0337%</b>
Western x Eastern Meadowlark (hybrid)	<b>0.0015%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0029%</b>
Northern Cardinal x Pyrrhuloxia (hybrid)	<b>0.0029%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0044%</b>