



## Target Species

Based on 47,996 complete checklists

**428** species observed in New Mexico, US (region/US-NM) in Aug that you need for your **World Life List**

1. House Finch	45.53% frequency
2. Mourning Dove	41.00%
3. Black-chinned Hummingbird	37.65%
4. Lesser Goldfinch	37.65%
5. Barn Swallow	27.94%
6. Broad-tailed Hummingbird	27.85%
7. Rufous Hummingbird	27.19%
8. White-winged Dove	26.98%
9. Common Raven	26.44%
10. Chipping Sparrow	25.41%
11. Turkey Vulture	23.99%
12. Spotted Towhee	22.62%
13. White-breasted Nuthatch	20.59%
14. American Robin	20.26%
15. Blue Grosbeak	20.09%
16. Eurasian Collared-Dove	20.00%
17. Western Kingbird	18.70%

18. House Sparrow	18.32%
19. Western Wood-Pewee	17.61%
20. Woodhouse's Scrub-Jay	17.01%
21. Lark Sparrow	16.93%
22. Say's Phoebe	16.69%
23. Northern Flicker	15.22%
24. Mountain Chickadee	14.35%
25. Canyon Towhee	14.12%
26. Black-headed Grosbeak	13.35%
27. Rock Pigeon	12.66%
28. Western Tanager	12.32%
29. Killdeer	12.11%
30. Yellow Warbler	11.87%
31. American Crow	11.85%
32. Ladder-backed Woodpecker	11.72%
33. American Kestrel	11.67%
34. Mallard	11.38%
35. Pine Siskin	11.04%
36. Wilson's Warbler	11.02%
37. Bewick's Wren	10.79%
38. Curve-billed Thrasher	10.70%
39. Swainson's Hawk	10.56%
40. Black Phoebe	10.24%

41. <b>Bushtit</b>	<b>10.23%</b>
42. <b>Cooper's Hawk</b>	<b>10.09%</b>
43. <b>Western Bluebird</b>	<b>9.54%</b>
44. <b>Red-winged Blackbird</b>	<b>9.24%</b>
45. <b>Great Blue Heron</b>	<b>9.22%</b>
46. <b>Violet-green Swallow</b>	<b>8.99%</b>
47. <b>Greater Roadrunner</b>	<b>8.95%</b>
48. <b>Steller's Jay</b>	<b>8.67%</b>
49. <b>Cliff Swallow</b>	<b>8.57%</b>
50. <b>Hairy Woodpecker</b>	<b>8.26%</b>
51. <b>Red-tailed Hawk</b>	<b>8.22%</b>
52. <b>Summer Tanager</b>	<b>8.17%</b>
53. <b>European Starling</b>	<b>8.12%</b>
54. <b>Great-tailed Grackle</b>	<b>7.85%</b>
55. <b>Canada Goose</b>	<b>7.73%</b>
56. <b>Yellow-breasted Chat</b>	<b>7.70%</b>
57. <b>Northern Mockingbird</b>	<b>7.55%</b>
58. <b>Yellow-rumped Warbler</b>	<b>7.32%</b>
59. <b>Spotted Sandpiper</b>	<b>7.27%</b>
60. <b>Pygmy Nuthatch</b>	<b>7.17%</b>
61. <b>Juniper Titmouse</b>	<b>7.10%</b>
62. <b>Gambel's Quail</b>	<b>6.95%</b>
63. <b>Cassin's Kingbird</b>	<b>6.95%</b>

64. Dark-eyed Junco	6.73%
65. Bullock's Oriole	6.72%
66. Calliope Hummingbird	6.66%
67. Black-capped Chickadee	6.50%
68. House Wren	6.33%
69. American Coot	6.22%
70. Warbling Vireo	6.21%
71. MacGillivray's Warbler	6.06%
72. Downy Woodpecker	6.06%
73. Virginia's Warbler	6.04%
74. Snowy Egret	6.00%
75. Wood Duck	5.65%
76. Plumbeous Vireo	5.55%
77. Common Yellowthroat	5.19%
78. Western Meadowlark	5.16%
79. Black-throated Sparrow	4.95%
80. Common Nighthawk	4.92%
81. Lazuli Bunting	4.86%
82. Loggerhead Shrike	4.78%
83. Red-breasted Nuthatch	4.42%
84. Yellow-headed Blackbird	4.36%
85. Ash-throated Flycatcher	4.23%
86. Verdin	4.20%

87. Northern Rough-winged Swallow	4.20%
88. Orange-crowned Warbler	4.14%
89. Blue-gray Gnatcatcher	4.03%
90. Lark Bunting	4.01%
91. Olive-sided Flycatcher	3.99%
92. Western Flycatcher	3.97%
93. Pinyon Jay	3.89%
94. Rock Wren	3.89%
95. Canyon Wren	3.85%
96. Brewer's Sparrow	3.85%
97. Acorn Woodpecker	3.73%
98. Solitary Sandpiper	3.69%
99. Black-billed Magpie	3.51%
100. Brown-headed Cowbird	3.50%
101. Cactus Wren	3.48%
102. White-faced Ibis	3.47%
103. Least Sandpiper	3.46%
104. Wilson's Phalarope	3.35%
105. Pied-billed Grebe	3.23%
106. Western Sandpiper	3.09%
107. Scaled Quail	3.03%
108. Chihuahuan Raven	3.01%
109. Baird's Sandpiper	2.92%

110. <b>Tree Swallow</b>	<b>2.89%</b>
111. <b>Green Heron</b>	<b>2.88%</b>
112. <b>Cinnamon Teal</b>	<b>2.81%</b>
113. <b>Black-crowned Night Heron</b>	<b>2.77%</b>
114. <b>Clark's Nutcracker</b>	<b>2.72%</b>
115. <b>Hermit Thrush</b>	<b>2.72%</b>
116. <b>Mountain Bluebird</b>	<b>2.71%</b>
117. <b>Lesser Yellowlegs</b>	<b>2.63%</b>
118. <b>Red Crossbill</b>	<b>2.63%</b>
119. <b>Green-tailed Towhee</b>	<b>2.62%</b>
120. <b>Townsend's Warbler</b>	<b>2.60%</b>
121. <b>Brown Creeper</b>	<b>2.57%</b>
122. <b>Evening Grosbeak</b>	<b>2.57%</b>
123. <b>Bank Swallow</b>	<b>2.55%</b>
124. <b>Blue-winged Teal</b>	<b>2.54%</b>
125. <b>Willow Flycatcher</b>	<b>2.53%</b>
126. <b>Black-throated Gray Warbler</b>	<b>2.50%</b>
127. <b>Belted Kingfisher</b>	<b>2.49%</b>
128. <b>American Avocet</b>	<b>2.46%</b>
129. <b>Green-winged Teal</b>	<b>2.38%</b>
130. <b>Mississippi Kite</b>	<b>2.32%</b>
131. <b>Black-necked Stilt</b>	<b>2.31%</b>
132. <b>Western Cattle Egret</b>	<b>2.31%</b>

133. American Goldfinch	2.25%
134. Vesper Sparrow	2.25%
135. Horned Lark	2.24%
136. Townsend's Solitaire	2.21%
137. Northern Shoveler	2.20%
138. Greater Yellowlegs	2.19%
139. Cassin's Sparrow	2.14%
140. Gray Flycatcher	2.09%
141. Vermilion Flycatcher	2.06%
142. Ruby-crowned Kinglet	2.02%
143. Wild Turkey	2.01%
144. Brewer's Blackbird	1.98%
145. Great Horned Owl	1.93%
146. Sora	1.93%
147. Crissal Thrasher	1.89%
148. Dusky Flycatcher	1.86%
149. Pyrrhuloxia	1.85%
150. Ruddy Duck	1.84%
151. White-throated Swift	1.84%
152. Double-crested Cormorant	1.80%
153. Rufous-crowned Sparrow	1.75%
154. Band-tailed Pigeon	1.73%
155. Grace's Warbler	1.65%

156. <b>Song Sparrow</b>	<b>1.64%</b>
157. <b>Phainopepla</b>	<b>1.62%</b>
158. <b>Williamson's Sapsucker</b>	<b>1.59%</b>
159. <b>Great Egret</b>	<b>1.54%</b>
160. <b>Osprey</b>	<b>1.53%</b>
161. <b>Cedar Waxwing</b>	<b>1.53%</b>
162. <b>Ring-billed Gull</b>	<b>1.45%</b>
163. <b>Bell's Vireo</b>	<b>1.40%</b>
164. <b>Cassin's Finch</b>	<b>1.39%</b>
165. <b>Eastern Bluebird</b>	<b>1.29%</b>
166. <b>Gray Catbird</b>	<b>1.25%</b>
167. <b>Northern Harrier</b>	<b>1.21%</b>
168. <b>Peregrine Falcon</b>	<b>1.21%</b>
169. <b>American White Pelican</b>	<b>1.20%</b>
170. <b>Neotropic Cormorant</b>	<b>1.20%</b>
171. <b>Lewis's Woodpecker</b>	<b>1.14%</b>
172. <b>Black Tern</b>	<b>1.12%</b>
173. <b>Northern Cardinal</b>	<b>1.12%</b>
174. <b>Mexican Duck</b>	<b>1.11%</b>
175. <b>Hepatic Tanager</b>	<b>1.11%</b>
176. <b>Sharp-shinned Hawk</b>	<b>1.06%</b>
177. <b>Chihuahuan Meadowlark</b>	<b>1.06%</b>
178. <b>Painted Bunting</b>	<b>1.05%</b>



179. <b>Gadwall</b>	<b>1.05%</b>
180. <b>Indigo Bunting</b>	<b>1.03%</b>
181. <b>Sage Thrasher</b>	<b>1.01%</b>
182. <b>Virginia Rail</b>	<b>0.9813%</b>
183. <b>Long-billed Dowitcher</b>	<b>0.9813%</b>
184. <b>Common Grackle</b>	<b>0.9605%</b>
185. <b>Hammond's Flycatcher</b>	<b>0.9480%</b>
186. <b>Red-naped Sapsucker</b>	<b>0.9438%</b>
187. <b>Ring-necked Pheasant</b>	<b>0.9167%</b>
188. <b>Long-billed Curlew</b>	<b>0.9063%</b>
189. <b>Upland Sandpiper</b>	<b>0.9042%</b>
190. <b>Clay-colored Sparrow</b>	<b>0.8772%</b>
191. <b>Western Grebe</b>	<b>0.8688%</b>
192. <b>Bridled Titmouse</b>	<b>0.8605%</b>
193. <b>Burrowing Owl</b>	<b>0.8563%</b>
194. <b>Savannah Sparrow</b>	<b>0.8146%</b>
195. <b>Common Black Hawk</b>	<b>0.8042%</b>
196. <b>Lucy's Warbler</b>	<b>0.7855%</b>
197. <b>Cave Swallow</b>	<b>0.7771%</b>
198. <b>Northern Waterthrush</b>	<b>0.7688%</b>
199. <b>Scott's Oriole</b>	<b>0.7667%</b>
200. <b>Stilt Sandpiper</b>	<b>0.7584%</b>
201. <b>Mexican Jay</b>	<b>0.7396%</b>

202.	<b>Northern Pintail</b>	<b>0.7251%</b>
203.	<b>Eastern Kingbird</b>	<b>0.7230%</b>
204.	<b>Yellow-billed Cuckoo</b>	<b>0.7126%</b>
205.	<b>Lesser Nighthawk</b>	<b>0.6771%</b>
206.	<b>Cassin's Vireo</b>	<b>0.6751%</b>
207.	<b>Inca Dove</b>	<b>0.6646%</b>
208.	<b>Common Poorwill</b>	<b>0.6584%</b>
209.	<b>Hooded Oriole</b>	<b>0.6334%</b>
210.	<b>Western Screech-Owl</b>	<b>0.6313%</b>
211.	<b>Lincoln's Sparrow</b>	<b>0.6230%</b>
212.	<b>Zone-tailed Hawk</b>	<b>0.6209%</b>
213.	<b>Forster's Tern</b>	<b>0.6146%</b>
214.	<b>Gray Vireo</b>	<b>0.6063%</b>
215.	<b>Semipalmated Sandpiper</b>	<b>0.5959%</b>
216.	<b>Barn Owl</b>	<b>0.5917%</b>
217.	<b>American Three-toed Woodpecker</b>	<b>0.5875%</b>
218.	<b>Golden-crowned Kinglet</b>	<b>0.5855%</b>
219.	<b>American Wigeon</b>	<b>0.5709%</b>
220.	<b>Eared Grebe</b>	<b>0.5646%</b>
221.	<b>Semipalmated Plover</b>	<b>0.5605%</b>
222.	<b>Nashville Warbler</b>	<b>0.5542%</b>
223.	<b>Clark's Grebe</b>	<b>0.5521%</b>
224.	<b>Black-chinned Sparrow</b>	<b>0.5313%</b>

225. <b>Golden Eagle</b>	<b>0.5230%</b>
226. <b>Snowy Plover</b>	<b>0.5063%</b>
227. <b>Canada Jay</b>	<b>0.4980%</b>
228. <b>Painted Redstart</b>	<b>0.4938%</b>
229. <b>Dickcissel</b>	<b>0.4834%</b>
230. <b>Prairie Falcon</b>	<b>0.4813%</b>
231. <b>Orchard Oriole</b>	<b>0.4771%</b>
232. <b>Dusky Grouse</b>	<b>0.4500%</b>
233. <b>Redhead</b>	<b>0.4396%</b>
234. <b>Black-tailed Gnatcatcher</b>	<b>0.4250%</b>
235. <b>Scissor-tailed Flycatcher</b>	<b>0.4229%</b>
236. <b>Common Merganser</b>	<b>0.4209%</b>
237. <b>Red-headed Woodpecker</b>	<b>0.4000%</b>
238. <b>Red-faced Warbler</b>	<b>0.3917%</b>
239. <b>White-crowned Sparrow</b>	<b>0.3834%</b>
240. <b>Wilson's Snipe</b>	<b>0.3792%</b>
241. <b>Willet</b>	<b>0.3729%</b>
242. <b>Blue Jay</b>	<b>0.3729%</b>
243. <b>Purple Martin</b>	<b>0.3480%</b>
244. <b>Pectoral Sandpiper</b>	<b>0.3084%</b>
245. <b>Hutton's Vireo</b>	<b>0.3084%</b>
246. <b>Bendire's Thrasher</b>	<b>0.2709%</b>
247. <b>Northern Pygmy-Owl</b>	<b>0.2604%</b>

248. <b>American Dipper</b>	<b>0.2584%</b>
249. <b>California Gull</b>	<b>0.2333%</b>
250. <b>Northern Bobwhite</b>	<b>0.2313%</b>
251. <b>Gila Woodpecker</b>	<b>0.2167%</b>
252. <b>American Goshawk</b>	<b>0.2125%</b>
253. <b>Botteri's Sparrow</b>	<b>0.2063%</b>
254. <b>Tricolored Heron</b>	<b>0.1979%</b>
255. <b>Eastern Phoebe</b>	<b>0.1979%</b>
256. <b>Hermit Warbler</b>	<b>0.1917%</b>
257. <b>Broad-billed Hummingbird</b>	<b>0.1875%</b>
258. <b>American Pipit</b>	<b>0.1875%</b>
259. <b>Brown-crested Flycatcher</b>	<b>0.1833%</b>
260. <b>Gray Hawk</b>	<b>0.1813%</b>
261. <b>Grasshopper Sparrow</b>	<b>0.1792%</b>
262. <b>Pine Grosbeak</b>	<b>0.1708%</b>
263. <b>American Redstart</b>	<b>0.1708%</b>
264. <b>Ferruginous Hawk</b>	<b>0.1667%</b>
265. <b>Dusky-capped Flycatcher</b>	<b>0.1584%</b>
266. <b>Ring-necked Duck</b>	<b>0.1563%</b>
267. <b>Common Gallinule</b>	<b>0.1563%</b>
268. <b>Bald Eagle</b>	<b>0.1563%</b>
269. <b>Marbled Godwit</b>	<b>0.1542%</b>
270. <b>Least Flycatcher</b>	<b>0.1542%</b>

271. <b>Bronzed Cowbird</b>	<b>0.1479%</b>
272. <b>Short-billed Dowitcher</b>	<b>0.1459%</b>
273. <b>Lesser Scaup</b>	<b>0.1438%</b>
274. <b>Montezuma Quail</b>	<b>0.1438%</b>
275. <b>Arizona Woodpecker</b>	<b>0.1417%</b>
276. <b>Least Bittern</b>	<b>0.1396%</b>
277. <b>Black-and-white Warbler</b>	<b>0.1396%</b>
278. <b>Rivoli's Hummingbird</b>	<b>0.1354%</b>
279. <b>Red-necked Phalarope</b>	<b>0.1354%</b>
280. <b>Sagebrush Sparrow</b>	<b>0.1333%</b>
281. <b>Varied Bunting</b>	<b>0.1292%</b>
282. <b>Olive Warbler</b>	<b>0.1271%</b>
283. <b>Yellow-crowned Night Heron</b>	<b>0.1167%</b>
284. <b>Swainson's Thrush</b>	<b>0.1021%</b>
285. <b>Fulvous Whistling-Duck</b>	<b>0.1000%</b>
286. <b>Sanderling</b>	<b>0.1000%</b>
287. <b>Tropical Kingbird</b>	<b>0.1000%</b>
288. <b>Harris's Hawk</b>	<b>0.0979%</b>
289. <b>Franklin's Gull</b>	<b>0.0896%</b>
290. <b>Snow Goose</b>	<b>0.0854%</b>
291. <b>Common Ground Dove</b>	<b>0.0854%</b>
292. <b>Carolina Wren</b>	<b>0.0833%</b>
293. <b>Black Swift</b>	<b>0.0813%</b>

294. <b>White-eyed Vireo</b>	<b>0.0792%</b>
295. <b>Least Tern</b>	<b>0.0771%</b>
296. <b>Mexican Whip-poor-will</b>	<b>0.0750%</b>
297. <b>Lucifer Hummingbird</b>	<b>0.0729%</b>
298. <b>Reddish Egret</b>	<b>0.0667%</b>
299. <b>Spotted Owl</b>	<b>0.0667%</b>
300. <b>Northern Beardless-Tyrannulet</b>	<b>0.0667%</b>
301. <b>Anna's Hummingbird</b>	<b>0.0646%</b>
302. <b>Black-bellied Plover</b>	<b>0.0646%</b>
303. <b>Mountain Plover</b>	<b>0.0646%</b>
304. <b>Violet-crowned Hummingbird</b>	<b>0.0625%</b>
305. <b>Marsh Wren</b>	<b>0.0625%</b>
306. <b>Abert's Towhee</b>	<b>0.0625%</b>
307. <b>Thick-billed Kingbird</b>	<b>0.0604%</b>
308. <b>White Ibis</b>	<b>0.0583%</b>
309. <b>Greater Pewee</b>	<b>0.0583%</b>
310. <b>Chimney Swift</b>	<b>0.0562%</b>
311. <b>Louisiana Waterthrush</b>	<b>0.0562%</b>
312. <b>Hooded Warbler</b>	<b>0.0562%</b>
313. <b>Canvasback</b>	<b>0.0521%</b>
314. <b>Flammulated Owl</b>	<b>0.0521%</b>
315. <b>Rufous-winged Sparrow</b>	<b>0.0521%</b>
316. <b>Blue-footed Booby</b>	<b>0.0500%</b>

317. Northern Saw-whet Owl	0.0500%
318. Great Crested Flycatcher	0.0479%
319. Bufflehead	0.0437%
320. Whiskered Screech-Owl	0.0437%
321. Baltimore Oriole	0.0437%
322. Common Tern	0.0396%
323. Long-eared Owl	0.0396%
324. Red-eyed Vireo	0.0375%
325. Brown Pelican	0.0354%
326. Common Loon	0.0333%
327. Roseate Spoonbill	0.0333%
328. Elf Owl	0.0271%
329. Black-capped Gnatcatcher	0.0271%
330. Parasitic Jaeger	0.0250%
331. Little Blue Heron	0.0250%
332. White-tailed Kite	0.0250%
333. Caspian Tern	0.0229%
334. American Bittern	0.0229%
335. White-winged Crossbill	0.0208%
336. Merlin	0.0188%
337. Hooded Merganser	0.0167%
338. White-tailed Ptarmigan	0.0167%
339. Dunlin	0.0167%

340. Red-shouldered Hawk	0.0167%
341. Boreal Owl	0.0167%
342. Prothonotary Warbler	0.0167%
343. Yellow-green Vireo	0.0146%
344. Rose-breasted Grosbeak	0.0146%
345. Long-tailed Jaeger	0.0125%
346. Yellow-eyed Junco	0.0125%
347. Chestnut-sided Warbler	0.0125%
348. Lesser Prairie-Chicken	0.0104%
349. Piping Plover	0.0104%
350. Great Kiskadee	0.0104%
351. Brown Thrasher	0.0104%
352. Northern Parula	0.0104%
353. Black-throated Green Warbler	0.0104%
354. Greater White-fronted Goose	0.0083%
355. Common Goldeneye	0.0083%
356. Sulphur-bellied Flycatcher	0.0083%
357. Baird's Sparrow	0.0083%
358. Sandhill Crane	0.0063%
359. Buff-breasted Sandpiper	0.0063%
360. Laughing Gull	0.0063%
361. Black-tailed Gull	0.0063%
362. Aplomado Falcon	0.0063%



363. <b>Bobolink</b>	<b>0.0063%</b>
364. <b>Tennessee Warbler</b>	<b>0.0063%</b>
365. <b>Canada Warbler</b>	<b>0.0063%</b>
366. <b>Ross's Goose</b>	<b>0.0042%</b>
367. <b>Chuck-will's-widow</b>	<b>0.0042%</b>
368. <b>Blue-throated Mountain-gem</b>	<b>0.0042%</b>
369. <b>Costa's Hummingbird</b>	<b>0.0042%</b>
370. <b>American Golden-Plover</b>	<b>0.0042%</b>
371. <b>Sabine's Gull</b>	<b>0.0042%</b>
372. <b>Herring Gull</b>	<b>0.0042%</b>
373. <b>Black Vulture</b>	<b>0.0042%</b>
374. <b>Swallow-tailed Kite</b>	<b>0.0042%</b>
375. <b>Broad-winged Hawk</b>	<b>0.0042%</b>
376. <b>Elegant Trogon</b>	<b>0.0042%</b>
377. <b>Red-bellied Woodpecker</b>	<b>0.0042%</b>
378. <b>Buff-breasted Flycatcher</b>	<b>0.0042%</b>
379. <b>Mexican Chickadee</b>	<b>0.0042%</b>
380. <b>Lawrence's Goldfinch</b>	<b>0.0042%</b>
381. <b>Blue-winged Warbler</b>	<b>0.0042%</b>
382. <b>Black-throated Blue Warbler</b>	<b>0.0042%</b>
383. <b>Black-bellied Whistling-Duck</b>	<b>0.0021%</b>
384. <b>Cackling Goose</b>	<b>0.0021%</b>
385. <b>Horned Grebe</b>	<b>0.0021%</b>

386.	<b>Ruddy Ground Dove</b>	<b>0.0021%</b>
387.	<b>Allen's Hummingbird</b>	<b>0.0021%</b>
388.	<b>White-eared Hummingbird</b>	<b>0.0021%</b>
389.	<b>Whimbrel</b>	<b>0.0021%</b>
390.	<b>Red Phalarope</b>	<b>0.0021%</b>
391.	<b>Ruddy Turnstone</b>	<b>0.0021%</b>
392.	<b>Red Knot</b>	<b>0.0021%</b>
393.	<b>Bonaparte's Gull</b>	<b>0.0021%</b>
394.	<b>Red-throated Loon</b>	<b>0.0021%</b>
395.	<b>Pacific Loon</b>	<b>0.0021%</b>
396.	<b>Eastern Wood-Pewee</b>	<b>0.0021%</b>
397.	<b>Yellow-bellied Flycatcher</b>	<b>0.0021%</b>
398.	<b>Yellow-throated Vireo</b>	<b>0.0021%</b>
399.	<b>Blue-headed Vireo</b>	<b>0.0021%</b>
400.	<b>Philadelphia Vireo</b>	<b>0.0021%</b>
401.	<b>Veery</b>	<b>0.0021%</b>
402.	<b>Field Sparrow</b>	<b>0.0021%</b>
403.	<b>Fox Sparrow</b>	<b>0.0021%</b>
404.	<b>Swamp Sparrow</b>	<b>0.0021%</b>
405.	<b>Ovenbird</b>	<b>0.0021%</b>
406.	<b>Swainson's Warbler</b>	<b>0.0021%</b>
407.	<b>Kentucky Warbler</b>	<b>0.0021%</b>
408.	<b>Blackburnian Warbler</b>	<b>0.0021%</b>

409. Pine Warbler	0.0021%
410. Prairie Warbler	0.0021%
411. Scarlet Tanager	0.0021%
412. Groove-billed Ani	0.0000%
413. Ruby-throated Hummingbird	0.0000%
414. Purple Gallinule	0.0000%
415. Pomarine Jaeger	0.0000%
416. Lesser Black-backed Gull	0.0000%
417. Black Skimmer	0.0000%
418. Least Storm-Petrel	0.0000%
419. Wood Stork	0.0000%
420. Short-tailed Hawk	0.0000%
421. Acadian Flycatcher	0.0000%
422. Brown-capped Rosy-Finch	0.0000%
423. Worm-eating Warbler	0.0000%
424. Golden-winged Warbler	0.0000%
425. Mourning Warbler	0.0000%
426. Golden-cheeked Warbler	0.0000%
<b>EXOTIC: PROVISIONAL</b>	
427. Monk Parakeet	0.0208% frequency
428. Egyptian Goose	0.0063%

**EXOTIC: ESCAPEE**

<b>Muscovy Duck</b>	<b>0.0458%</b> frequency
<b>Swan Goose</b>	<b>0.0354%</b>
<b>Mute Swan</b>	<b>0.0250%</b>
<b>Budgerigar</b>	<b>0.0104%</b>
<b>Graylag Goose</b>	<b>0.0063%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0042%</b>
<b>Mandarin Duck</b>	<b>0.0021%</b>
<b>Helmeted Guineafowl</b>	<b>0.0021%</b>
<b>African Collared-Dove</b>	<b>0.0021%</b>
<b>Chukar</b>	<b>0.0000%</b>
<b>Zebra Finch</b>	<b>0.0000%</b>
<b>Trumpeter Swan</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
<b>Mallard x Mexican Duck (hybrid)</b>	<b>0.2479%</b> frequency
<b>Black-capped x Mountain Chickadee (hybrid)</b>	<b>0.0437%</b>
<b>Lazuli x Indigo Bunting (hybrid)</b>	<b>0.0104%</b>
<b>Dark-eyed x Yellow-eyed Junco (hybrid)</b>	<b>0.0083%</b>
<b>Graylag x Swan Goose (hybrid)</b>	<b>0.0021%</b>
<b>Western x Clark's Grebe (hybrid)</b>	<b>0.0021%</b>
<b>Green-tailed x Spotted Towhee (hybrid)</b>	<b>0.0021%</b>
<b>Townsend's x Hermit Warbler (hybrid)</b>	<b>0.0021%</b>