



Target Species

Based on 47,996 complete checklists

428 species observed in New Mexico, US (region/US-NM) in Aug that you need for your **World Life List**

| | |
|----------------------------------------|--------------------------|
| 1. Black-bellied Whistling-Duck | 0.0021% frequency |
| 2. Fulvous Whistling-Duck | 0.1000% |
| 3. Snow Goose | 0.0854% |
| 4. Ross's Goose | 0.0042% |
| 5. Greater White-fronted Goose | 0.0083% |
| 6. Cackling Goose | 0.0021% |
| 7. Canada Goose | 7.73% |
| 8. Wood Duck | 5.65% |
| 9. Blue-winged Teal | 2.54% |
| 10. Cinnamon Teal | 2.81% |
| 11. Northern Shoveler | 2.20% |
| 12. Gadwall | 1.05% |
| 13. American Wigeon | 0.5709% |
| 14. Mallard | 11.38% |
| 15. Mexican Duck | 1.11% |
| 16. Northern Pintail | 0.7251% |
| 17. Green-winged Teal | 2.38% |

| | |
|----------------------------|---------|
| 18. Canvasback | 0.0521% |
| 19. Redhead | 0.4396% |
| 20. Ring-necked Duck | 0.1563% |
| 21. Lesser Scaup | 0.1438% |
| 22. Bufflehead | 0.0437% |
| 23. Common Goldeneye | 0.0083% |
| 24. Hooded Merganser | 0.0167% |
| 25. Common Merganser | 0.4209% |
| 26. Ruddy Duck | 1.84% |
| 27. Northern Bobwhite | 0.2313% |
| 28. Scaled Quail | 3.03% |
| 29. Gambel's Quail | 6.95% |
| 30. Montezuma Quail | 0.1438% |
| 31. Wild Turkey | 2.01% |
| 32. Dusky Grouse | 0.4500% |
| 33. Lesser Prairie-Chicken | 0.0104% |
| 34. White-tailed Ptarmigan | 0.0167% |
| 35. Ring-necked Pheasant | 0.9167% |
| 36. Pied-billed Grebe | 3.23% |
| 37. Horned Grebe | 0.0021% |
| 38. Eared Grebe | 0.5646% |
| 39. Western Grebe | 0.8688% |
| 40. Clark's Grebe | 0.5521% |

| | |
|--------------------------------|---------|
| 41. Rock Pigeon | 12.66% |
| 42. Band-tailed Pigeon | 1.73% |
| 43. Eurasian Collared-Dove | 20.00% |
| 44. Inca Dove | 0.6646% |
| 45. Common Ground Dove | 0.0854% |
| 46. Ruddy Ground Dove | 0.0021% |
| 47. White-winged Dove | 26.98% |
| 48. Mourning Dove | 41.00% |
| 49. Groove-billed Ani | 0.0000% |
| 50. Greater Roadrunner | 8.95% |
| 51. Yellow-billed Cuckoo | 0.7126% |
| 52. Lesser Nighthawk | 0.6771% |
| 53. Common Nighthawk | 4.92% |
| 54. Common Poorwill | 0.6584% |
| 55. Chuck-will's-widow | 0.0042% |
| 56. Mexican Whip-poor-will | 0.0750% |
| 57. Black Swift | 0.0813% |
| 58. Chimney Swift | 0.0562% |
| 59. White-throated Swift | 1.84% |
| 60. Rivoli's Hummingbird | 0.1354% |
| 61. Blue-throated Mountain-gem | 0.0042% |
| 62. Lucifer Hummingbird | 0.0729% |
| 63. Ruby-throated Hummingbird | 0.0000% |

| | |
|---------------------------------------|----------------|
| 64. Black-chinned Hummingbird | 37.65% |
| 65. Anna's Hummingbird | 0.0646% |
| 66. Costa's Hummingbird | 0.0042% |
| 67. Calliope Hummingbird | 6.66% |
| 68. Rufous Hummingbird | 27.19% |
| 69. Allen's Hummingbird | 0.0021% |
| 70. Broad-tailed Hummingbird | 27.85% |
| 71. Broad-billed Hummingbird | 0.1875% |
| 72. White-eared Hummingbird | 0.0021% |
| 73. Violet-crowned Hummingbird | 0.0625% |
| 74. Virginia Rail | 0.9813% |
| 75. Sora | 1.93% |
| 76. Common Gallinule | 0.1563% |
| 77. American Coot | 6.22% |
| 78. Purple Gallinule | 0.0000% |
| 79. Sandhill Crane | 0.0063% |
| 80. Black-necked Stilt | 2.31% |
| 81. American Avocet | 2.46% |
| 82. Black-bellied Plover | 0.0646% |
| 83. American Golden-Plover | 0.0042% |
| 84. Killdeer | 12.11% |
| 85. Semipalmated Plover | 0.5605% |
| 86. Piping Plover | 0.0104% |

| | |
|------------------------------|---------|
| 87. Mountain Plover | 0.0646% |
| 88. Snowy Plover | 0.5063% |
| 89. Upland Sandpiper | 0.9042% |
| 90. Whimbrel | 0.0021% |
| 91. Long-billed Curlew | 0.9063% |
| 92. Marbled Godwit | 0.1542% |
| 93. Short-billed Dowitcher | 0.1459% |
| 94. Long-billed Dowitcher | 0.9813% |
| 95. Wilson's Snipe | 0.3792% |
| 96. Wilson's Phalarope | 3.35% |
| 97. Red Phalarope | 0.0021% |
| 98. Red-necked Phalarope | 0.1354% |
| 99. Spotted Sandpiper | 7.27% |
| 100. Solitary Sandpiper | 3.69% |
| 101. Lesser Yellowlegs | 2.63% |
| 102. Willet | 0.3729% |
| 103. Greater Yellowlegs | 2.19% |
| 104. Ruddy Turnstone | 0.0021% |
| 105. Red Knot | 0.0021% |
| 106. Stilt Sandpiper | 0.7584% |
| 107. Buff-breasted Sandpiper | 0.0063% |
| 108. Sanderling | 0.1000% |
| 109. Dunlin | 0.0167% |

| | |
|-------------------------------|---------|
| 110. Baird's Sandpiper | 2.92% |
| 111. Least Sandpiper | 3.46% |
| 112. Pectoral Sandpiper | 0.3084% |
| 113. Western Sandpiper | 3.09% |
| 114. Semipalmated Sandpiper | 0.5959% |
| 115. Long-tailed Jaeger | 0.0125% |
| 116. Parasitic Jaeger | 0.0250% |
| 117. Pomarine Jaeger | 0.0000% |
| 118. Sabine's Gull | 0.0042% |
| 119. Bonaparte's Gull | 0.0021% |
| 120. Laughing Gull | 0.0063% |
| 121. Franklin's Gull | 0.0896% |
| 122. Black-tailed Gull | 0.0063% |
| 123. Ring-billed Gull | 1.45% |
| 124. Herring Gull | 0.0042% |
| 125. Lesser Black-backed Gull | 0.0000% |
| 126. California Gull | 0.2333% |
| 127. Black Skimmer | 0.0000% |
| 128. Least Tern | 0.0771% |
| 129. Caspian Tern | 0.0229% |
| 130. Black Tern | 1.12% |
| 131. Forster's Tern | 0.6146% |
| 132. Common Tern | 0.0396% |

| | |
|---------------------------------|---------|
| 133. Red-throated Loon | 0.0021% |
| 134. Pacific Loon | 0.0021% |
| 135. Common Loon | 0.0333% |
| 136. Least Storm-Petrel | 0.0000% |
| 137. Wood Stork | 0.0000% |
| 138. Blue-footed Booby | 0.0500% |
| 139. Double-crested Cormorant | 1.80% |
| 140. Neotropic Cormorant | 1.20% |
| 141. American White Pelican | 1.20% |
| 142. Brown Pelican | 0.0354% |
| 143. American Bittern | 0.0229% |
| 144. Least Bittern | 0.1396% |
| 145. Yellow-crowned Night Heron | 0.1167% |
| 146. Black-crowned Night Heron | 2.77% |
| 147. Little Blue Heron | 0.0250% |
| 148. Tricolored Heron | 0.1979% |
| 149. Reddish Egret | 0.0667% |
| 150. Snowy Egret | 6.00% |
| 151. Green Heron | 2.88% |
| 152. Western Cattle Egret | 2.31% |
| 153. Great Egret | 1.54% |
| 154. Great Blue Heron | 9.22% |
| 155. White Ibis | 0.0583% |

| | |
|---------------------------------|----------------|
| 156. White-faced Ibis | 3.47% |
| 157. Roseate Spoonbill | 0.0333% |
| 158. Black Vulture | 0.0042% |
| 159. Turkey Vulture | 23.99% |
| 160. Osprey | 1.53% |
| 161. White-tailed Kite | 0.0250% |
| 162. Swallow-tailed Kite | 0.0042% |
| 163. Golden Eagle | 0.5230% |
| 164. Mississippi Kite | 2.32% |
| 165. Northern Harrier | 1.21% |
| 166. Sharp-shinned Hawk | 1.06% |
| 167. Cooper's Hawk | 10.09% |
| 168. American Goshawk | 0.2125% |
| 169. Bald Eagle | 0.1563% |
| 170. Common Black Hawk | 0.8042% |
| 171. Harris's Hawk | 0.0979% |
| 172. Gray Hawk | 0.1813% |
| 173. Red-shouldered Hawk | 0.0167% |
| 174. Broad-winged Hawk | 0.0042% |
| 175. Short-tailed Hawk | 0.0000% |
| 176. Swainson's Hawk | 10.56% |
| 177. Zone-tailed Hawk | 0.6209% |
| 178. Red-tailed Hawk | 8.22% |

| | |
|-------------------------------------|---------|
| 179. Ferruginous Hawk | 0.1667% |
| 180. Barn Owl | 0.5917% |
| 181. Flammulated Owl | 0.0521% |
| 182. Whiskered Screech-Owl | 0.0437% |
| 183. Western Screech-Owl | 0.6313% |
| 184. Great Horned Owl | 1.93% |
| 185. Northern Pygmy-Owl | 0.2604% |
| 186. Elf Owl | 0.0271% |
| 187. Burrowing Owl | 0.8563% |
| 188. Spotted Owl | 0.0667% |
| 189. Long-eared Owl | 0.0396% |
| 190. Boreal Owl | 0.0167% |
| 191. Northern Saw-whet Owl | 0.0500% |
| 192. Elegant Trogon | 0.0042% |
| 193. Belted Kingfisher | 2.49% |
| 194. Williamson's Sapsucker | 1.59% |
| 195. Red-naped Sapsucker | 0.9438% |
| 196. Lewis's Woodpecker | 1.14% |
| 197. Red-headed Woodpecker | 0.4000% |
| 198. Acorn Woodpecker | 3.73% |
| 199. Gila Woodpecker | 0.2167% |
| 200. Red-bellied Woodpecker | 0.0042% |
| 201. American Three-toed Woodpecker | 0.5875% |

| | |
|------------------------------------|---------|
| 202. Downy Woodpecker | 6.06% |
| 203. Ladder-backed Woodpecker | 11.72% |
| 204. Hairy Woodpecker | 8.26% |
| 205. Arizona Woodpecker | 0.1417% |
| 206. Northern Flicker | 15.22% |
| 207. American Kestrel | 11.67% |
| 208. Merlin | 0.0188% |
| 209. Aplomado Falcon | 0.0063% |
| 210. Peregrine Falcon | 1.21% |
| 211. Prairie Falcon | 0.4813% |
| 212. Northern Beardless-Tyrannulet | 0.0667% |
| 213. Olive-sided Flycatcher | 3.99% |
| 214. Greater Pewee | 0.0583% |
| 215. Western Wood-Pewee | 17.61% |
| 216. Eastern Wood-Pewee | 0.0021% |
| 217. Yellow-bellied Flycatcher | 0.0021% |
| 218. Acadian Flycatcher | 0.0000% |
| 219. Willow Flycatcher | 2.53% |
| 220. Least Flycatcher | 0.1542% |
| 221. Hammond's Flycatcher | 0.9480% |
| 222. Gray Flycatcher | 2.09% |
| 223. Dusky Flycatcher | 1.86% |
| 224. Western Flycatcher | 3.97% |

| | |
|----------------------------------------|----------------|
| 225. Buff-breasted Flycatcher | 0.0042% |
| 226. Black Phoebe | 10.24% |
| 227. Eastern Phoebe | 0.1979% |
| 228. Say's Phoebe | 16.69% |
| 229. Vermilion Flycatcher | 2.06% |
| 230. Dusky-capped Flycatcher | 0.1584% |
| 231. Ash-throated Flycatcher | 4.23% |
| 232. Great Crested Flycatcher | 0.0479% |
| 233. Brown-crested Flycatcher | 0.1833% |
| 234. Great Kiskadee | 0.0104% |
| 235. Sulphur-bellied Flycatcher | 0.0083% |
| 236. Tropical Kingbird | 0.1000% |
| 237. Cassin's Kingbird | 6.95% |
| 238. Thick-billed Kingbird | 0.0604% |
| 239. Western Kingbird | 18.70% |
| 240. Eastern Kingbird | 0.7230% |
| 241. Scissor-tailed Flycatcher | 0.4229% |
| 242. White-eyed Vireo | 0.0792% |
| 243. Bell's Vireo | 1.40% |
| 244. Gray Vireo | 0.6063% |
| 245. Hutton's Vireo | 0.3084% |
| 246. Yellow-throated Vireo | 0.0021% |
| 247. Cassin's Vireo | 0.6751% |

| | |
|------------------------------------|----------------|
| 248. Blue-headed Vireo | 0.0021% |
| 249. Plumbeous Vireo | 5.55% |
| 250. Philadelphia Vireo | 0.0021% |
| 251. Warbling Vireo | 6.21% |
| 252. Red-eyed Vireo | 0.0375% |
| 253. Yellow-green Vireo | 0.0146% |
| 254. Loggerhead Shrike | 4.78% |
| 255. Canada Jay | 0.4980% |
| 256. Pinyon Jay | 3.89% |
| 257. Steller's Jay | 8.67% |
| 258. Blue Jay | 0.3729% |
| 259. Woodhouse's Scrub-Jay | 17.01% |
| 260. Mexican Jay | 0.7396% |
| 261. Black-billed Magpie | 3.51% |
| 262. Clark's Nutcracker | 2.72% |
| 263. American Crow | 11.85% |
| 264. Chihuahuan Raven | 3.01% |
| 265. Common Raven | 26.44% |
| 266. Black-capped Chickadee | 6.50% |
| 267. Mountain Chickadee | 14.35% |
| 268. Mexican Chickadee | 0.0042% |
| 269. Bridled Titmouse | 0.8605% |
| 270. Juniper Titmouse | 7.10% |

| | |
|------------------------------------|---------|
| 271. Verdin | 4.20% |
| 272. Horned Lark | 2.24% |
| 273. Bank Swallow | 2.55% |
| 274. Tree Swallow | 2.89% |
| 275. Violet-green Swallow | 8.99% |
| 276. Purple Martin | 0.3480% |
| 277. Northern Rough-winged Swallow | 4.20% |
| 278. Barn Swallow | 27.94% |
| 279. Cliff Swallow | 8.57% |
| 280. Cave Swallow | 0.7771% |
| 281. Bushtit | 10.23% |
| 282. Ruby-crowned Kinglet | 2.02% |
| 283. Golden-crowned Kinglet | 0.5855% |
| 284. White-breasted Nuthatch | 20.59% |
| 285. Pygmy Nuthatch | 7.17% |
| 286. Red-breasted Nuthatch | 4.42% |
| 287. Brown Creeper | 2.57% |
| 288. Blue-gray Gnatcatcher | 4.03% |
| 289. Black-tailed Gnatcatcher | 0.4250% |
| 290. Black-capped Gnatcatcher | 0.0271% |
| 291. Rock Wren | 3.89% |
| 292. Canyon Wren | 3.85% |
| 293. House Wren | 6.33% |

| | |
|----------------------------|---------|
| 294. Marsh Wren | 0.0625% |
| 295. Carolina Wren | 0.0833% |
| 296. Bewick's Wren | 10.79% |
| 297. Cactus Wren | 3.48% |
| 298. American Dipper | 0.2584% |
| 299. European Starling | 8.12% |
| 300. Gray Catbird | 1.25% |
| 301. Curve-billed Thrasher | 10.70% |
| 302. Brown Thrasher | 0.0104% |
| 303. Bendire's Thrasher | 0.2709% |
| 304. Crissal Thrasher | 1.89% |
| 305. Sage Thrasher | 1.01% |
| 306. Northern Mockingbird | 7.55% |
| 307. Eastern Bluebird | 1.29% |
| 308. Western Bluebird | 9.54% |
| 309. Mountain Bluebird | 2.71% |
| 310. Townsend's Solitaire | 2.21% |
| 311. Veery | 0.0021% |
| 312. Swainson's Thrush | 0.1021% |
| 313. Hermit Thrush | 2.72% |
| 314. American Robin | 20.26% |
| 315. Cedar Waxwing | 1.53% |
| 316. Phainopepla | 1.62% |

| | |
|------------------------------|---------|
| 317. Olive Warbler | 0.1271% |
| 318. House Sparrow | 18.32% |
| 319. American Pipit | 0.1875% |
| 320. Evening Grosbeak | 2.57% |
| 321. Pine Grosbeak | 0.1708% |
| 322. Brown-capped Rosy-Finch | 0.0000% |
| 323. House Finch | 45.53% |
| 324. Cassin's Finch | 1.39% |
| 325. Red Crossbill | 2.63% |
| 326. White-winged Crossbill | 0.0208% |
| 327. Pine Siskin | 11.04% |
| 328. Lesser Goldfinch | 37.65% |
| 329. Lawrence's Goldfinch | 0.0042% |
| 330. American Goldfinch | 2.25% |
| 331. Rufous-winged Sparrow | 0.0521% |
| 332. Botteri's Sparrow | 0.2063% |
| 333. Cassin's Sparrow | 2.14% |
| 334. Grasshopper Sparrow | 0.1792% |
| 335. Chipping Sparrow | 25.41% |
| 336. Clay-colored Sparrow | 0.8772% |
| 337. Black-chinned Sparrow | 0.5313% |
| 338. Field Sparrow | 0.0021% |
| 339. Brewer's Sparrow | 3.85% |

| | |
|-------------------------------------|----------------|
| 340. Black-throated Sparrow | 4.95% |
| 341. Lark Sparrow | 16.93% |
| 342. Lark Bunting | 4.01% |
| 343. Fox Sparrow | 0.0021% |
| 344. Dark-eyed Junco | 6.73% |
| 345. Yellow-eyed Junco | 0.0125% |
| 346. White-crowned Sparrow | 0.3834% |
| 347. Sagebrush Sparrow | 0.1333% |
| 348. Vesper Sparrow | 2.25% |
| 349. Savannah Sparrow | 0.8146% |
| 350. Baird's Sparrow | 0.0083% |
| 351. Song Sparrow | 1.64% |
| 352. Lincoln's Sparrow | 0.6230% |
| 353. Swamp Sparrow | 0.0021% |
| 354. Canyon Towhee | 14.12% |
| 355. Abert's Towhee | 0.0625% |
| 356. Rufous-crowned Sparrow | 1.75% |
| 357. Green-tailed Towhee | 2.62% |
| 358. Spotted Towhee | 22.62% |
| 359. Yellow-breasted Chat | 7.70% |
| 360. Yellow-headed Blackbird | 4.36% |
| 361. Bobolink | 0.0063% |
| 362. Western Meadowlark | 5.16% |

| | |
|------------------------------|---------|
| 363. Chihuahuan Meadowlark | 1.06% |
| 364. Orchard Oriole | 0.4771% |
| 365. Hooded Oriole | 0.6334% |
| 366. Bullock's Oriole | 6.72% |
| 367. Baltimore Oriole | 0.0437% |
| 368. Scott's Oriole | 0.7667% |
| 369. Red-winged Blackbird | 9.24% |
| 370. Bronzed Cowbird | 0.1479% |
| 371. Brown-headed Cowbird | 3.50% |
| 372. Brewer's Blackbird | 1.98% |
| 373. Common Grackle | 0.9605% |
| 374. Great-tailed Grackle | 7.85% |
| 375. Ovenbird | 0.0021% |
| 376. Worm-eating Warbler | 0.0000% |
| 377. Louisiana Waterthrush | 0.0562% |
| 378. Northern Waterthrush | 0.7688% |
| 379. Golden-winged Warbler | 0.0000% |
| 380. Blue-winged Warbler | 0.0042% |
| 381. Black-and-white Warbler | 0.1396% |
| 382. Prothonotary Warbler | 0.0167% |
| 383. Swainson's Warbler | 0.0021% |
| 384. Tennessee Warbler | 0.0063% |
| 385. Orange-crowned Warbler | 4.14% |

| | |
|-----------------------------------|---------|
| 386. Lucy's Warbler | 0.7855% |
| 387. Nashville Warbler | 0.5542% |
| 388. Virginia's Warbler | 6.04% |
| 389. MacGillivray's Warbler | 6.06% |
| 390. Mourning Warbler | 0.0000% |
| 391. Kentucky Warbler | 0.0021% |
| 392. Common Yellowthroat | 5.19% |
| 393. Hooded Warbler | 0.0562% |
| 394. American Redstart | 0.1708% |
| 395. Northern Parula | 0.0104% |
| 396. Blackburnian Warbler | 0.0021% |
| 397. Yellow Warbler | 11.87% |
| 398. Chestnut-sided Warbler | 0.0125% |
| 399. Black-throated Blue Warbler | 0.0042% |
| 400. Pine Warbler | 0.0021% |
| 401. Yellow-rumped Warbler | 7.32% |
| 402. Prairie Warbler | 0.0021% |
| 403. Grace's Warbler | 1.65% |
| 404. Black-throated Gray Warbler | 2.50% |
| 405. Townsend's Warbler | 2.60% |
| 406. Hermit Warbler | 0.1917% |
| 407. Golden-cheeked Warbler | 0.0000% |
| 408. Black-throated Green Warbler | 0.0104% |

| | |
|-----------------------------|-------------------|
| 409. Canada Warbler | 0.0063% |
| 410. Wilson's Warbler | 11.02% |
| 411. Red-faced Warbler | 0.3917% |
| 412. Painted Redstart | 0.4938% |
| 413. Hepatic Tanager | 1.11% |
| 414. Summer Tanager | 8.17% |
| 415. Scarlet Tanager | 0.0021% |
| 416. Western Tanager | 12.32% |
| 417. Northern Cardinal | 1.12% |
| 418. Pyrrhuloxia | 1.85% |
| 419. Rose-breasted Grosbeak | 0.0146% |
| 420. Black-headed Grosbeak | 13.35% |
| 421. Blue Grosbeak | 20.09% |
| 422. Lazuli Bunting | 4.86% |
| 423. Indigo Bunting | 1.03% |
| 424. Varied Bunting | 0.1292% |
| 425. Painted Bunting | 1.05% |
| 426. Dickcissel | 0.4834% |
| EXOTIC: PROVISIONAL | |
| 427. Egyptian Goose | 0.0063% frequency |
| 428. Monk Parakeet | 0.0208% |

EXOTIC: ESCAPEE

| | |
|--------------------------------------------|--------------------------|
| Graylag Goose | 0.0063% frequency |
| Swan Goose | 0.0354% |
| Mute Swan | 0.0250% |
| Muscovy Duck | 0.0458% |
| Mandarin Duck | 0.0021% |
| Helmeted Guineafowl | 0.0021% |
| Chukar | 0.0000% |
| African Collared-Dove | 0.0021% |
| Budgerigar | 0.0104% |
| Rosy-faced Lovebird | 0.0042% |
| Zebra Finch | 0.0000% |
| Trumpeter Swan | 0.0000% |
| HYBRIDS | |
| Graylag x Swan Goose (hybrid) | 0.0021% frequency |
| Mallard x Mexican Duck (hybrid) | 0.2479% |
| Western x Clark's Grebe (hybrid) | 0.0021% |
| Black-capped x Mountain Chickadee (hybrid) | 0.0437% |
| Dark-eyed x Yellow-eyed Junco (hybrid) | 0.0083% |
| Green-tailed x Spotted Towhee (hybrid) | 0.0021% |
| Townsend's x Hermit Warbler (hybrid) | 0.0021% |
| Lazuli x Indigo Bunting (hybrid) | 0.0104% |