



## Target Species
























Based on 57,532 complete checklists

**347** species observed in New Mexico, US (region/US-NM) in Feb that you need for your World Life List

1. Dark-eyed Junco	63.66% frequency
2. House Finch	51.20%
3. American Robin	30.20%
4. White-winged Dove	29.95%
5. Northern Flicker	29.11%
6. White-crowned Sparrow	29.08%
7. American Crow	27.03%
8. Common Raven	26.33%
9. House Sparrow	24.22%
10. Spotted Towhee	23.70%
11. Red-tailed Hawk	17.89%
12. Mourning Dove	17.68%
13. Eurasian Collared-Dove	17.64%
14. Canada Goose	17.38%
15. White-breasted Nuthatch	17.17%
16. Woodhouse's Scrub-Jay	16.72%
17. Lesser Goldfinch	16.18%

18. Mallard	16.11%
19. Sandhill Crane	15.94%
20. Red-winged Blackbird	15.62%
21. Western Bluebird	14.96%
22. American Coot	14.14%
23. Rock Pigeon	13.92%
24. Canyon Towhee	13.81%
25. Yellow-rumped Warbler	13.75%
26. European Starling	13.15%
27. Mountain Chickadee	13.11%
28. Ladder-backed Woodpecker	12.82%
29. Song Sparrow	12.61%
30. Pine Siskin	12.37%
31. Say's Phoebe	12.14%
32. Bushtit	11.63%
33. Northern Shoveler	11.39%
34. Curve-billed Thrasher	11.26%
35. Ruby-crowned Kinglet	10.22%
36. American Kestrel	10.03%
37. Gadwall	9.83%
38. Green-winged Teal	9.59%
39. American Wigeon	9.35%
40. Northern Harrier	8.99%

41. <b>Western Meadowlark</b>	<b>8.08%</b>
42. <b>Bewick's Wren</b>	<b>8.06%</b>
43. <b>Ring-necked Duck</b>	<b>8.04%</b>
44. <b>Great Blue Heron</b>	<b>7.90%</b>
45. <b>Cooper's Hawk</b>	<b>7.89%</b>
46. <b>Townsend's Solitaire</b>	<b>7.70%</b>
47. <b>Gambel's Quail</b>	<b>7.21%</b>
48. <b>Juniper Titmouse</b>	<b>7.13%</b>
49. <b>Greater Roadrunner</b>	<b>7.00%</b>
50. <b>Downy Woodpecker</b>	<b>6.92%</b>
51. <b>Great-tailed Grackle</b>	<b>6.90%</b>
52. <b>Killdeer</b>	<b>6.71%</b>
53. <b>Hairy Woodpecker</b>	<b>6.68%</b>
54. <b>Bufflehead</b>	<b>6.65%</b>
55. <b>Pied-billed Grebe</b>	<b>6.57%</b>
56. <b>Northern Pintail</b>	<b>6.43%</b>
57. <b>Common Merganser</b>	<b>6.38%</b>
58. <b>Ring-billed Gull</b>	<b>6.38%</b>
59. <b>American Goldfinch</b>	<b>6.23%</b>
60. <b>Black Phoebe</b>	<b>6.06%</b>
61. <b>Cassin's Finch</b>	<b>5.78%</b>
62. <b>Wood Duck</b>	<b>5.53%</b>
63. <b>Bald Eagle</b>	<b>5.49%</b>

64. <b>Black-capped Chickadee</b>	<b>5.42%</b> 
65. <b>Steller's Jay</b>	<b>5.31%</b> 
66. <b>Ruddy Duck</b>	<b>5.15%</b> 
67. <b>Mountain Bluebird</b>	<b>4.67%</b> 
68. <b>Pyrrhuloxia</b>	<b>4.44%</b> 
69. <b>Pygmy Nuthatch</b>	<b>4.33%</b> 
70. <b>Lesser Scaup</b>	<b>4.23%</b> 
71. <b>Cinnamon Teal</b>	<b>4.20%</b> 
72. <b>Chihuahuan Raven</b>	<b>4.18%</b> 
73. <b>Canvasback</b>	<b>4.13%</b> 
74. <b>Snow Goose</b>	<b>3.97%</b> 
75. <b>Loggerhead Shrike</b>	<b>3.80%</b> 
76. <b>Horned Lark</b>	<b>3.74%</b> 
77. <b>Black-billed Magpie</b>	<b>3.57%</b> 
78. <b>Redhead</b>	<b>3.44%</b> 
79. <b>Chipping Sparrow</b>	<b>3.41%</b> 
80. <b>Lincoln's Sparrow</b>	<b>3.15%</b> 
81. <b>Eastern Bluebird</b>	<b>3.14%</b> 
82. <b>Belted Kingfisher</b>	<b>3.13%</b> 
83. <b>Black-throated Sparrow</b>	<b>3.08%</b> 
84. <b>Cackling Goose</b>	<b>3.05%</b> 
85. <b>Verdin</b>	<b>2.91%</b> 
86. <b>Red-breasted Nuthatch</b>	<b>2.90%</b> 

87. Hermit Thrush	2.89%
88. Sharp-shinned Hawk	2.86%
89. Common Goldeneye	2.78%
90. Northern Mockingbird	2.70%
91. Savannah Sparrow	2.63%
92. American Pipit	2.52%
93. Marsh Wren	2.46%
94. Brewer's Blackbird	2.45%
95. Acorn Woodpecker	2.44%
96. Cactus Wren	2.42%
97. Crissal Thrasher	2.38%
98. Hooded Merganser	2.32%
99. Phainopepla	2.23%
100. Neotropic Cormorant	2.22%
101. White-throated Sparrow	2.21%
102. Great Horned Owl	2.20%
103. Evening Grosbeak	2.15%
104. Pinyon Jay	2.09%
105. Cedar Waxwing	2.04%
106. Brewer's Sparrow	2.03%
107. Greater Yellowlegs	1.99%
108. Rock Wren	1.91%
109. Ferruginous Hawk	1.90%

110. <b>Ross's Goose</b>	<b>1.79%</b>
111. <b>Brown Creeper</b>	<b>1.79%</b>
112. <b>Wild Turkey</b>	<b>1.75%</b>
113. <b>Canyon Wren</b>	<b>1.52%</b>
114. <b>Scaled Quail</b>	<b>1.44%</b>
115. <b>Wilson's Snipe</b>	<b>1.40%</b>
116. <b>Double-crested Cormorant</b>	<b>1.35%</b>
117. <b>Green-tailed Towhee</b>	<b>1.26%</b>
118. <b>Sage Thrasher</b>	<b>1.24%</b>
119. <b>Golden Eagle</b>	<b>1.16%</b>
120. <b>Ring-necked Pheasant</b>	<b>1.16%</b>
121. <b>Mexican Duck</b>	<b>1.15%</b>
122. <b>Gray-crowned Rosy-Finch</b>	<b>1.11%</b>
123. <b>Black-crowned Night Heron</b>	<b>1.10%</b>
124. <b>Great Egret</b>	<b>1.08%</b>
125. <b>American White Pelican</b>	<b>1.05%</b>
126. <b>Rufous-crowned Sparrow</b>	<b>1.04%</b>
127. <b>Black Rosy-Finch</b>	<b>1.03%</b>
128. <b>Merlin</b>	<b>0.9577%</b>
129. <b>Brown-capped Rosy-Finch</b>	<b>0.9542%</b>
130. <b>Least Sandpiper</b>	<b>0.9525%</b>
131. <b>Sagebrush Sparrow</b>	<b>0.9386%</b>
132. <b>Red-naped Sapsucker</b>	<b>0.9334%</b>

133. <b>Prairie Falcon</b>	<b>0.9230%</b>
134. <b>Vesper Sparrow</b>	<b>0.9230%</b>
135. <b>Northern Cardinal</b>	<b>0.9108%</b>
136. <b>Chihuahuan Meadowlark</b>	<b>0.8813%</b>
137. <b>Red Crossbill</b>	<b>0.8395%</b>
138. <b>Long-billed Dowitcher</b>	<b>0.7335%</b>
139. <b>Bridled Titmouse</b>	<b>0.7335%</b>
140. <b>Chestnut-collared Longspur</b>	<b>0.7005%</b>
141. <b>Lark Bunting</b>	<b>0.6883%</b>
142. <b>Western Grebe</b>	<b>0.6866%</b>
143. <b>Spotted Sandpiper</b>	<b>0.6848%</b>
144. <b>Williamson's Sapsucker</b>	<b>0.6727%</b>
145. <b>Western Screech-Owl</b>	<b>0.6605%</b>
146. <b>Inca Dove</b>	<b>0.6379%</b>
147. <b>Blue Jay</b>	<b>0.6153%</b>
148. <b>Eared Grebe</b>	<b>0.6136%</b>
149. <b>Swamp Sparrow</b>	<b>0.5858%</b>
150. <b>Clark's Nutcracker</b>	<b>0.5527%</b>
151. <b>Lewis's Woodpecker</b>	<b>0.5214%</b>
152. <b>Mexican Jay</b>	<b>0.5197%</b>
153. <b>Yellow-headed Blackbird</b>	<b>0.5180%</b>
154. <b>Northern Rough-winged Swallow</b>	<b>0.5145%</b>
155. <b>Herring Gull</b>	<b>0.4676%</b>

156. <b>Tree Swallow</b>	<b>0.4606%</b>
157. <b>Red-breasted Merganser</b>	<b>0.4537%</b>
158. <b>Clark's Grebe</b>	<b>0.4519%</b>
159. <b>Tundra Swan</b>	<b>0.4415%</b>
160. <b>Brown Thrasher</b>	<b>0.4363%</b>
161. <b>House Wren</b>	<b>0.3946%</b>
162. <b>Virginia Rail</b>	<b>0.3893%</b>
163. <b>Brown-headed Cowbird</b>	<b>0.3876%</b>
164. <b>Greater White-fronted Goose</b>	<b>0.3737%</b>
165. <b>Snowy Egret</b>	<b>0.3685%</b>
166. <b>Eastern Phoebe</b>	<b>0.3581%</b>
167. <b>Harris's Sparrow</b>	<b>0.3528%</b>
168. <b>Orange-crowned Warbler</b>	<b>0.3528%</b>
169. <b>Black-chinned Sparrow</b>	<b>0.3389%</b>
170. <b>California Gull</b>	<b>0.3181%</b>
171. <b>Peregrine Falcon</b>	<b>0.3111%</b>
172. <b>Vermilion Flycatcher</b>	<b>0.2903%</b>
173. <b>Black-tailed Gnatcatcher</b>	<b>0.2833%</b>
174. <b>Rough-legged Hawk</b>	<b>0.2764%</b>
175. <b>American Tree Sparrow</b>	<b>0.2746%</b>
176. <b>White-throated Swift</b>	<b>0.2677%</b>
177. <b>American Dipper</b>	<b>0.2590%</b>
178. <b>Osprey</b>	<b>0.2399%</b>



179. <b>Gila Woodpecker</b>	<b>0.2347%</b>
180. <b>Golden-crowned Kinglet</b>	<b>0.2347%</b>
181. <b>Sora</b>	<b>0.2190%</b>
182. <b>Winter Wren</b>	<b>0.2173%</b>
183. <b>White-tailed Kite</b>	<b>0.2155%</b>
184. <b>Short-billed Gull</b>	<b>0.2121%</b>
185. <b>Fox Sparrow</b>	<b>0.2121%</b>
186. <b>Anna's Hummingbird</b>	<b>0.2086%</b>
187. <b>American Avocet</b>	<b>0.2068%</b>
188. <b>Trumpeter Swan</b>	<b>0.1999%</b>
189. <b>Common Loon</b>	<b>0.1999%</b>
190. <b>Yellow-bellied Sapsucker</b>	<b>0.1999%</b>
191. <b>Blue-winged Teal</b>	<b>0.1964%</b>
192. <b>Lesser Black-backed Gull</b>	<b>0.1929%</b>
193. <b>Horned Grebe</b>	<b>0.1842%</b>
194. <b>Thick-billed Longspur</b>	<b>0.1669%</b>
195. <b>Greater Scaup</b>	<b>0.1651%</b>
196. <b>Burrowing Owl</b>	<b>0.1617%</b>
197. <b>Golden-crowned Sparrow</b>	<b>0.1564%</b>
198. <b>Long-tailed Duck</b>	<b>0.1530%</b>
199. <b>Barrow's Goldeneye</b>	<b>0.1495%</b>
200. <b>Hutton's Vireo</b>	<b>0.1460%</b>
201. <b>Northern Shrike</b>	<b>0.1460%</b>

202. <b>American Three-toed Woodpecker</b>	<b>0.1356%</b>
203. <b>Dunlin</b>	<b>0.1234%</b>
204. <b>Cave Swallow</b>	<b>0.1234%</b>
205. <b>Gray Catbird</b>	<b>0.1199%</b>
206. <b>Turkey Vulture</b>	<b>0.1182%</b>
207. <b>Cassin's Sparrow</b>	<b>0.1182%</b>
208. <b>Harris's Hawk</b>	<b>0.1147%</b>
209. <b>Brant</b>	<b>0.1130%</b>
210. <b>Barn Owl</b>	<b>0.1112%</b>
211. <b>White-faced Ibis</b>	<b>0.1078%</b>
212. <b>Lawrence's Goldfinch</b>	<b>0.1025%</b>
213. <b>Northern Bobwhite</b>	<b>0.1008%</b>
214. <b>Northern Pygmy-Owl</b>	<b>0.1008%</b>
215. <b>Long-eared Owl</b>	<b>0.0973%</b>
216. <b>Rufous-backed Robin</b>	<b>0.0921%</b>
217. <b>American Goshawk</b>	<b>0.0904%</b>
218. <b>Canada Jay</b>	<b>0.0887%</b>
219. <b>American Bittern</b>	<b>0.0800%</b>
220. <b>Black-necked Stilt</b>	<b>0.0765%</b>
221. <b>Field Sparrow</b>	<b>0.0765%</b>
222. <b>Lapland Longspur</b>	<b>0.0747%</b>
223. <b>Glaucous Gull</b>	<b>0.0730%</b>
224. <b>Pacific Wren</b>	<b>0.0730%</b>

225. <b>Broad-billed Hummingbird</b>	<b>0.0713%</b>
226. <b>Common Gallinule</b>	<b>0.0713%</b>
227. <b>Common Yellowthroat</b>	<b>0.0713%</b>
228. <b>Lesser Yellowlegs</b>	<b>0.0678%</b>
229. <b>Whooping Crane</b>	<b>0.0608%</b>
230. <b>Grasshopper Sparrow</b>	<b>0.0591%</b>
231. <b>Abert's Towhee</b>	<b>0.0591%</b>
232. <b>Long-billed Curlew</b>	<b>0.0574%</b>
233. <b>Iceland Gull</b>	<b>0.0574%</b>
234. <b>Green Heron</b>	<b>0.0556%</b>
235. <b>Varied Thrush</b>	<b>0.0556%</b>
236. <b>Eurasian Wigeon</b>	<b>0.0539%</b>
237. <b>Bonaparte's Gull</b>	<b>0.0539%</b>
238. <b>Bendire's Thrasher</b>	<b>0.0539%</b>
239. <b>Northern Saw-whet Owl</b>	<b>0.0487%</b>
240. <b>Dusky Flycatcher</b>	<b>0.0469%</b>
241. <b>Carolina Wren</b>	<b>0.0469%</b>
242. <b>Red-headed Woodpecker</b>	<b>0.0452%</b>
243. <b>Rusty Blackbird</b>	<b>0.0452%</b>
244. <b>Montezuma Quail</b>	<b>0.0435%</b>
245. <b>Hammond's Flycatcher</b>	<b>0.0417%</b>
246. <b>Ruddy Ground Dove</b>	<b>0.0400%</b>
247. <b>Sprague's Pipit</b>	<b>0.0382%</b>

248. Lark Sparrow	0.0382%
249. Common Grackle	0.0382%
250. Wilson's Phalarope	0.0365%
251. Arizona Woodpecker	0.0365%
252. Red-bellied Woodpecker	0.0348%
253. Blue-gray Gnatcatcher	0.0348%
254. Olive Warbler	0.0348%
255. Clay-colored Sparrow	0.0313%
256. Baird's Sparrow	0.0313%
257. Pine Grosbeak	0.0295%
258. Pine Warbler	0.0295%
259. Black-chinned Hummingbird	0.0278%
260. Bronzed Cowbird	0.0278%
261. Nutting's Flycatcher	0.0261%
262. Bohemian Waxwing	0.0261%
263. Lesser Prairie-Chicken	0.0243%
264. Band-tailed Pigeon	0.0243%
265. Violet-green Swallow	0.0243%
266. Snowy Plover	0.0226%
267. Great Kiskadee	0.0226%
268. Brown Pelican	0.0209%
269. Short-eared Owl	0.0209%
270. Red Phalarope	0.0191%

271. <b>Black-legged Kittiwake</b>	<b>0.0191%</b>
272. <b>Pacific Loon</b>	<b>0.0191%</b>
273. <b>Aplomado Falcon</b>	<b>0.0191%</b>
274. <b>Common Black Hawk</b>	<b>0.0174%</b>
275. <b>Crested Caracara</b>	<b>0.0174%</b>
276. <b>Purple Finch</b>	<b>0.0174%</b>
277. <b>Cape May Warbler</b>	<b>0.0174%</b>
278. <b>Yellow-billed Loon</b>	<b>0.0156%</b>
279. <b>Western Cattle Egret</b>	<b>0.0156%</b>
280. <b>Spotted Owl</b>	<b>0.0156%</b>
281. <b>Cliff Swallow</b>	<b>0.0156%</b>
282. <b>Blue Mockingbird</b>	<b>0.0156%</b>
283. <b>Eastern Towhee</b>	<b>0.0156%</b>
284. <b>Red-necked Grebe</b>	<b>0.0139%</b>
285. <b>Broad-tailed Hummingbird</b>	<b>0.0139%</b>
286. <b>Whiskered Screech-Owl</b>	<b>0.0139%</b>
287. <b>Rufous Hummingbird</b>	<b>0.0122%</b>
288. <b>Franklin's Gull</b>	<b>0.0122%</b>
289. <b>Red-shouldered Hawk</b>	<b>0.0122%</b>
290. <b>Red-breasted Sapsucker</b>	<b>0.0122%</b>
291. <b>Plumbeous Vireo</b>	<b>0.0122%</b>
292. <b>Western Tanager</b>	<b>0.0122%</b>
293. <b>Common Ground Dove</b>	<b>0.0104%</b>

294. <b>Rivoli's Hummingbird</b>	<b>0.0104%</b>
295. <b>Solitary Sandpiper</b>	<b>0.0104%</b>
296. <b>Red-throated Loon</b>	<b>0.0104%</b>
297. <b>Barn Swallow</b>	<b>0.0104%</b>
298. <b>Dusky Grouse</b>	<b>0.0087%</b>
299. <b>Blackpoll Warbler</b>	<b>0.0087%</b>
300. <b>Palm Warbler</b>	<b>0.0087%</b>
301. <b>American Woodcock</b>	<b>0.0069%</b>
302. <b>Yellow-eyed Junco</b>	<b>0.0069%</b>
303. <b>Wilson's Warbler</b>	<b>0.0069%</b>
304. <b>Semipalmated Plover</b>	<b>0.0052%</b>
305. <b>Western Sandpiper</b>	<b>0.0052%</b>
306. <b>Sedge Wren</b>	<b>0.0052%</b>
307. <b>Bullock's Oriole</b>	<b>0.0052%</b>
308. <b>Louisiana Waterthrush</b>	<b>0.0052%</b>
309. <b>Yellow Grosbeak</b>	<b>0.0052%</b>
310. <b>Costa's Hummingbird</b>	<b>0.0035%</b>
311. <b>Elegant Trogon</b>	<b>0.0035%</b>
312. <b>Northern Beardless-Tyrannulet</b>	<b>0.0035%</b>
313. <b>Gray Flycatcher</b>	<b>0.0035%</b>
314. <b>Ash-throated Flycatcher</b>	<b>0.0035%</b>
315. <b>Mexican Chickadee</b>	<b>0.0035%</b>
316. <b>Yellow-throated Warbler</b>	<b>0.0035%</b>

317. <b>Painted Redstart</b>	<b>0.0035%</b>
318. <b>Summer Tanager</b>	<b>0.0035%</b>
319. <b>Blue Grosbeak</b>	<b>0.0035%</b>
320. <b>Lazuli Bunting</b>	<b>0.0035%</b>
321. <b>Common Poorwill</b>	<b>0.0017%</b>
322. <b>Glaucous-winged Gull</b>	<b>0.0017%</b>
323. <b>Forster's Tern</b>	<b>0.0017%</b>
324. <b>Gray Hawk</b>	<b>0.0017%</b>
325. <b>Zone-tailed Hawk</b>	<b>0.0017%</b>
326. <b>Cassin's Kingbird</b>	<b>0.0017%</b>
327. <b>Bell's Vireo</b>	<b>0.0017%</b>
328. <b>Black-capped Gnatcatcher</b>	<b>0.0017%</b>
329. <b>Rufous-winged Sparrow</b>	<b>0.0017%</b>
330. <b>Streak-backed Oriole</b>	<b>0.0017%</b>
331. <b>Lucy's Warbler</b>	<b>0.0017%</b>
332. <b>Black-throated Blue Warbler</b>	<b>0.0017%</b>
333. <b>Black-throated Gray Warbler</b>	<b>0.0017%</b>
334. <b>Townsend's Warbler</b>	<b>0.0017%</b>
335. <b>White-winged Scoter</b>	<b>0.0000%</b>
336. <b>Violet-crowned Hummingbird</b>	<b>0.0000%</b>
337. <b>Yellow Rail</b>	<b>0.0000%</b>
338. <b>Mountain Plover</b>	<b>0.0000%</b>
339. <b>Sanderling</b>	<b>0.0000%</b>

340. <b>Magnificent Frigatebird</b>	<b>0.0000%</b>
341. <b>Purple Martin</b>	<b>0.0000%</b>
342. <b>Long-billed Thrasher</b>	<b>0.0000%</b>
343. <b>Common Redpoll</b>	<b>0.0000%</b>
344. <b>LeConte's Sparrow</b>	<b>0.0000%</b>
345. <b>Scott's Oriole</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>	
346. <b>Monk Parakeet</b>	<b>0.0122% frequency</b>
347. <b>Barnacle Goose</b>	<b>0.0035%</b>
<b>EXOTIC: ESCAPEE</b>	
<b>Muscovy Duck</b>	<b>0.1217% frequency</b>
<b>Swan Goose</b>	<b>0.0991%</b>
<b>Mute Swan</b>	<b>0.0834%</b>
<b>Graylag Goose</b>	<b>0.0365%</b>
<b>Mandarin Duck</b>	<b>0.0104%</b>
<b>Helmeted Guineafowl</b>	<b>0.0052%</b>
<b>Chukar</b>	<b>0.0052%</b>
<b>Indian Peafowl</b>	<b>0.0035%</b>
<b>African Collared-Dove</b>	<b>0.0017%</b>
<b>Budgerigar</b>	<b>0.0017%</b>
<b>Golden Pheasant</b>	<b>0.0000%</b>
<b>Egyptian Goose</b>	<b>0.0000%</b>



**HYBRIDS**

Mallard x Mexican Duck (hybrid)	<b>1.10% frequency</b>
Black-capped x Mountain Chickadee (hybrid)	<b>0.0591%</b>
Scaled x Gambel's Quail (hybrid)	<b>0.0122%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0087%</b>
Gadwall x Northern Pintail (hybrid)	<b>0.0035%</b>
Redhead x Ring-necked Duck (hybrid)	<b>0.0035%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0035%</b>
Graylag x Swan Goose (hybrid)	<b>0.0017%</b>
Ross's x Cackling Goose (hybrid)	<b>0.0017%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0017%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0017%</b>
Northern Cardinal x Pyrrhuloxia (hybrid)	<b>0.0017%</b>
Greater White-fronted x Cackling Goose (hybrid)	<b>0.0000%</b>
Snow x Canada Goose (hybrid)	<b>0.0000%</b>