



## Target Species
























Based on 55,971 complete checklists

**359** species observed in New Mexico, US (region/US-NM) in Jan that you need for your **World Life List**

|                                    |                         |
|------------------------------------|-------------------------|
| 1. <b>Dark-eyed Junco</b>          | <b>65.06%</b> frequency |
| 2. <b>House Finch</b>              | <b>46.02%</b>           |
| 3. <b>White-crowned Sparrow</b>    | <b>32.88%</b>           |
| 4. <b>Northern Flicker</b>         | <b>31.35%</b>           |
| 5. <b>Common Raven</b>             | <b>27.78%</b>           |
| 6. <b>American Crow</b>            | <b>27.73%</b>           |
| 7. <b>American Robin</b>           | <b>26.61%</b>           |
| 8. <b>White-winged Dove</b>        | <b>25.58%</b>           |
| 9. <b>Spotted Towhee</b>           | <b>22.88%</b>           |
| 10. <b>Red-tailed Hawk</b>         | <b>21.34%</b>           |
| 11. <b>House Sparrow</b>           | <b>20.96%</b>           |
| 12. <b>Canada Goose</b>            | <b>20.56%</b>           |
| 13. <b>Sandhill Crane</b>          | <b>18.03%</b>           |
| 14. <b>Mallard</b>                 | <b>17.68%</b>           |
| 15. <b>White-breasted Nuthatch</b> | <b>16.83%</b>           |
| 16. <b>American Coot</b>           | <b>15.94%</b>           |
| 17. <b>Song Sparrow</b>            | <b>15.70%</b>           |
| 18. <b>Woodhouse's Scrub-Jay</b>   | <b>15.12%</b>           |

|                              |               |
|------------------------------|---------------|
| 19. Eurasian Collared-Dove   | <b>14.99%</b> |
| 20. Rock Pigeon              | <b>14.91%</b> |
| 21. Mourning Dove            | <b>14.81%</b> |
| 22. Red-winged Blackbird     | <b>14.71%</b> |
| 23. Yellow-rumped Warbler    | <b>14.50%</b> |
| 24. Western Bluebird         | <b>14.29%</b> |
| 25. European Starling        | <b>14.20%</b> |
| 26. American Kestrel         | <b>13.53%</b> |
| 27. Ruby-crowned Kinglet     | <b>13.51%</b> |
| 28. Northern Shoveler        | <b>13.36%</b> |
| 29. Canyon Towhee            | <b>12.95%</b> |
| 30. Mountain Chickadee       | <b>12.94%</b> |
| 31. Ladder-backed Woodpecker | <b>12.90%</b> |
| 32. Say's Phoebe             | <b>12.50%</b> |
| 33. Lesser Goldfinch         | <b>11.90%</b> |
| 34. Northern Harrier         | <b>11.35%</b> |
| 35. American Wigeon          | <b>11.33%</b> |
| 36. Great Blue Heron         | <b>10.07%</b> |
| 37. Gadwall                  | <b>10.02%</b> |
| 38. Pine Siskin              | <b>9.93%</b>  |
| 39. Bushtit                  | <b>9.04%</b>  |
| 40. Curve-billed Thrasher    | <b>9.01%</b>  |
| 41. Green-winged Teal        | <b>8.92%</b>  |

|                          |       |
|--------------------------|-------|
| 42. Common Merganser     | 8.58% |
| 43. Western Meadowlark   | 8.29% |
| 44. Townsend's Solitaire | 8.28% |
| 45. Ring-necked Duck     | 8.24% |
| 46. Bewick's Wren        | 8.13% |
| 47. Cooper's Hawk        | 7.98% |
| 48. Bald Eagle           | 7.57% |
| 49. Bufflehead           | 7.46% |
| 50. American Goldfinch   | 7.46% |
| 51. Great-tailed Grackle | 7.29% |
| 52. Northern Pintail     | 7.28% |
| 53. Pied-billed Grebe    | 7.21% |
| 54. Gambel's Quail       | 7.21% |
| 55. Ring-billed Gull     | 6.88% |
| 56. Greater Roadrunner   | 6.84% |
| 57. Killdeer             | 6.67% |
| 58. Downy Woodpecker     | 6.65% |
| 59. Black Phoebe         | 6.65% |
| 60. Hairy Woodpecker     | 6.34% |
| 61. Juniper Titmouse     | 5.93% |
| 62. Loggerhead Shrike    | 5.88% |
| 63. Snow Goose           | 5.86% |
| 64. Wood Duck            | 5.76% |

|                                   |   |
|-----------------------------------|---|
| 65. <b>Black-capped Chickadee</b> | <b>5.41%</b><br>   |
| 66. <b>Steller's Jay</b>          | <b>5.28%</b><br>   |
| 67. <b>Pyrrhuloxia</b>            | <b>5.18%</b><br>   |
| 68. <b>Canvasback</b>             | <b>5.09%</b><br>   |
| 69. <b>Cackling Goose</b>         | <b>4.96%</b><br>   |
| 70. <b>Ruddy Duck</b>             | <b>4.81%</b><br>   |
| 71. <b>Mountain Bluebird</b>      | <b>4.48%</b><br>   |
| 72. <b>Chihuahuan Raven</b>       | <b>4.45%</b><br>   |
| 73. <b>Cassin's Finch</b>         | <b>4.37%</b><br>   |
| 74. <b>Lesser Scaup</b>           | <b>4.24%</b><br>   |
| 75. <b>Belted Kingfisher</b>      | <b>4.16%</b><br>   |
| 76. <b>Horned Lark</b>            | <b>4.15%</b><br> |
| 77. <b>Common Goldeneye</b>       | <b>4.14%</b><br> |
| 78. <b>Hermit Thrush</b>          | <b>3.93%</b><br> |
| 79. <b>Pygmy Nuthatch</b>         | <b>3.78%</b><br> |
| 80. <b>Verdin</b>                 | <b>3.63%</b><br> |
| 81. <b>Sharp-shinned Hawk</b>     | <b>3.55%</b><br> |
| 82. <b>Lincoln's Sparrow</b>      | <b>3.50%</b><br> |
| 83. <b>American Pipit</b>         | <b>3.44%</b><br> |
| 84. <b>Marsh Wren</b>             | <b>3.42%</b><br> |
| 85. <b>Chipping Sparrow</b>       | <b>3.41%</b><br> |
| 86. <b>Black-throated Sparrow</b> | <b>3.39%</b><br> |
| 87. <b>Eastern Bluebird</b>       | <b>3.33%</b><br> |

|                            |       |
|----------------------------|-------|
| 88. Hooded Merganser       | 3.32% |
| 89. White-throated Sparrow | 3.18% |
| 90. Black-billed Magpie    | 3.15% |
| 91. Redhead                | 3.10% |
| 92. Red-breasted Nuthatch  | 3.08% |
| 93. Brewer's Blackbird     | 3.01% |
| 94. Savannah Sparrow       | 2.97% |
| 95. Acorn Woodpecker       | 2.79% |
| 96. Crissal Thrasher       | 2.71% |
| 97. Cedar Waxwing          | 2.67% |
| 98. Ross's Goose           | 2.65% |
| 99. Ferruginous Hawk       | 2.65% |
| 100. Northern Mockingbird  | 2.64% |
| 101. Phainopepla           | 2.57% |
| 102. Cactus Wren           | 2.37% |
| 103. Greater Yellowlegs    | 2.35% |
| 104. Brewer's Sparrow      | 2.34% |
| 105. Wilson's Snipe        | 2.25% |
| 106. Brown Creeper         | 2.22% |
| 107. Rock Wren             | 2.22% |
| 108. Great Horned Owl      | 2.11% |
| 109. Green-tailed Towhee   | 1.84% |
| 110. Evening Grosbeak      | 1.80% |

|                                |       |
|--------------------------------|-------|
| 111. Pinyon Jay                | 1.78% |
| 112. Scaled Quail              | 1.73% |
| 113. Canyon Wren               | 1.63% |
| 114. Golden Eagle              | 1.54% |
| 115. Neotropic Cormorant       | 1.46% |
| 116. Black-crowned Night Heron | 1.44% |
| 117. Gray-crowned Rosy-Finch   | 1.42% |
| 118. Wild Turkey               | 1.41% |
| 119. Mexican Duck              | 1.36% |
| 120. Merlin                    | 1.35% |
| 121. Least Sandpiper           | 1.33% |
| 122. Double-crested Cormorant  | 1.31% |
| 123. Prairie Falcon            | 1.27% |
| 124. Black Rosy-Finch          | 1.27% |
| 125. Red-naped Sapsucker       | 1.26% |
| 126. Brown-capped Rosy-Finch   | 1.18% |
| 127. Rufous-crowned Sparrow    | 1.16% |
| 128. Ring-necked Pheasant      | 1.14% |
| 129. Sagebrush Sparrow         | 1.13% |
| 130. Swamp Sparrow             | 1.11% |
| 131. Sage Thrasher             | 1.09% |
| 132. Vesper Sparrow            | 1.07% |
| 133. Spotted Sandpiper         | 1.06% |

|   |                |
|---|----------------|
| 134. <b>Western Grebe</b>               | <b>1.05%</b>   |
| 135. <b>American White Pelican</b>      | <b>0.9934%</b> |
| 136. <b>Great Egret</b>                 | <b>0.9684%</b> |
| 137. <b>Cinnamon Teal</b>               | <b>0.9219%</b> |
| 138. <b>Northern Cardinal</b>           | <b>0.9165%</b> |
| 139. <b>Brown Thrasher</b>              | <b>0.8683%</b> |
| 140. <b>Lark Bunting</b>                | <b>0.8290%</b> |
| 141. <b>Herring Gull</b>                | <b>0.8165%</b> |
| 142. <b>Chihuahuan Meadowlark</b>       | <b>0.7700%</b> |
| 143. <b>Greater White-fronted Goose</b> | <b>0.7575%</b> |
| 144. <b>Blue Jay</b>                    | <b>0.7468%</b> |
| 145. <b>Long-billed Dowitcher</b>       | <b>0.7450%</b> |
| 146. <b>Williamson's Sapsucker</b>      | <b>0.7379%</b> |
| 147. <b>Red Crossbill</b>               | <b>0.7361%</b> |
| 148. <b>Eared Grebe</b>                 | <b>0.7236%</b> |
| 149. <b>Chestnut-collared Longspur</b>  | <b>0.7039%</b> |
| 150. <b>Tundra Swan</b>                 | <b>0.7004%</b> |
| 151. <b>Western Screech-Owl</b>         | <b>0.6879%</b> |
| 152. <b>Red-breasted Merganser</b>      | <b>0.6789%</b> |
| 153. <b>House Wren</b>                  | <b>0.6771%</b> |
| 154. <b>Yellow-headed Blackbird</b>     | <b>0.6593%</b> |
| 155. <b>Clark's Nutcracker</b>          | <b>0.6521%</b> |
| 156. <b>Bridled Titmouse</b>            | <b>0.6503%</b> |

|                               |         |
|-------------------------------|---------|
| 157. Eastern Phoebe           | 0.6360% |
| 158. Sora                     | 0.6253% |
| 159. American Dipper          | 0.5521% |
| 160. Clark's Grebe            | 0.5378% |
| 161. Virginia Rail            | 0.5271% |
| 162. Harris's Sparrow         | 0.5003% |
| 163. Orange-crowned Warbler   | 0.4949% |
| 164. Inca Dove                | 0.4895% |
| 165. Golden-crowned Kinglet   | 0.4681% |
| 166. American Tree Sparrow    | 0.4681% |
| 167. Lewis's Woodpecker       | 0.4592% |
| 168. Rough-legged Hawk        | 0.4449% |
| 169. Gray Catbird             | 0.4449% |
| 170. Brown-headed Cowbird     | 0.4431% |
| 171. California Gull          | 0.4342% |
| 172. Peregrine Falcon         | 0.4127% |
| 173. Winter Wren              | 0.4056% |
| 174. Fox Sparrow              | 0.4002% |
| 175. Mexican Jay              | 0.3734% |
| 176. Anna's Hummingbird       | 0.3502% |
| 177. Black-tailed Gnatcatcher | 0.3484% |
| 178. Yellow-bellied Sapsucker | 0.3270% |
| 179. Common Loon              | 0.3252% |



|                                      |                |
|--------------------------------------|----------------|
| 180. <b>Vermilion Flycatcher</b>     | <b>0.3216%</b> |
| 181. <b>Golden-crowned Sparrow</b>   | <b>0.3109%</b> |
| 182. <b>Black-chinned Sparrow</b>    | <b>0.3073%</b> |
| 183. <b>Trumpeter Swan</b>           | <b>0.3002%</b> |
| 184. <b>Snowy Egret</b>              | <b>0.2966%</b> |
| 185. <b>Brant</b>                    | <b>0.2930%</b> |
| 186. <b>Lesser Black-backed Gull</b> | <b>0.2912%</b> |
| 187. <b>White-tailed Kite</b>        | <b>0.2823%</b> |
| 188. <b>Blue Mockingbird</b>         | <b>0.2734%</b> |
| 189. <b>Osprey</b>                   | <b>0.2609%</b> |
| 190. <b>Gila Woodpecker</b>          | <b>0.2269%</b> |
| 191. <b>Horned Grebe</b>             | <b>0.2251%</b> |
| 192. <b>Thick-billed Longspur</b>    | <b>0.2251%</b> |
| 193. <b>Pacific Wren</b>             | <b>0.2162%</b> |
| 194. <b>Rusty Blackbird</b>          | <b>0.1965%</b> |
| 195. <b>Common Yellowthroat</b>      | <b>0.1947%</b> |
| 196. <b>Northern Shrike</b>          | <b>0.1930%</b> |
| 197. <b>Barrow's Goldeneye</b>       | <b>0.1840%</b> |
| 198. <b>Eurasian Wigeon</b>          | <b>0.1822%</b> |
| 199. <b>Bonaparte's Gull</b>         | <b>0.1697%</b> |
| 200. <b>Greater Scaup</b>            | <b>0.1644%</b> |
| 201. <b>Harris's Hawk</b>            | <b>0.1626%</b> |
| 202. <b>Barn Owl</b>                 | <b>0.1537%</b> |

|                                     |         |
|-------------------------------------|---------|
| 203. Pine Warbler                   | 0.1537% |
| 204. Lapland Longspur               | 0.1519% |
| 205. Field Sparrow                  | 0.1519% |
| 206. White-faced Ibis               | 0.1501% |
| 207. American Three-toed Woodpecker | 0.1483% |
| 208. White-throated Swift           | 0.1394% |
| 209. Northern Bobwhite              | 0.1376% |
| 210. Iceland Gull                   | 0.1340% |
| 211. Canada Jay                     | 0.1304% |
| 212. Lawrence's Goldfinch           | 0.1304% |
| 213. Rufous-backed Robin            | 0.1286% |
| 214. Long-eared Owl                 | 0.1268% |
| 215. Long-tailed Duck               | 0.1251% |
| 216. American Woodcock              | 0.1233% |
| 217. Cassin's Sparrow               | 0.1215% |
| 218. Northern Pygmy-Owl             | 0.1143% |
| 219. Hutton's Vireo                 | 0.1126% |
| 220. American Bittern               | 0.1108% |
| 221. Burrowing Owl                  | 0.1072% |
| 222. Short-billed Gull              | 0.1054% |
| 223. Dunlin                         | 0.1036% |
| 224. American Goshawk               | 0.1036% |
| 225. Clay-colored Sparrow           | 0.1036% |

|                                  |                |
|----------------------------------|----------------|
| 226. <b>American Avocet</b>      | <b>0.1018%</b> |
| 227. <b>Varied Thrush</b>        | <b>0.0983%</b> |
| 228. <b>Turkey Vulture</b>       | <b>0.0893%</b> |
| 229. <b>Bohemian Waxwing</b>     | <b>0.0893%</b> |
| 230. <b>Hammond's Flycatcher</b> | <b>0.0875%</b> |
| 231. <b>Common Gallinule</b>     | <b>0.0858%</b> |
| 232. <b>Grasshopper Sparrow</b>  | <b>0.0858%</b> |
| 233. <b>Ruddy Ground Dove</b>    | <b>0.0822%</b> |
| 234. <b>Snowy Plover</b>         | <b>0.0822%</b> |
| 235. <b>Dusky Flycatcher</b>     | <b>0.0786%</b> |
| 236. <b>Eastern Towhee</b>       | <b>0.0786%</b> |
| 237. <b>Whooping Crane</b>       | <b>0.0715%</b> |
| 238. <b>Common Grackle</b>       | <b>0.0679%</b> |
| 239. <b>Black-necked Stilt</b>   | <b>0.0625%</b> |
| 240. <b>Sprague's Pipit</b>      | <b>0.0608%</b> |
| 241. <b>Montezuma Quail</b>      | <b>0.0590%</b> |
| 242. <b>Long-billed Curlew</b>   | <b>0.0590%</b> |
| 243. <b>Pacific Loon</b>         | <b>0.0572%</b> |
| 244. <b>Great Kiskadee</b>       | <b>0.0572%</b> |
| 245. <b>Cape May Warbler</b>     | <b>0.0572%</b> |
| 246. <b>Rufous Hummingbird</b>   | <b>0.0554%</b> |
| 247. <b>Carolina Wren</b>        | <b>0.0554%</b> |
| 248. <b>Glaucous Gull</b>        | <b>0.0536%</b> |

|   |                |
|---|----------------|
| 249. <b>Green Heron</b>                   | <b>0.0518%</b> |
| 250. <b>Broad-billed Hummingbird</b>      | <b>0.0500%</b> |
| 251. <b>Northern Saw-whet Owl</b>         | <b>0.0500%</b> |
| 252. <b>Blue-gray Gnatcatcher</b>         | <b>0.0500%</b> |
| 253. <b>Blackpoll Warbler</b>             | <b>0.0465%</b> |
| 254. <b>Summer Tanager</b>                | <b>0.0447%</b> |
| 255. <b>Red-necked Grebe</b>              | <b>0.0429%</b> |
| 256. <b>Bendire's Thrasher</b>            | <b>0.0429%</b> |
| 257. <b>Ruby-throated Hummingbird</b>     | <b>0.0411%</b> |
| 258. <b>Nutting's Flycatcher</b>          | <b>0.0411%</b> |
| 259. <b>Northern Rough-winged Swallow</b> | <b>0.0411%</b> |
| 260. <b>Abert's Towhee</b>                | <b>0.0411%</b> |
| 261. <b>Ovenbird</b>                      | <b>0.0411%</b> |
| 262. <b>Yellow-billed Loon</b>            | <b>0.0393%</b> |
| 263. <b>Bronzed Cowbird</b>               | <b>0.0393%</b> |
| 264. <b>Black-chinned Hummingbird</b>     | <b>0.0375%</b> |
| 265. <b>White-winged Scoter</b>           | <b>0.0357%</b> |
| 266. <b>Black-legged Kittiwake</b>        | <b>0.0357%</b> |
| 267. <b>Baird's Sparrow</b>               | <b>0.0340%</b> |
| 268. <b>Common Crane</b>                  | <b>0.0322%</b> |
| 269. <b>Pine Grosbeak</b>                 | <b>0.0322%</b> |
| 270. <b>Red-throated Loon</b>             | <b>0.0304%</b> |
| 271. <b>Arizona Woodpecker</b>            | <b>0.0304%</b> |

|                               |         |
|-------------------------------|---------|
| 272. Lark Sparrow             | 0.0304% |
| 273. Blue-winged Teal         | 0.0286% |
| 274. Common Ground Dove       | 0.0286% |
| 275. Lesser Yellowlegs        | 0.0286% |
| 276. Purple Sandpiper         | 0.0286% |
| 277. Short-eared Owl          | 0.0268% |
| 278. Red-headed Woodpecker    | 0.0268% |
| 279. Barn Swallow             | 0.0268% |
| 280. Northern Parula          | 0.0268% |
| 281. Yellow-throated Warbler  | 0.0250% |
| 282. Broad-tailed Hummingbird | 0.0214% |
| 283. Solitary Sandpiper       | 0.0214% |
| 284. Red-shouldered Hawk      | 0.0214% |
| 285. Rivoli's Hummingbird     | 0.0196% |
| 286. Western Cattle Egret     | 0.0196% |
| 287. Common Black Hawk        | 0.0196% |
| 288. Gray Flycatcher          | 0.0196% |
| 289. Palm Warbler             | 0.0196% |
| 290. Yellow Grosbeak          | 0.0196% |
| 291. Brown Pelican            | 0.0179% |
| 292. Red-bellied Woodpecker   | 0.0179% |
| 293. Purple Finch             | 0.0179% |
| 294. Surf Scoter              | 0.0161% |

|   |                |
|---|----------------|
| 295. <b>Costa's Hummingbird</b>         | <b>0.0161%</b> |
| 296. <b>Olive Warbler</b>               | <b>0.0161%</b> |
| 297. <b>Bay-breasted Warbler</b>        | <b>0.0161%</b> |
| 298. <b>Plumbeous Vireo</b>             | <b>0.0143%</b> |
| 299. <b>Tree Swallow</b>                | <b>0.0143%</b> |
| 300. <b>Lesser Prairie-Chicken</b>      | <b>0.0125%</b> |
| 301. <b>Band-tailed Pigeon</b>          | <b>0.0107%</b> |
| 302. <b>Wilson's Phalarope</b>          | <b>0.0107%</b> |
| 303. <b>Franklin's Gull</b>             | <b>0.0107%</b> |
| 304. <b>Spotted Owl</b>                 | <b>0.0107%</b> |
| 305. <b>Yellow-eyed Junco</b>           | <b>0.0107%</b> |
| 306. <b>Red-breasted Sapsucker</b>      | <b>0.0089%</b> |
| 307. <b>Black-capped Gnatcatcher</b>    | <b>0.0089%</b> |
| 308. <b>Streak-backed Oriole</b>        | <b>0.0089%</b> |
| 309. <b>Bullock's Oriole</b>            | <b>0.0089%</b> |
| 310. <b>Black-throated Blue Warbler</b> | <b>0.0089%</b> |
| 311. <b>Western Sandpiper</b>           | <b>0.0071%</b> |
| 312. <b>Common Redpoll</b>              | <b>0.0071%</b> |
| 313. <b>Black-and-white Warbler</b>     | <b>0.0071%</b> |
| 314. <b>Western Tanager</b>             | <b>0.0071%</b> |
| 315. <b>Little Gull</b>                 | <b>0.0054%</b> |
| 316. <b>Aplomado Falcon</b>             | <b>0.0054%</b> |
| 317. <b>Cassin's Kingbird</b>           | <b>0.0054%</b> |

|   |                |
|---|----------------|
| 318. <b>Bell's Vireo</b>                | <b>0.0054%</b> |
| 319. <b>Blue-headed Vireo</b>           | <b>0.0054%</b> |
| 320. <b>Rufous-winged Sparrow</b>       | <b>0.0054%</b> |
| 321. <b>Black-throated Gray Warbler</b> | <b>0.0054%</b> |
| 322. <b>Townsend's Warbler</b>          | <b>0.0054%</b> |
| 323. <b>Rufous-capped Warbler</b>       | <b>0.0054%</b> |
| 324. <b>Painted Redstart</b>            | <b>0.0054%</b> |
| 325. <b>Dusky Grouse</b>                | <b>0.0036%</b> |
| 326. <b>Mountain Plover</b>             | <b>0.0036%</b> |
| 327. <b>Whiskered Screech-Owl</b>       | <b>0.0036%</b> |
| 328. <b>Crested Caracara</b>            | <b>0.0036%</b> |
| 329. <b>Couch's Kingbird</b>            | <b>0.0036%</b> |
| 330. <b>Cliff Swallow</b>               | <b>0.0036%</b> |
| 331. <b>Wilson's Warbler</b>            | <b>0.0036%</b> |
| 332. <b>Semipalmated Plover</b>         | <b>0.0018%</b> |
| 333. <b>Marbled Godwit</b>              | <b>0.0018%</b> |
| 334. <b>Laughing Gull</b>               | <b>0.0018%</b> |
| 335. <b>Glaucous-winged Gull</b>        | <b>0.0018%</b> |
| 336. <b>Eastern Screech-Owl</b>         | <b>0.0018%</b> |
| 337. <b>Boreal Owl</b>                  | <b>0.0018%</b> |
| 338. <b>Least Flycatcher</b>            | <b>0.0018%</b> |
| 339. <b>Cassin's Vireo</b>              | <b>0.0018%</b> |
| 340. <b>Cave Swallow</b>                | <b>0.0018%</b> |

|   |                          |
|---|--------------------------|
| 341. <b>Snow Bunting</b>                  | <b>0.0018%</b>           |
| 342. <b>LeConte's Sparrow</b>             | <b>0.0018%</b>           |
| 343. <b>Baltimore Oriole</b>              | <b>0.0018%</b>           |
| 344. <b>Scott's Oriole</b>                | <b>0.0018%</b>           |
| 345. <b>Louisiana Waterthrush</b>         | <b>0.0018%</b>           |
| 346. <b>Nashville Warbler</b>             | <b>0.0018%</b>           |
| 347. <b>American Redstart</b>             | <b>0.0018%</b>           |
| 348. <b>Blue Grosbeak</b>                 | <b>0.0018%</b>           |
| 349. <b>Harlequin Duck</b>                | <b>0.0000%</b>           |
| 350. <b>Common Poorwill</b>               | <b>0.0000%</b>           |
| 351. <b>Blue-throated Mountain-gem</b>    | <b>0.0000%</b>           |
| 352. <b>Sanderling</b>                    | <b>0.0000%</b>           |
| 353. <b>Zone-tailed Hawk</b>              | <b>0.0000%</b>           |
| 354. <b>Northern Beardless-Tyrannulet</b> | <b>0.0000%</b>           |
| 355. <b>Western Flycatcher</b>            | <b>0.0000%</b>           |
| 356. <b>Mexican Chickadee</b>             | <b>0.0000%</b>           |
| 357. <b>Sedge Wren</b>                    | <b>0.0000%</b>           |
| <b>EXOTIC: PROVISIONAL</b>                |                          |
| 358. <b>Monk Parakeet</b>                 | <b>0.0179%</b> frequency |
| 359. <b>Barnacle Goose</b>                | <b>0.0036%</b>           |
| <b>EXOTIC: ESCAPEE</b>                    |                          |
| <b>Muscovy Duck</b>                       | <b>0.1340%</b> frequency |



|                                     |                |
|-------------------------------------|----------------|
| <b>Swan Goose</b>                   | <b>0.0983%</b> |
| <b>Graylag Goose</b>                | <b>0.0447%</b> |
| <b>Mute Swan</b>                    | <b>0.0393%</b> |
| <b>Mandarin Duck</b>                | <b>0.0089%</b> |
| <b>Indian Peafowl</b>               | <b>0.0089%</b> |
| <b>Chukar</b>                       | <b>0.0071%</b> |
| <b>Budgerigar</b>                   | <b>0.0071%</b> |
| <b>Military Macaw</b>               | <b>0.0036%</b> |
| <b>African Collared-Dove</b>        | <b>0.0018%</b> |
| <b>Lilac-crowned Parrot</b>         | <b>0.0018%</b> |
| <b>Scarlet Macaw</b>                | <b>0.0000%</b> |
| <b>Black-bellied Whistling-Duck</b> | <b>0.0000%</b> |
| <b>Egyptian Goose</b>               | <b>0.0000%</b> |

**HYBRIDS**

|   |                        |
|---|------------------------|
| Mallard x Mexican Duck (hybrid)                 | <b>1.26% frequency</b> |
| Black-capped x Mountain Chickadee (hybrid)      | <b>0.0822%</b>         |
| Northern Cardinal x Pyrrhuloxia (hybrid)        | <b>0.0179%</b>         |
| Greater White-fronted x Cackling Goose (hybrid) | <b>0.0161%</b>         |
| Scaled x Gambel's Quail (hybrid)                | <b>0.0089%</b>         |
| Snow x Ross's Goose (hybrid)                    | <b>0.0071%</b>         |
| Snow x Canada Goose (hybrid)                    | <b>0.0054%</b>         |
| Graylag x Swan Goose (hybrid)                   | <b>0.0036%</b>         |

|   |                |
|---|----------------|
| Snow x Cackling Goose (hybrid)                | <b>0.0036%</b> |
| Ross's x Cackling Goose (hybrid)              | <b>0.0036%</b> |
| Greater White-fronted x Canada Goose (hybrid) | <b>0.0036%</b> |
| Western x Clark's Grebe (hybrid)              | <b>0.0036%</b> |
| Herring x Glaucous-winged Gull (hybrid)       | <b>0.0036%</b> |
| Red-naped x Red-breasted Sapsucker (hybrid)   | <b>0.0036%</b> |
| Domestic goose sp. x Canada Goose (hybrid)    | <b>0.0018%</b> |
| Eurasian x American Wigeon (hybrid)           | <b>0.0018%</b> |
| Mallard x Northern Pintail (hybrid)           | <b>0.0018%</b> |
| Ring-necked Duck x Lesser Scaup (hybrid)      | <b>0.0018%</b> |
| Bufflehead x Common Goldeneye (hybrid)        | <b>0.0018%</b> |
| Yellow-bellied x Red-naped Sapsucker (hybrid) | <b>0.0018%</b> |