



## Target Species

Based on 55,971 complete checklists

**359** species observed in New Mexico, US (region/US-NM) in Jan that you need for your **World Life List**

1. Snow Goose	5.86% frequency
2. Ross's Goose	2.65%
3. Greater White-fronted Goose	0.7575%
4. Brant	0.2930%
5. Cackling Goose	4.96%
6. Canada Goose	20.56%
7. Trumpeter Swan	0.3002%
8. Tundra Swan	0.7004%
9. Wood Duck	5.76%
10. Blue-winged Teal	0.0286%
11. Cinnamon Teal	0.9219%
12. Northern Shoveler	13.36%
13. Gadwall	10.02%
14. Eurasian Wigeon	0.1822%
15. American Wigeon	11.33%
16. Mallard	17.68%
17. Mexican Duck	1.36%
18. Northern Pintail	7.28%

19. Green-winged Teal	8.92%
20. Canvasback	5.09%
21. Redhead	3.10%
22. Ring-necked Duck	8.24%
23. Greater Scaup	0.1644%
24. Lesser Scaup	4.24%
25. Harlequin Duck	0.0000%
26. Surf Scoter	0.0161%
27. White-winged Scoter	0.0357%
28. Long-tailed Duck	0.1251%
29. Bufflehead	7.46%
30. Common Goldeneye	4.14%
31. Barrow's Goldeneye	0.1840%
32. Hooded Merganser	3.32%
33. Common Merganser	8.58%
34. Red-breasted Merganser	0.6789%
35. Ruddy Duck	4.81%
36. Northern Bobwhite	0.1376%
37. Scaled Quail	1.73%
38. Gambel's Quail	7.21%
39. Montezuma Quail	0.0590%
40. Wild Turkey	1.41%
41. Dusky Grouse	0.0036%

42. Lesser Prairie-Chicken	0.0125%
43. Ring-necked Pheasant	1.14%
44. Pied-billed Grebe	7.21%
45. Horned Grebe	0.2251%
46. Red-necked Grebe	0.0429%
47. Eared Grebe	0.7236%
48. Western Grebe	1.05%
49. Clark's Grebe	0.5378%
50. Rock Pigeon	14.91%
51. Band-tailed Pigeon	0.0107%
52. Eurasian Collared-Dove	14.99%
53. Inca Dove	0.4895%
54. Common Ground Dove	0.0286%
55. Ruddy Ground Dove	0.0822%
56. White-winged Dove	25.58%
57. Mourning Dove	14.81%
58. Greater Roadrunner	6.84%
59. Common Poorwill	0.0000%
60. White-throated Swift	0.1394%
61. Rivoli's Hummingbird	0.0196%
62. Blue-throated Mountain-gem	0.0000%
63. Ruby-throated Hummingbird	0.0411%
64. Black-chinned Hummingbird	0.0375%

65. Anna's Hummingbird	0.3502%
66. Costa's Hummingbird	0.0161%
67. Rufous Hummingbird	0.0554%
68. Broad-tailed Hummingbird	0.0214%
69. Broad-billed Hummingbird	0.0500%
70. Virginia Rail	0.5271%
71. Sora	0.6253%
72. Common Gallinule	0.0858%
73. American Coot	15.94%
74. Sandhill Crane	18.03%
75. Common Crane	0.0322%
76. Whooping Crane	0.0715%
77. Black-necked Stilt	0.0625%
78. American Avocet	0.1018%
79. Killdeer	6.67%
80. Semipalmated Plover	0.0018%
81. Mountain Plover	0.0036%
82. Snowy Plover	0.0822%
83. Long-billed Curlew	0.0590%
84. Marbled Godwit	0.0018%
85. Long-billed Dowitcher	0.7450%
86. American Woodcock	0.1233%
87. Wilson's Snipe	2.25%

88. <b>Wilson's Phalarope</b>	<b>0.0107%</b>
89. <b>Spotted Sandpiper</b>	<b>1.06%</b>
90. <b>Solitary Sandpiper</b>	<b>0.0214%</b>
91. <b>Lesser Yellowlegs</b>	<b>0.0286%</b>
92. <b>Greater Yellowlegs</b>	<b>2.35%</b>
93. <b>Sanderling</b>	<b>0.0000%</b>
94. <b>Dunlin</b>	<b>0.1036%</b>
95. <b>Purple Sandpiper</b>	<b>0.0286%</b>
96. <b>Least Sandpiper</b>	<b>1.33%</b>
97. <b>Western Sandpiper</b>	<b>0.0071%</b>
98. <b>Little Gull</b>	<b>0.0054%</b>
99. <b>Black-legged Kittiwake</b>	<b>0.0357%</b>
100. <b>Bonaparte's Gull</b>	<b>0.1697%</b>
101. <b>Laughing Gull</b>	<b>0.0018%</b>
102. <b>Franklin's Gull</b>	<b>0.0107%</b>
103. <b>Short-billed Gull</b>	<b>0.1054%</b>
104. <b>Ring-billed Gull</b>	<b>6.88%</b>
105. <b>Herring Gull</b>	<b>0.8165%</b>
106. <b>Glaucous Gull</b>	<b>0.0536%</b>
107. <b>Lesser Black-backed Gull</b>	<b>0.2912%</b>
108. <b>California Gull</b>	<b>0.4342%</b>
109. <b>Glaucous-winged Gull</b>	<b>0.0018%</b>
110. <b>Iceland Gull</b>	<b>0.1340%</b>

111. Red-throated Loon	0.0304%
112. Pacific Loon	0.0572%
113. Common Loon	0.3252%
114. Yellow-billed Loon	0.0393%
115. Double-crested Cormorant	1.31%
116. Neotropic Cormorant	1.46%
117. American White Pelican	0.9934%
118. Brown Pelican	0.0179%
119. American Bittern	0.1108%
120. Black-crowned Night Heron	1.44%
121. Snowy Egret	0.2966%
122. Green Heron	0.0518%
123. Western Cattle Egret	0.0196%
124. Great Egret	0.9684%
125. Great Blue Heron	10.07%
126. White-faced Ibis	0.1501%
127. Turkey Vulture	0.0893%
128. Osprey	0.2609%
129. White-tailed Kite	0.2823%
130. Golden Eagle	1.54%
131. Northern Harrier	11.35%
132. Sharp-shinned Hawk	3.55%
133. Cooper's Hawk	7.98%

134. <b>American Goshawk</b>	<b>0.1036%</b>
135. <b>Bald Eagle</b>	<b>7.57%</b>
136. <b>Common Black Hawk</b>	<b>0.0196%</b>
137. <b>Harris's Hawk</b>	<b>0.1626%</b>
138. <b>Red-shouldered Hawk</b>	<b>0.0214%</b>
139. <b>Zone-tailed Hawk</b>	<b>0.0000%</b>
140. <b>Red-tailed Hawk</b>	<b>21.34%</b>
141. <b>Rough-legged Hawk</b>	<b>0.4449%</b>
142. <b>Ferruginous Hawk</b>	<b>2.65%</b>
143. <b>Barn Owl</b>	<b>0.1537%</b>
144. <b>Whiskered Screech-Owl</b>	<b>0.0036%</b>
145. <b>Western Screech-Owl</b>	<b>0.6879%</b>
146. <b>Eastern Screech-Owl</b>	<b>0.0018%</b>
147. <b>Great Horned Owl</b>	<b>2.11%</b>
148. <b>Northern Pygmy-Owl</b>	<b>0.1143%</b>
149. <b>Burrowing Owl</b>	<b>0.1072%</b>
150. <b>Spotted Owl</b>	<b>0.0107%</b>
151. <b>Long-eared Owl</b>	<b>0.1268%</b>
152. <b>Short-eared Owl</b>	<b>0.0268%</b>
153. <b>Boreal Owl</b>	<b>0.0018%</b>
154. <b>Northern Saw-whet Owl</b>	<b>0.0500%</b>
155. <b>Belted Kingfisher</b>	<b>4.16%</b>
156. <b>Williamson's Sapsucker</b>	<b>0.7379%</b>

157. Yellow-bellied Sapsucker	0.3270%
158. Red-naped Sapsucker	1.26%
159. Red-breasted Sapsucker	0.0089%
160. Lewis's Woodpecker	0.4592%
161. Red-headed Woodpecker	0.0268%
162. Acorn Woodpecker	2.79%
163. Gila Woodpecker	0.2269%
164. Red-bellied Woodpecker	0.0179%
165. American Three-toed Woodpecker	0.1483%
166. Downy Woodpecker	6.65%
167. Ladder-backed Woodpecker	12.90%
168. Hairy Woodpecker	6.34%
169. Arizona Woodpecker	0.0304%
170. Northern Flicker	31.35%
171. Crested Caracara	0.0036%
172. American Kestrel	13.53%
173. Merlin	1.35%
174. Aplomado Falcon	0.0054%
175. Peregrine Falcon	0.4127%
176. Prairie Falcon	1.27%
177. Northern Beardless-Tyrannulet	0.0000%
178. Least Flycatcher	0.0018%
179. Hammond's Flycatcher	0.0875%



180. <b>Gray Flycatcher</b>	<b>0.0196%</b>
181. <b>Dusky Flycatcher</b>	<b>0.0786%</b>
182. <b>Western Flycatcher</b>	<b>0.0000%</b>
183. <b>Black Phoebe</b>	<b>6.65%</b>
184. <b>Eastern Phoebe</b>	<b>0.6360%</b>
185. <b>Say's Phoebe</b>	<b>12.50%</b>
186. <b>Vermilion Flycatcher</b>	<b>0.3216%</b>
187. <b>Nutting's Flycatcher</b>	<b>0.0411%</b>
188. <b>Great Kiskadee</b>	<b>0.0572%</b>
189. <b>Couch's Kingbird</b>	<b>0.0036%</b>
190. <b>Cassin's Kingbird</b>	<b>0.0054%</b>
191. <b>Bell's Vireo</b>	<b>0.0054%</b>
192. <b>Hutton's Vireo</b>	<b>0.1126%</b>
193. <b>Cassin's Vireo</b>	<b>0.0018%</b>
194. <b>Blue-headed Vireo</b>	<b>0.0054%</b>
195. <b>Plumbeous Vireo</b>	<b>0.0143%</b>
196. <b>Loggerhead Shrike</b>	<b>5.88%</b>
197. <b>Northern Shrike</b>	<b>0.1930%</b>
198. <b>Canada Jay</b>	<b>0.1304%</b>
199. <b>Pinyon Jay</b>	<b>1.78%</b>
200. <b>Steller's Jay</b>	<b>5.28%</b>
201. <b>Blue Jay</b>	<b>0.7468%</b>
202. <b>Woodhouse's Scrub-Jay</b>	<b>15.12%</b>

203. Mexican Jay	0.3734%
204. Black-billed Magpie	3.15%
205. Clark's Nutcracker	0.6521%
206. American Crow	27.73%
207. Chihuahuan Raven	4.45%
208. Common Raven	27.78%
209. Black-capped Chickadee	5.41%
210. Mountain Chickadee	12.94%
211. Mexican Chickadee	0.0000%
212. Bridled Titmouse	0.6503%
213. Juniper Titmouse	5.93%
214. Verdin	3.63%
215. Horned Lark	4.15%
216. Tree Swallow	0.0143%
217. Northern Rough-winged Swallow	0.0411%
218. Barn Swallow	0.0268%
219. Cliff Swallow	0.0036%
220. Cave Swallow	0.0018%
221. Bushtit	9.04%
222. Ruby-crowned Kinglet	13.51%
223. Golden-crowned Kinglet	0.4681%
224. White-breasted Nuthatch	16.83%
225. Pygmy Nuthatch	3.78%

226. Red-breasted Nuthatch	3.08%
227. Brown Creeper	2.22%
228. Blue-gray Gnatcatcher	0.0500%
229. Black-tailed Gnatcatcher	0.3484%
230. Black-capped Gnatcatcher	0.0089%
231. Rock Wren	2.22%
232. Canyon Wren	1.63%
233. House Wren	0.6771%
234. Pacific Wren	0.2162%
235. Winter Wren	0.4056%
236. Sedge Wren	0.0000%
237. Marsh Wren	3.42%
238. Carolina Wren	0.0554%
239. Bewick's Wren	8.13%
240. Cactus Wren	2.37%
241. American Dipper	0.5521%
242. European Starling	14.20%
243. Blue Mockingbird	0.2734%
244. Gray Catbird	0.4449%
245. Curve-billed Thrasher	9.01%
246. Brown Thrasher	0.8683%
247. Bendire's Thrasher	0.0429%
248. Crissal Thrasher	2.71%

249. Sage Thrasher	1.09%
250. Northern Mockingbird	2.64%
251. Eastern Bluebird	3.33%
252. Western Bluebird	14.29%
253. Mountain Bluebird	4.48%
254. Townsend's Solitaire	8.28%
255. Varied Thrush	0.0983%
256. Hermit Thrush	3.93%
257. American Robin	26.61%
258. Rufous-backed Robin	0.1286%
259. Bohemian Waxwing	0.0893%
260. Cedar Waxwing	2.67%
261. Phainopepla	2.57%
262. Olive Warbler	0.0161%
263. House Sparrow	20.96%
264. American Pipit	3.44%
265. Sprague's Pipit	0.0608%
266. Evening Grosbeak	1.80%
267. Pine Grosbeak	0.0322%
268. Gray-crowned Rosy-Finch	1.42%
269. Black Rosy-Finch	1.27%
270. Brown-capped Rosy-Finch	1.18%
271. House Finch	46.02%

272. Purple Finch	0.0179%
273. Cassin's Finch	4.37%
274. Common Redpoll	0.0071%
275. Red Crossbill	0.7361%
276. Pine Siskin	9.93%
277. Lesser Goldfinch	11.90%
278. Lawrence's Goldfinch	0.1304%
279. American Goldfinch	7.46%
280. Lapland Longspur	0.1519%
281. Chestnut-collared Longspur	0.7039%
282. Thick-billed Longspur	0.2251%
283. Snow Bunting	0.0018%
284. Rufous-winged Sparrow	0.0054%
285. Cassin's Sparrow	0.1215%
286. Grasshopper Sparrow	0.0858%
287. Chipping Sparrow	3.41%
288. Clay-colored Sparrow	0.1036%
289. Black-chinned Sparrow	0.3073%
290. Field Sparrow	0.1519%
291. Brewer's Sparrow	2.34%
292. Black-throated Sparrow	3.39%
293. Lark Sparrow	0.0304%
294. Lark Bunting	0.8290%

295. American Tree Sparrow	0.4681%
296. Fox Sparrow	0.4002%
297. Dark-eyed Junco	65.06%
298. Yellow-eyed Junco	0.0107%
299. White-crowned Sparrow	32.88%
300. Golden-crowned Sparrow	0.3109%
301. Harris's Sparrow	0.5003%
302. White-throated Sparrow	3.18%
303. Sagebrush Sparrow	1.13%
304. Vesper Sparrow	1.07%
305. LeConte's Sparrow	0.0018%
306. Savannah Sparrow	2.97%
307. Baird's Sparrow	0.0340%
308. Song Sparrow	15.70%
309. Lincoln's Sparrow	3.50%
310. Swamp Sparrow	1.11%
311. Canyon Towhee	12.95%
312. Abert's Towhee	0.0411%
313. Rufous-crowned Sparrow	1.16%
314. Green-tailed Towhee	1.84%
315. Spotted Towhee	22.88%
316. Eastern Towhee	0.0786%
317. Yellow-headed Blackbird	0.6593%

318. <b>Western Meadowlark</b>	<b>8.29%</b>
319. <b>Chihuahuan Meadowlark</b>	<b>0.7700%</b>
320. <b>Streak-backed Oriole</b>	<b>0.0089%</b>
321. <b>Bullock's Oriole</b>	<b>0.0089%</b>
322. <b>Baltimore Oriole</b>	<b>0.0018%</b>
323. <b>Scott's Oriole</b>	<b>0.0018%</b>
324. <b>Red-winged Blackbird</b>	<b>14.71%</b>
325. <b>Bronzed Cowbird</b>	<b>0.0393%</b>
326. <b>Brown-headed Cowbird</b>	<b>0.4431%</b>
327. <b>Rusty Blackbird</b>	<b>0.1965%</b>
328. <b>Brewer's Blackbird</b>	<b>3.01%</b>
329. <b>Common Grackle</b>	<b>0.0679%</b>
330. <b>Great-tailed Grackle</b>	<b>7.29%</b>
331. <b>Ovenbird</b>	<b>0.0411%</b>
332. <b>Louisiana Waterthrush</b>	<b>0.0018%</b>
333. <b>Black-and-white Warbler</b>	<b>0.0071%</b>
334. <b>Orange-crowned Warbler</b>	<b>0.4949%</b>
335. <b>Nashville Warbler</b>	<b>0.0018%</b>
336. <b>Common Yellowthroat</b>	<b>0.1947%</b>
337. <b>American Redstart</b>	<b>0.0018%</b>
338. <b>Cape May Warbler</b>	<b>0.0572%</b>
339. <b>Northern Parula</b>	<b>0.0268%</b>
340. <b>Bay-breasted Warbler</b>	<b>0.0161%</b>

341. Blackpoll Warbler	0.0465%
342. Black-throated Blue Warbler	0.0089%
343. Palm Warbler	0.0196%
344. Pine Warbler	0.1537%
345. Yellow-rumped Warbler	14.50%
346. Yellow-throated Warbler	0.0250%
347. Black-throated Gray Warbler	0.0054%
348. Townsend's Warbler	0.0054%
349. Rufous-capped Warbler	0.0054%
350. Wilson's Warbler	0.0036%
351. Painted Redstart	0.0054%
352. Summer Tanager	0.0447%
353. Western Tanager	0.0071%
354. Northern Cardinal	0.9165%
355. Pyrrhuloxia	5.18%
356. Yellow Grosbeak	0.0196%
357. Blue Grosbeak	0.0018%
<b>EXOTIC: PROVISIONAL</b>	
358. Barnacle Goose	0.0036% frequency
359. Monk Parakeet	0.0179%
<b>EXOTIC: ESCAPEE</b>	
Graylag Goose	0.0447% frequency



<b>Swan Goose</b>	<b>0.0983%</b>
<b>Mute Swan</b>	<b>0.0393%</b>
<b>Muscovy Duck</b>	<b>0.1340%</b>
<b>Mandarin Duck</b>	<b>0.0089%</b>
<b>Indian Peafowl</b>	<b>0.0089%</b>
<b>Chukar</b>	<b>0.0071%</b>
<b>African Collared-Dove</b>	<b>0.0018%</b>
<b>Budgerigar</b>	<b>0.0071%</b>
<b>Lilac-crowned Parrot</b>	<b>0.0018%</b>
<b>Military Macaw</b>	<b>0.0036%</b>
<b>Scarlet Macaw</b>	<b>0.0000%</b>
<b>Black-bellied Whistling-Duck</b>	<b>0.0000%</b>
<b>Egyptian Goose</b>	<b>0.0000%</b>

## HYBRIDS

Snow x Ross's Goose (hybrid)	<b>0.0071%</b> frequency
Graylag x Swan Goose (hybrid)	<b>0.0036%</b>
Snow x Cackling Goose (hybrid)	<b>0.0036%</b>
Ross's x Cackling Goose (hybrid)	<b>0.0036%</b>
Greater White-fronted x Cackling Goose (hybrid)	<b>0.0161%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0036%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0018%</b>
Snow x Canada Goose (hybrid)	<b>0.0054%</b>

Eurasian x American Wigeon (hybrid)	<b>0.0018%</b>
Mallard x Mexican Duck (hybrid)	<b>1.26%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0018%</b>
Ring-necked Duck x Lesser Scaup (hybrid)	<b>0.0018%</b>
Bufflehead x Common Goldeneye (hybrid)	<b>0.0018%</b>
Scaled x Gambel's Quail (hybrid)	<b>0.0089%</b>
Western x Clark's Grebe (hybrid)	<b>0.0036%</b>
Herring x Glaucous-winged Gull (hybrid)	<b>0.0036%</b>
Yellow-bellied x Red-naped Sapsucker (hybrid)	<b>0.0018%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0036%</b>
Black-capped x Mountain Chickadee (hybrid)	<b>0.0822%</b>
Northern Cardinal x Pyrrhuloxia (hybrid)	<b>0.0179%</b>