



Target Species

Based on 47,665 complete checklists

404 species observed in New Mexico, US (region/US-NM) in Jul that you need for your World Life List

1. House Finch	48.45% frequency
2. Mourning Dove	40.79%
3. Black-chinned Hummingbird	37.80%
4. Lesser Goldfinch	32.98%
5. Spotted Towhee	32.88%
6. American Robin	29.52%
7. White-winged Dove	27.88%
8. Common Raven	25.51%
9. Broad-tailed Hummingbird	22.63%
10. House Sparrow	22.32%
11. Turkey Vulture	22.20%
12. Western Kingbird	21.90%
13. Barn Swallow	20.39%
14. White-breasted Nuthatch	19.74%
15. Ash-throated Flycatcher	19.18%
16. Rufous Hummingbird	18.36%
17. Eurasian Collared-Dove	18.21%
18. Say's Phoebe	18.03%

19. Blue Grosbeak	17.89%
20. Black-headed Grosbeak	17.60%
21. Northern Flicker	17.51%
22. Violet-green Swallow	16.45%
23. Mountain Chickadee	15.03%
24. Chipping Sparrow	14.75%
25. Western Wood-Pewee	13.87%
26. Yellow-breasted Chat	13.81%
27. Red-winged Blackbird	13.80%
28. Woodhouse's Scrub-Jay	13.30%
29. Canyon Towhee	13.20%
30. Northern Mockingbird	12.99%
31. Bewick's Wren	12.19%
32. American Crow	12.16%
33. Brown-headed Cowbird	12.13%
34. Cliff Swallow	11.48%
35. Bushtit	11.42%
36. Western Bluebird	11.12%
37. Cassin's Kingbird	10.91%
38. Western Tanager	10.76%
39. Ladder-backed Woodpecker	10.62%
40. Rock Pigeon	10.59%
41. Curve-billed Thrasher	10.29%

42. Western Flycatcher	10.05%
43. Pine Siskin	9.82%
44. American Kestrel	9.27%
45. Great-tailed Grackle	9.23%
46. Hairy Woodpecker	9.17%
47. Black Phoebe	8.96%
48. Bullock's Oriole	8.95%
49. Cooper's Hawk	8.90%
50. Dark-eyed Junco	8.74%
51. Killdeer	8.65%
52. Common Yellowthroat	8.42%
53. Gambel's Quail	8.38%
54. Summer Tanager	8.13%
55. Plumbeous Vireo	8.03%
56. Lark Sparrow	7.99%
57. Red-tailed Hawk	7.91%
58. Steller's Jay	7.89%
59. Juniper Titmouse	7.73%
60. Mallard	7.71%
61. Pygmy Nuthatch	7.67%
62. Warbling Vireo	7.67%
63. Swainson's Hawk	7.49%
64. Western Meadowlark	7.31%

65. Greater Roadrunner	7.19%
66. Hermit Thrush	7.09%
67. House Wren	6.91%
68. Great Blue Heron	6.73%
69. Yellow-rumped Warbler	6.73%
70. European Starling	6.19%
71. Black-throated Sparrow	6.13%
72. Canada Goose	6.05%
73. Yellow Warbler	5.70%
74. Rock Wren	5.24%
75. Black-capped Chickadee	5.22%
76. Common Nighthawk	5.13%
77. Snowy Egret	5.10%
78. Downy Woodpecker	5.02%
79. Northern Rough-winged Swallow	4.84%
80. Calliope Hummingbird	4.77%
81. American Coot	4.74%
82. Spotted Sandpiper	4.47%
83. Acorn Woodpecker	4.34%
84. Black-billed Magpie	4.16%
85. Canyon Wren	4.13%
86. Wood Duck	3.90%
87. Red-breasted Nuthatch	3.76%

88. Green-tailed Towhee	3.73%
89. Blue-gray Gnatcatcher	3.63%
90. Scaled Quail	3.52%
91. Verdin	3.49%
92. Mountain Bluebird	3.43%
93. White-throated Swift	3.19%
94. Red Crossbill	3.14%
95. Ruby-crowned Kinglet	3.08%
96. Cassin's Sparrow	2.97%
97. Cactus Wren	2.94%
98. Song Sparrow	2.92%
99. Black-crowned Night Heron	2.87%
100. Virginia's Warbler	2.72%
101. Chihuahuan Raven	2.66%
102. Phainopepla	2.56%
103. Yellow-headed Blackbird	2.56%
104. Brown Creeper	2.47%
105. Brewer's Blackbird	2.41%
106. Western Cattle Egret	2.40%
107. Horned Lark	2.40%
108. Green Heron	2.39%
109. Pied-billed Grebe	2.36%
110. Lucy's Warbler	2.33%

111. Loggerhead Shrike	2.24%
112. Band-tailed Pigeon	2.19%
113. Scott's Oriole	2.18%
114. Rufous-crowned Sparrow	2.18%
115. Grace's Warbler	2.17%
116. Vermilion Flycatcher	2.16%
117. Black-throated Gray Warbler	2.14%
118. Wild Turkey	2.12%
119. Pinyon Jay	2.11%
120. American Avocet	2.09%
121. Lazuli Bunting	2.07%
122. Townsend's Solitaire	1.99%
123. Cassin's Finch	1.97%
124. Gray Flycatcher	1.96%
125. Vesper Sparrow	1.96%
126. Pyrrhuloxia	1.94%
127. Cinnamon Teal	1.93%
128. Bell's Vireo	1.86%
129. Black-necked Stilt	1.82%
130. Neotropic Cormorant	1.82%
131. Mississippi Kite	1.80%
132. Great Egret	1.77%
133. MacGillivray's Warbler	1.76%

134. Clark's Nutcracker	1.71%
135. Tree Swallow	1.66%
136. Evening Grosbeak	1.64%
137. Hepatic Tanager	1.61%
138. Bank Swallow	1.60%
139. Ruddy Duck	1.60%
140. American Goldfinch	1.58%
141. Gray Catbird	1.58%
142. Double-crested Cormorant	1.57%
143. Great Horned Owl	1.54%
144. Lewis's Woodpecker	1.54%
145. Northern Cardinal	1.54%
146. Common Grackle	1.53%
147. Indigo Bunting	1.53%
148. Red-naped Sapsucker	1.52%
149. Western Sandpiper	1.46%
150. Gray Vireo	1.46%
151. White-faced Ibis	1.45%
152. Least Sandpiper	1.40%
153. Williamson's Sapsucker	1.39%
154. Chihuahuan Meadowlark	1.38%
155. Crissal Thrasher	1.38%
156. Wilson's Phalarope	1.27%

157. Orange-crowned Warbler	1.27%
158. Ring-necked Pheasant	1.24%
159. Dusky Flycatcher	1.21%
160. Eastern Bluebird	1.20%
161. Yellow-billed Cuckoo	1.14%
162. Mexican Duck	1.04%
163. Lincoln's Sparrow	1.04%
164. Blue-winged Teal	1.03%
165. Greater Yellowlegs	1.02%
166. Lesser Nighthawk	1.01%
167. Osprey	0.9986%
168. Purple Martin	0.9609%
169. Hooded Oriole	0.9609%
170. Gadwall	0.9588%
171. Black-chinned Sparrow	0.9588%
172. Common Black Hawk	0.9378%
173. Bridled Titmouse	0.9378%
174. Olive-sided Flycatcher	0.9336%
175. Virginia Rail	0.9273%
176. Cedar Waxwing	0.9210%
177. Hammond's Flycatcher	0.9168%
178. Western Grebe	0.8979%
179. Baird's Sandpiper	0.8895%

180. Ring-billed Gull	0.8853%
181. Belted Kingfisher	0.8832%
182. Golden-crowned Kinglet	0.8812%
183. Peregrine Falcon	0.8518%
184. American Three-toed Woodpecker	0.8455%
185. Burrowing Owl	0.7909%
186. Willow Flycatcher	0.7700%
187. American White Pelican	0.7574%
188. Lesser Yellowlegs	0.7448%
189. Mexican Jay	0.7427%
190. Common Poorwill	0.7406%
191. Sora	0.7196%
192. Lark Bunting	0.7070%
193. White-crowned Sparrow	0.6881%
194. Sage Thrasher	0.6755%
195. Brewer's Sparrow	0.6588%
196. Northern Shoveler	0.6567%
197. Brown-crested Flycatcher	0.6546%
198. Solitary Sandpiper	0.6525%
199. Red-faced Warbler	0.5958%
200. Cave Swallow	0.5916%
201. Painted Redstart	0.5895%
202. Least Bittern	0.5749%

203. Snowy Plover	0.5727%
204. Long-billed Dowitcher	0.5644%
205. Painted Bunting	0.5602%
206. Golden Eagle	0.5350%
207. American Wigeon	0.5329%
208. Green-winged Teal	0.5245%
209. Zone-tailed Hawk	0.5203%
210. Savannah Sparrow	0.5014%
211. Clark's Grebe	0.4951%
212. Bronzed Cowbird	0.4909%
213. Canada Jay	0.4846%
214. Western Screech-Owl	0.4741%
215. American Dipper	0.4699%
216. Inca Dove	0.4469%
217. Sharp-shinned Hawk	0.4385%
218. Northern Harrier	0.4343%
219. Stilt Sandpiper	0.4238%
220. Bendire's Thrasher	0.4154%
221. Dusky Grouse	0.4070%
222. Long-billed Curlew	0.4049%
223. Black-tailed Gnatcatcher	0.4049%
224. Redhead	0.3965%
225. Eared Grebe	0.3797%

226. Scissor-tailed Flycatcher	0.3797%
227. Dickcissel	0.3776%
228. Black Tern	0.3734%
229. Eastern Kingbird	0.3713%
230. Hutton's Vireo	0.3629%
231. Prairie Falcon	0.3525%
232. Common Merganser	0.3441%
233. Common Gallinule	0.3168%
234. Barn Owl	0.3105%
235. Willet	0.2979%
236. Gila Woodpecker	0.2853%
237. Dusky-capped Flycatcher	0.2685%
238. Northern Pintail	0.2643%
239. Rivoli's Hummingbird	0.2623%
240. Mexican Whip-poor-will	0.2601%
241. Rufous-necked Wood-Rail	0.2560%
242. Pine Grosbeak	0.2539%
243. Orchard Oriole	0.2518%
244. Olive Warbler	0.2434%
245. American Goshawk	0.2392%
246. Semipalmated Sandpiper	0.2329%
247. Forster's Tern	0.2182%
248. Wilson's Warbler	0.2182%

249.	Grasshopper Sparrow	0.2140%
250.	California Gull	0.2119%
251.	Marbled Godwit	0.2077%
252.	Northern Bobwhite	0.2056%
253.	Blue Jay	0.2035%
254.	Montezuma Quail	0.1993%
255.	Northern Pygmy-Owl	0.1993%
256.	Sagebrush Sparrow	0.1972%
257.	American Pipit	0.1888%
258.	Flammulated Owl	0.1846%
259.	Least Tern	0.1720%
260.	Bald Eagle	0.1720%
261.	Ferruginous Hawk	0.1720%
262.	Ring-necked Duck	0.1552%
263.	Gray Hawk	0.1511%
264.	Botteri's Sparrow	0.1448%
265.	Snow Goose	0.1385%
266.	Broad-billed Hummingbird	0.1385%
267.	Black Swift	0.1364%
268.	Red-headed Woodpecker	0.1280%
269.	Carolina Wren	0.1196%
270.	Swainson's Thrush	0.1154%
271.	Spotted Owl	0.1112%

272. Varied Bunting	0.1112%
273. Franklin's Gull	0.1091%
274. Tropical Kingbird	0.1049%
275. Hooded Warbler	0.1007%
276. Abert's Towhee	0.0986%
277. Long-eared Owl	0.0944%
278. Wilson's Snipe	0.0881%
279. Elf Owl	0.0839%
280. Common Ground Dove	0.0818%
281. Greater Pewee	0.0818%
282. Eastern Phoebe	0.0818%
283. Northern Saw-whet Owl	0.0797%
284. White-eyed Vireo	0.0797%
285. Canvasback	0.0776%
286. Harris's Hawk	0.0776%
287. White-winged Crossbill	0.0776%
288. Mountain Plover	0.0713%
289. Arizona Woodpecker	0.0713%
290. Chimney Swift	0.0692%
291. Semipalmated Plover	0.0650%
292. Violet-crowned Hummingbird	0.0629%
293. Northern Beardless-Tyrannulet	0.0608%
294. Thick-billed Kingbird	0.0608%

295. Whiskered Screech-Owl	0.0525%
296. Boreal Owl	0.0462%
297. Veery	0.0462%
298. Fox Sparrow	0.0462%
299. Lucifer Hummingbird	0.0441%
300. Anna's Hummingbird	0.0441%
301. Common Loon	0.0441%
302. White-tailed Kite	0.0399%
303. Lesser Scaup	0.0378%
304. Bufflehead	0.0378%
305. Arctic Tern	0.0378%
306. Yellow-crowned Night Heron	0.0336%
307. Pectoral Sandpiper	0.0315%
308. Red-throated Loon	0.0315%
309. Eastern Wood-Pewee	0.0315%
310. Roseate Spoonbill	0.0294%
311. Tricolored Heron	0.0273%
312. Caspian Tern	0.0252%
313. Brown Pelican	0.0252%
314. Little Blue Heron	0.0252%
315. Reddish Egret	0.0252%
316. American Redstart	0.0252%
317. Brown Thrasher	0.0231%

318. Rose-breasted Grosbeak	0.0231%
319. Sandhill Crane	0.0210%
320. Red-necked Phalarope	0.0210%
321. Bonaparte's Gull	0.0210%
322. Rufous-winged Sparrow	0.0210%
323. Northern Parula	0.0210%
324. Sulphur-bellied Flycatcher	0.0189%
325. Red Knot	0.0168%
326. Sanderling	0.0168%
327. Elegant Trogon	0.0168%
328. Black-capped Gnatcatcher	0.0168%
329. Louisiana Waterthrush	0.0168%
330. Hermit Warbler	0.0168%
331. Lesser Prairie-Chicken	0.0147%
332. Marsh Wren	0.0147%
333. Yellow-eyed Junco	0.0147%
334. Baltimore Oriole	0.0147%
335. Upland Sandpiper	0.0126%
336. Brown-capped Rosy-Finch	0.0126%
337. Townsend's Warbler	0.0126%
338. White-tailed Ptarmigan	0.0105%
339. Costa's Hummingbird	0.0105%
340. Yellow-throated Vireo	0.0105%

341. Fulvous Whistling-Duck	0.0084%
342. Hooded Merganser	0.0084%
343. Pacific Loon	0.0084%
344. American Bittern	0.0084%
345. Red-shouldered Hawk	0.0084%
346. Red-eyed Vireo	0.0084%
347. Black-bellied Whistling-Duck	0.0063%
348. Ross's Goose	0.0063%
349. Allen's Hummingbird	0.0063%
350. American Golden-Plover	0.0063%
351. Laughing Gull	0.0063%
352. Herring Gull	0.0063%
353. Buff-breasted Flycatcher	0.0063%
354. Mexican Chickadee	0.0063%
355. Orange-billed Nightingale-Thrush	0.0063%
356. Bobolink	0.0063%
357. Black-and-white Warbler	0.0063%
358. Common Goldeneye	0.0042%
359. Blue-throated Mountain-gem	0.0042%
360. Ruby-throated Hummingbird	0.0042%
361. Common Tern	0.0042%
362. Least Flycatcher	0.0042%
363. Cassin's Vireo	0.0042%

364. Clay-colored Sparrow	0.0042%
365. Ovenbird	0.0042%
366. Worm-eating Warbler	0.0042%
367. Nashville Warbler	0.0042%
368. Scarlet Tanager	0.0042%
369. Greater White-fronted Goose	0.0021%
370. Cackling Goose	0.0021%
371. Long-tailed Duck	0.0021%
372. Red-breasted Merganser	0.0021%
373. Groove-billed Ani	0.0021%
374. Buff-collared Nightjar	0.0021%
375. White-eared Hummingbird	0.0021%
376. Whimbrel	0.0021%
377. Hudsonian Godwit	0.0021%
378. Short-billed Dowitcher	0.0021%
379. Heermann's Gull	0.0021%
380. Western Gull	0.0021%
381. White Ibis	0.0021%
382. Glossy Ibis	0.0021%
383. Short-eared Owl	0.0021%
384. Great Kiskadee	0.0021%
385. Chestnut-collared Longspur	0.0021%
386. Northern Waterthrush	0.0021%

387. Chestnut-sided Warbler	0.0021%
388. Red-necked Grebe	0.0000%
389. Berylline Hummingbird	0.0000%
390. Black-bellied Plover	0.0000%
391. Long-tailed Jaeger	0.0000%
392. Long-billed Murrelet	0.0000%
393. Glaucous-winged Gull	0.0000%
394. Sooty Tern	0.0000%
395. Wood Stork	0.0000%
396. Black Vulture	0.0000%
397. Barred Owl	0.0000%
398. Aplomado Falcon	0.0000%
399. White-throated Sparrow	0.0000%
400. Swainson's Warbler	0.0000%
401. Tennessee Warbler	0.0000%
402. Bay-breasted Warbler	0.0000%
403. Yellow Grosbeak	0.0000%
EXOTIC: PROVISIONAL	
404. Monk Parakeet	0.0126% frequency
EXOTIC: ESCAPEE	
Muscovy Duck	0.0399% frequency
Mute Swan	0.0273%

Swan Goose	0.0189%
White-fronted Parrot	0.0126%
Graylag Goose	0.0105%
Budgerigar	0.0063%
Indian Peafowl	0.0021%
Chukar	0.0000%
Egyptian Goose	0.0000%

HYBRIDS

Mallard x Mexican Duck (hybrid)	0.1804% frequency
Lazuli x Indigo Bunting (hybrid)	0.0462%
Black-capped x Mountain Chickadee (hybrid)	0.0378%
Graylag x Swan Goose (hybrid)	0.0042%
Domestic goose sp. x Canada Goose (hybrid)	0.0021%
Western x Clark's Grebe (hybrid)	0.0021%
Calliope x Rufous Hummingbird (hybrid)	0.0021%
Dark-eyed x Yellow-eyed Junco (hybrid)	0.0021%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0000%