



## Target Species

Based on 54,777 complete checklists

**420** species observed in New Mexico, US (region/US-NM) in Jun that you need for your **World Life List**

1. House Finch	43.31% frequency
2. Mourning Dove	38.72%
3. Black-chinned Hummingbird	31.54%
4. American Robin	31.54%
5. Spotted Towhee	30.74%
6. Common Raven	26.07%
7. Lesser Goldfinch	25.17%
8. White-winged Dove	23.99%
9. Ash-throated Flycatcher	21.51%
10. House Sparrow	20.73%
11. Turkey Vulture	20.73%
12. Northern Mockingbird	20.50%
13. Western Kingbird	19.77%
14. Say's Phoebe	19.66%
15. Black-headed Grosbeak	18.96%
16. Western Wood-Pewee	17.29%
17. Barn Swallow	17.26%
18. Broad-tailed Hummingbird	16.38%

19. Violet-green Swallow	16.23%
20. Eurasian Collared-Dove	16.15%
21. White-breasted Nuthatch	16.09%
22. Red-winged Blackbird	15.34%
23. Northern Flicker	15.23%
24. Blue Grosbeak	14.77%
25. Yellow-breasted Chat	13.73%
26. Brown-headed Cowbird	13.69%
27. Cliff Swallow	12.98%
28. Chipping Sparrow	12.73%
29. Western Tanager	12.26%
30. Bewick's Wren	11.74%
31. Warbling Vireo	11.64%
32. Cassin's Kingbird	11.47%
33. Western Meadowlark	11.22%
34. Mountain Chickadee	11.05%
35. Western Bluebird	10.64%
36. American Crow	10.61%
37. Bullock's Oriole	10.61%
38. Woodhouse's Scrub-Jay	10.54%
39. Plumbeous Vireo	10.19%
40. Bushtit	10.18%
41. Canyon Towhee	10.09%

42. <b>Great-tailed Grackle</b>	<b>9.42%</b>
43. <b>Western Flycatcher</b>	<b>9.18%</b>
44. <b>Rock Pigeon</b>	<b>9.09%</b>
45. <b>Ladder-backed Woodpecker</b>	<b>9.03%</b>
46. <b>Mallard</b>	<b>8.95%</b>
47. <b>Yellow-rumped Warbler</b>	<b>8.62%</b>
48. <b>Hairy Woodpecker</b>	<b>8.61%</b>
49. <b>Killdeer</b>	<b>8.61%</b>
50. <b>American Kestrel</b>	<b>8.55%</b>
51. <b>Lark Sparrow</b>	<b>8.54%</b>
52. <b>European Starling</b>	<b>8.53%</b>
53. <b>Pine Siskin</b>	<b>8.47%</b>
54. <b>Curve-billed Thrasher</b>	<b>8.43%</b>
55. <b>Gambel's Quail</b>	<b>8.29%</b>
56. <b>Summer Tanager</b>	<b>7.80%</b>
57. <b>Yellow Warbler</b>	<b>7.79%</b>
58. <b>Black Phoebe</b>	<b>7.64%</b>
59. <b>Horned Lark</b>	<b>7.36%</b>
60. <b>Dark-eyed Junco</b>	<b>7.04%</b>
61. <b>Hermit Thrush</b>	<b>7.00%</b>
62. <b>Red-tailed Hawk</b>	<b>6.96%</b>
63. <b>Steller's Jay</b>	<b>6.64%</b>
64. <b>Common Yellowthroat</b>	<b>6.64%</b>

65. Cooper's Hawk	6.61%
66. House Wren	6.26%
67. Black-throated Sparrow	6.14%
68. Rock Wren	6.10%
69. Juniper Titmouse	5.98%
70. Swainson's Hawk	5.92%
71. Northern Rough-winged Swallow	5.84%
72. Pygmy Nuthatch	5.76%
73. Greater Roadrunner	5.59%
74. Common Nighthawk	5.16%
75. Cassin's Sparrow	5.03%
76. White-throated Swift	4.96%
77. Grace's Warbler	4.92%
78. Black-billed Magpie	4.82%
79. Canada Goose	4.76%
80. American Coot	4.51%
81. Virginia's Warbler	4.42%
82. Snowy Egret	4.41%
83. Scaled Quail	4.38%
84. Blue-gray Gnatcatcher	4.26%
85. Ruby-crowned Kinglet	4.13%
86. Lucy's Warbler	3.99%
87. Downy Woodpecker	3.94%

88. <b>Great Blue Heron</b>	<b>3.89%</b>
89. <b>Acorn Woodpecker</b>	<b>3.79%</b>
90. <b>Chihuahuan Meadowlark</b>	<b>3.70%</b>
91. <b>Mountain Bluebird</b>	<b>3.65%</b>
92. <b>Green-tailed Towhee</b>	<b>3.53%</b>
93. <b>Wood Duck</b>	<b>3.43%</b>
94. <b>Brewer's Blackbird</b>	<b>3.34%</b>
95. <b>Black-capped Chickadee</b>	<b>3.34%</b>
96. <b>Canyon Wren</b>	<b>3.21%</b>
97. <b>Chihuahuan Raven</b>	<b>3.19%</b>
98. <b>Black-crowned Night Heron</b>	<b>2.96%</b>
99. <b>Song Sparrow</b>	<b>2.93%</b>
100. <b>Scott's Oriole</b>	<b>2.81%</b>
101. <b>Red-breasted Nuthatch</b>	<b>2.62%</b>
102. <b>Vesper Sparrow</b>	<b>2.55%</b>
103. <b>Cactus Wren</b>	<b>2.53%</b>
104. <b>Black-throated Gray Warbler</b>	<b>2.49%</b>
105. <b>Pinyon Jay</b>	<b>2.43%</b>
106. <b>Verdin</b>	<b>2.39%</b>
107. <b>MacGillivray's Warbler</b>	<b>2.38%</b>
108. <b>Hepatic Tanager</b>	<b>2.38%</b>
109. <b>Common Grackle</b>	<b>2.36%</b>
110. <b>Wild Turkey</b>	<b>2.20%</b>

111. <b>Gray Flycatcher</b>	<b>2.16%</b>
112. <b>Western Cattle Egret</b>	<b>2.14%</b>
113. <b>Orange-crowned Warbler</b>	<b>2.12%</b>
114. <b>Phainopepla</b>	<b>2.07%</b>
115. <b>Vermilion Flycatcher</b>	<b>2.00%</b>
116. <b>Rufous-crowned Sparrow</b>	<b>1.99%</b>
117. <b>Gray Vireo</b>	<b>1.92%</b>
118. <b>Spotted Sandpiper</b>	<b>1.89%</b>
119. <b>Neotropic Cormorant</b>	<b>1.79%</b>
120. <b>Ring-necked Pheasant</b>	<b>1.79%</b>
121. <b>Ruddy Duck</b>	<b>1.76%</b>
122. <b>Green Heron</b>	<b>1.71%</b>
123. <b>Loggerhead Shrike</b>	<b>1.71%</b>
124. <b>Evening Grosbeak</b>	<b>1.67%</b>
125. <b>Bell's Vireo</b>	<b>1.65%</b>
126. <b>Band-tailed Pigeon</b>	<b>1.62%</b>
127. <b>Hammond's Flycatcher</b>	<b>1.59%</b>
128. <b>Cassin's Finch</b>	<b>1.55%</b>
129. <b>Gray Catbird</b>	<b>1.52%</b>
130. <b>Cinnamon Teal</b>	<b>1.50%</b>
131. <b>Great Horned Owl</b>	<b>1.49%</b>
132. <b>Pied-billed Grebe</b>	<b>1.48%</b>
133. <b>Red Crossbill</b>	<b>1.48%</b>

134. Eastern Bluebird	1.47%
135. Red-naped Sapsucker	1.46%
136. American Avocet	1.44%
137. Lazuli Bunting	1.43%
138. Gadwall	1.38%
139. Dusky Flycatcher	1.37%
140. Olive-sided Flycatcher	1.37%
141. Black-necked Stilt	1.34%
142. Blue-winged Teal	1.32%
143. Double-crested Cormorant	1.30%
144. Willow Flycatcher	1.29%
145. Great Egret	1.28%
146. Northern Cardinal	1.27%
147. American Goldfinch	1.27%
148. Brown Creeper	1.25%
149. Indigo Bunting	1.25%
150. Pyrrhuloxia	1.23%
151. Clark's Nutcracker	1.23%
152. Lewis's Woodpecker	1.20%
153. Tree Swallow	1.17%
154. Northern Shoveler	1.14%
155. Black-chinned Sparrow	1.12%
156. Burrowing Owl	1.12%

157. Mississippi Kite	1.10%
158. Townsend's Solitaire	1.08%
159. Common Poorwill	1.03%
160. Yellow-billed Cuckoo	0.9986%
161. Williamson's Sapsucker	0.9876%
162. Lesser Nighthawk	0.9840%
163. Bank Swallow	0.9657%
164. Crissal Thrasher	0.9603%
165. Common Black Hawk	0.9420%
166. Mexican Duck	0.9329%
167. Cedar Waxwing	0.9329%
168. White-faced Ibis	0.9091%
169. Red-faced Warbler	0.8799%
170. Green-winged Teal	0.7613%
171. Hooded Oriole	0.7485%
172. Painted Redstart	0.7412%
173. Western Grebe	0.7302%
174. Scissor-tailed Flycatcher	0.7156%
175. Purple Martin	0.7102%
176. Bridled Titmouse	0.7028%
177. Bronzed Cowbird	0.6864%
178. Osprey	0.6773%
179. Lincoln's Sparrow	0.6773%



180. <b>Yellow-headed Blackbird</b>	<b>0.6572%</b>
181. <b>Peregrine Falcon</b>	<b>0.6335%</b>
182. <b>American Wigeon</b>	<b>0.6262%</b>
183. <b>Virginia Rail</b>	<b>0.5641%</b>
184. <b>Long-billed Curlew</b>	<b>0.5623%</b>
185. <b>Golden-crowned Kinglet</b>	<b>0.5550%</b>
186. <b>Clark's Grebe</b>	<b>0.5440%</b>
187. <b>Belted Kingfisher</b>	<b>0.5331%</b>
188. <b>Mexican Jay</b>	<b>0.5239%</b>
189. <b>American Three-toed Woodpecker</b>	<b>0.5203%</b>
190. <b>Wilson's Warbler</b>	<b>0.5130%</b>
191. <b>Ring-billed Gull</b>	<b>0.5039%</b>
192. <b>Redhead</b>	<b>0.4984%</b>
193. <b>Golden Eagle</b>	<b>0.4911%</b>
194. <b>White-crowned Sparrow</b>	<b>0.4911%</b>
195. <b>Northern Bobwhite</b>	<b>0.4838%</b>
196. <b>Wilson's Phalarope</b>	<b>0.4674%</b>
197. <b>Snowy Plover</b>	<b>0.4637%</b>
198. <b>Sharp-shinned Hawk</b>	<b>0.4637%</b>
199. <b>Brown-crested Flycatcher</b>	<b>0.4619%</b>
200. <b>Common Merganser</b>	<b>0.4564%</b>
201. <b>Cave Swallow</b>	<b>0.4564%</b>
202. <b>Painted Bunting</b>	<b>0.4564%</b>

203. Eared Grebe	0.4527%
204. Brewer's Sparrow	0.4436%
205. Zone-tailed Hawk	0.4181%
206. Western Screech-Owl	0.3998%
207. Sage Thrasher	0.3943%
208. Prairie Falcon	0.3889%
209. Mexican Whip-poor-will	0.3797%
210. Inca Dove	0.3706%
211. Flammulated Owl	0.3669%
212. American White Pelican	0.3633%
213. American Dipper	0.3633%
214. Northern Harrier	0.3542%
215. Savannah Sparrow	0.3542%
216. Orchard Oriole	0.3505%
217. Hutton's Vireo	0.3304%
218. Dickcissel	0.3104%
219. Eastern Kingbird	0.3049%
220. Rufous Hummingbird	0.3031%
221. Gila Woodpecker	0.2811%
222. Grasshopper Sparrow	0.2738%
223. Northern Pintail	0.2684%
224. Least Tern	0.2592%
225. Canada Jay	0.2538%

226. <b>Barn Owl</b>	<b>0.2446%</b>
227. <b>Eastern Phoebe</b>	<b>0.2428%</b>
228. <b>Olive Warbler</b>	<b>0.2355%</b>
229. <b>Sagebrush Sparrow</b>	<b>0.2300%</b>
230. <b>Dusky-capped Flycatcher</b>	<b>0.2245%</b>
231. <b>Red-headed Woodpecker</b>	<b>0.2227%</b>
232. <b>Black-tailed Gnatcatcher</b>	<b>0.2154%</b>
233. <b>Purple Gallinule</b>	<b>0.2118%</b>
234. <b>Ferruginous Hawk</b>	<b>0.2118%</b>
235. <b>Greater Yellowlegs</b>	<b>0.2099%</b>
236. <b>California Gull</b>	<b>0.2081%</b>
237. <b>Hooded Warbler</b>	<b>0.2045%</b>
238. <b>Bendire's Thrasher</b>	<b>0.1972%</b>
239. <b>Lark Bunting</b>	<b>0.1972%</b>
240. <b>Blue Jay</b>	<b>0.1880%</b>
241. <b>Black Tern</b>	<b>0.1844%</b>
242. <b>Montezuma Quail</b>	<b>0.1789%</b>
243. <b>Sora</b>	<b>0.1716%</b>
244. <b>Mountain Plover</b>	<b>0.1698%</b>
245. <b>White-rumped Sandpiper</b>	<b>0.1698%</b>
246. <b>Franklin's Gull</b>	<b>0.1698%</b>
247. <b>Spotted Owl</b>	<b>0.1643%</b>
248. <b>Ring-necked Duck</b>	<b>0.1625%</b>

249. <b>American Goshawk</b>	<b>0.1570%</b>
250. <b>Dusky Grouse</b>	<b>0.1552%</b>
251. <b>Least Bittern</b>	<b>0.1461%</b>
252. <b>Northern Pygmy-Owl</b>	<b>0.1461%</b>
253. <b>White-eyed Vireo</b>	<b>0.1296%</b>
254. <b>Lesser Scaup</b>	<b>0.1278%</b>
255. <b>Abert's Towhee</b>	<b>0.1278%</b>
256. <b>Wilson's Snipe</b>	<b>0.1168%</b>
257. <b>Bald Eagle</b>	<b>0.1168%</b>
258. <b>Canvasback</b>	<b>0.1150%</b>
259. <b>Forster's Tern</b>	<b>0.1150%</b>
260. <b>Common Gallinule</b>	<b>0.1095%</b>
261. <b>American Pipit</b>	<b>0.1077%</b>
262. <b>Swainson's Thrush</b>	<b>0.1059%</b>
263. <b>Snow Goose</b>	<b>0.0986%</b>
264. <b>Carolina Wren</b>	<b>0.0986%</b>
265. <b>American Redstart</b>	<b>0.0986%</b>
266. <b>Rivoli's Hummingbird</b>	<b>0.0949%</b>
267. <b>Broad-billed Hummingbird</b>	<b>0.0821%</b>
268. <b>Varied Bunting</b>	<b>0.0821%</b>
269. <b>Elf Owl</b>	<b>0.0803%</b>
270. <b>Long-eared Owl</b>	<b>0.0785%</b>
271. <b>Greater Pewee</b>	<b>0.0785%</b>

272. Chimney Swift	0.0730%
273. Pine Grosbeak	0.0730%
274. Lesser Yellowlegs	0.0694%
275. Northern Saw-whet Owl	0.0694%
276. Veery	0.0694%
277. Marbled Godwit	0.0676%
278. Long-billed Dowitcher	0.0676%
279. Willet	0.0657%
280. Little Blue Heron	0.0657%
281. Bufflehead	0.0621%
282. Common Ground Dove	0.0621%
283. Gray Hawk	0.0602%
284. Wood Thrush	0.0584%
285. Least Sandpiper	0.0566%
286. Yellow-crowned Night Heron	0.0566%
287. Rose-breasted Grosbeak	0.0566%
288. Arizona Woodpecker	0.0529%
289. Fox Sparrow	0.0529%
290. Black Swift	0.0493%
291. Caspian Tern	0.0456%
292. Baird's Sandpiper	0.0438%
293. Common Loon	0.0438%
294. Yellow-throated Vireo	0.0420%

295. <b>White-tailed Kite</b>	<b>0.0383%</b>
296. <b>Brown Pelican</b>	<b>0.0365%</b>
297. <b>Red-eyed Vireo</b>	<b>0.0329%</b>
298. <b>Northern Parula</b>	<b>0.0329%</b>
299. <b>Harris's Hawk</b>	<b>0.0310%</b>
300. <b>Whiskered Screech-Owl</b>	<b>0.0310%</b>
301. <b>Tropical Kingbird</b>	<b>0.0310%</b>
302. <b>Bobolink</b>	<b>0.0310%</b>
303. <b>Worm-eating Warbler</b>	<b>0.0310%</b>
304. <b>Northern Beardless-Tyrannulet</b>	<b>0.0292%</b>
305. <b>Thick-billed Kingbird</b>	<b>0.0292%</b>
306. <b>Black-and-white Warbler</b>	<b>0.0292%</b>
307. <b>Laughing Gull</b>	<b>0.0274%</b>
308. <b>Buff-breasted Flycatcher</b>	<b>0.0274%</b>
309. <b>Hooded Merganser</b>	<b>0.0256%</b>
310. <b>Western Sandpiper</b>	<b>0.0256%</b>
311. <b>Botteri's Sparrow</b>	<b>0.0256%</b>
312. <b>Yellow-green Vireo</b>	<b>0.0237%</b>
313. <b>Boreal Owl</b>	<b>0.0219%</b>
314. <b>Yellow-eyed Junco</b>	<b>0.0219%</b>
315. <b>Baltimore Oriole</b>	<b>0.0219%</b>
316. <b>Stilt Sandpiper</b>	<b>0.0201%</b>
317. <b>Greater White-fronted Goose</b>	<b>0.0183%</b>

318. <b>Lucifer Hummingbird</b>	<b>0.0183%</b>
319. <b>Violet-crowned Hummingbird</b>	<b>0.0183%</b>
320. <b>Ovenbird</b>	<b>0.0183%</b>
321. <b>Anna's Hummingbird</b>	<b>0.0164%</b>
322. <b>Semipalmated Sandpiper</b>	<b>0.0164%</b>
323. <b>Sulphur-bellied Flycatcher</b>	<b>0.0164%</b>
324. <b>Brown Thrasher</b>	<b>0.0164%</b>
325. <b>White-tailed Ptarmigan</b>	<b>0.0146%</b>
326. <b>Calliope Hummingbird</b>	<b>0.0146%</b>
327. <b>Red-necked Phalarope</b>	<b>0.0128%</b>
328. <b>Arctic Tern</b>	<b>0.0128%</b>
329. <b>Sandhill Crane</b>	<b>0.0110%</b>
330. <b>Semipalmated Plover</b>	<b>0.0110%</b>
331. <b>Pectoral Sandpiper</b>	<b>0.0110%</b>
332. <b>Glossy Ibis</b>	<b>0.0110%</b>
333. <b>Lesser Prairie-Chicken</b>	<b>0.0091%</b>
334. <b>Herring Gull</b>	<b>0.0091%</b>
335. <b>American Bittern</b>	<b>0.0091%</b>
336. <b>Chestnut-sided Warbler</b>	<b>0.0091%</b>
337. <b>Townsend's Warbler</b>	<b>0.0091%</b>
338. <b>Cackling Goose</b>	<b>0.0073%</b>
339. <b>Groove-billed Ani</b>	<b>0.0073%</b>
340. <b>Solitary Sandpiper</b>	<b>0.0073%</b>

341. <b>Sanderling</b>	<b>0.0073%</b>
342. <b>Bonaparte's Gull</b>	<b>0.0073%</b>
343. <b>Reddish Egret</b>	<b>0.0073%</b>
344. <b>Elegant Trogon</b>	<b>0.0073%</b>
345. <b>Yellow-bellied Sapsucker</b>	<b>0.0073%</b>
346. <b>Rufous-winged Sparrow</b>	<b>0.0073%</b>
347. <b>Kentucky Warbler</b>	<b>0.0073%</b>
348. <b>Black-bellied Whistling-Duck</b>	<b>0.0055%</b>
349. <b>Common Goldeneye</b>	<b>0.0055%</b>
350. <b>American Golden-Plover</b>	<b>0.0055%</b>
351. <b>Whimbrel</b>	<b>0.0055%</b>
352. <b>Hudsonian Godwit</b>	<b>0.0055%</b>
353. <b>Eastern Wood-Pewee</b>	<b>0.0055%</b>
354. <b>Black-capped Vireo</b>	<b>0.0055%</b>
355. <b>Cassin's Vireo</b>	<b>0.0055%</b>
356. <b>Marsh Wren</b>	<b>0.0055%</b>
357. <b>Blue-winged Warbler</b>	<b>0.0055%</b>
358. <b>Tropical Parula</b>	<b>0.0055%</b>
359. <b>Magnolia Warbler</b>	<b>0.0055%</b>
360. <b>Long-tailed Duck</b>	<b>0.0037%</b>
361. <b>Tricolored Heron</b>	<b>0.0037%</b>
362. <b>White Ibis</b>	<b>0.0037%</b>
363. <b>Aplomado Falcon</b>	<b>0.0037%</b>



364. <b>Least Flycatcher</b>	<b>0.0037%</b>
365. <b>Great Kiskadee</b>	<b>0.0037%</b>
366. <b>Mexican Chickadee</b>	<b>0.0037%</b>
367. <b>Northern Waterthrush</b>	<b>0.0037%</b>
368. <b>Ross's Goose</b>	<b>0.0018%</b>
369. <b>Blue-throated Mountain-gem</b>	<b>0.0018%</b>
370. <b>Costa's Hummingbird</b>	<b>0.0018%</b>
371. <b>Black Rail</b>	<b>0.0018%</b>
372. <b>Black-bellied Plover</b>	<b>0.0018%</b>
373. <b>Gull-billed Tern</b>	<b>0.0018%</b>
374. <b>Common Tern</b>	<b>0.0018%</b>
375. <b>Elegant Tern</b>	<b>0.0018%</b>
376. <b>White-tailed Hawk</b>	<b>0.0018%</b>
377. <b>Red-shouldered Hawk</b>	<b>0.0018%</b>
378. <b>Broad-winged Hawk</b>	<b>0.0018%</b>
379. <b>Short-eared Owl</b>	<b>0.0018%</b>
380. <b>Green Kingfisher</b>	<b>0.0018%</b>
381. <b>Crested Caracara</b>	<b>0.0018%</b>
382. <b>Couch's Kingbird</b>	<b>0.0018%</b>
383. <b>Pacific Wren</b>	<b>0.0018%</b>
384. <b>Brown-capped Rosy-Finch</b>	<b>0.0018%</b>
385. <b>Field Sparrow</b>	<b>0.0018%</b>
386. <b>White-throated Sparrow</b>	<b>0.0018%</b>

387. <b>Golden-winged Warbler</b>	<b>0.0018%</b>
388. <b>Prothonotary Warbler</b>	<b>0.0018%</b>
389. <b>Tennessee Warbler</b>	<b>0.0018%</b>
390. <b>Nashville Warbler</b>	<b>0.0018%</b>
391. <b>Blackburnian Warbler</b>	<b>0.0018%</b>
392. <b>Blackpoll Warbler</b>	<b>0.0018%</b>
393. <b>Black-throated Blue Warbler</b>	<b>0.0018%</b>
394. <b>Red-necked Grebe</b>	<b>0.0000%</b>
395. <b>Ruddy Ground Dove</b>	<b>0.0000%</b>
396. <b>Buff-collared Nightjar</b>	<b>0.0000%</b>
397. <b>White-eared Hummingbird</b>	<b>0.0000%</b>
398. <b>Berylline Hummingbird</b>	<b>0.0000%</b>
399. <b>Buff-breasted Sandpiper</b>	<b>0.0000%</b>
400. <b>Parasitic Jaeger</b>	<b>0.0000%</b>
401. <b>Pomarine Jaeger</b>	<b>0.0000%</b>
402. <b>Western Gull</b>	<b>0.0000%</b>
403. <b>Black Skimmer</b>	<b>0.0000%</b>
404. <b>Anhinga</b>	<b>0.0000%</b>
405. <b>Roseate Spoonbill</b>	<b>0.0000%</b>
406. <b>Short-tailed Hawk</b>	<b>0.0000%</b>
407. <b>Barred Owl</b>	<b>0.0000%</b>
408. <b>Long-billed Thrasher</b>	<b>0.0000%</b>
409. <b>Worthen's Sparrow</b>	<b>0.0000%</b>

410. Mourning Warbler	0.0000%
411. Cape May Warbler	0.0000%
412. Bay-breasted Warbler	0.0000%
413. Yellow-throated Warbler	0.0000%
414. Prairie Warbler	0.0000%
415. Hermit Warbler	0.0000%
416. Scarlet Tanager	0.0000%
417. Yellow Grosbeak	0.0000%
<b>EXOTIC: PROVISIONAL</b>	
418. Monk Parakeet	0.0256% frequency
419. Thick-billed Parrot	0.0055%
420. Egyptian Goose	0.0018%
<b>EXOTIC: ESCAPEE</b>	
Muscovy Duck	0.0347% frequency
Swan Goose	0.0274%
Mute Swan	0.0256%
Graylag Goose	0.0091%
Indian Peafowl	0.0037%
Helmeted Guineafowl	0.0018%
Budgerigar	0.0018%
Rosy-faced Lovebird	0.0018%
African Collared-Dove	0.0000%

<b>Cockatiel</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Mallard x Mexican Duck (hybrid)	<b>0.2026%</b> frequency
Lazuli x Indigo Bunting (hybrid)	<b>0.0475%</b>
Dark-eyed x Yellow-eyed Junco (hybrid)	<b>0.0110%</b>
Black-capped x Mountain Chickadee (hybrid)	<b>0.0073%</b>
Brewster's Warbler (hybrid)	<b>0.0037%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0018%</b>
Scaled x Gambel's Quail (hybrid)	<b>0.0018%</b>