



Target Species

Based on 55,597 complete checklists

376 species observed in New Mexico, US (region/US-NM) in Mar that you need for your **World Life List**

1. House Finch	51.30% frequency
2. Dark-eyed Junco	51.28%
3. American Robin	35.57%
4. White-winged Dove	31.83%
5. White-crowned Sparrow	30.62%
6. Northern Flicker	29.11%
7. Common Raven	29.04%
8. Spotted Towhee	26.05%
9. American Crow	25.96%
10. Say's Phoebe	24.74%
11. Mourning Dove	24.08%
12. House Sparrow	23.73%
13. Red-winged Blackbird	20.88%
14. Mallard	19.15%
15. Eurasian Collared-Dove	19.15%
16. White-breasted Nuthatch	17.17%
17. Canada Goose	17.07%

18. Lesser Goldfinch	17.01%
19. Red-tailed Hawk	16.55%
20. Woodhouse's Scrub-Jay	16.42%
21. American Coot	16.16%
22. Western Bluebird	15.06%
23. Yellow-rumped Warbler	14.85%
24. Bushtit	14.12%
25. Rock Pigeon	13.85%
26. European Starling	13.85%
27. Northern Shoveler	13.72%
28. Canyon Towhee	13.70%
29. Song Sparrow	13.06%
30. Killdeer	13.00%
31. Gadwall	12.83%
32. Bewick's Wren	12.81%
33. Ladder-backed Woodpecker	12.75%
34. American Kestrel	12.69%
35. Pine Siskin	12.53%
36. Green-winged Teal	12.42%
37. Mountain Chickadee	12.09%
38. Black Phoebe	12.09%
39. Curve-billed Thrasher	11.67%
40. Ruby-crowned Kinglet	11.07%

41. Western Meadowlark	10.92%
42. Cinnamon Teal	10.83%
43. American Wigeon	10.31%
44. Cooper's Hawk	10.26%
45. Great-tailed Grackle	9.92%
46. Turkey Vulture	9.20%
47. Ring-necked Duck	9.14%
48. Gambel's Quail	8.95%
49. Bufflehead	8.85%
50. Townsend's Solitaire	8.83%
51. Great Blue Heron	8.81%
52. Ruddy Duck	8.80%
53. Northern Harrier	8.08%
54. Pied-billed Grebe	8.03%
55. Greater Roadrunner	7.76%
56. Juniper Titmouse	7.56%
57. Hairy Woodpecker	7.07%
58. Downy Woodpecker	6.96%
59. Wood Duck	6.84%
60. Sandhill Crane	6.82%
61. Ring-billed Gull	6.52%
62. Cassin's Finch	6.46%
63. Steller's Jay	5.85%

64. Lesser Scaup	5.71%
65. Lincoln's Sparrow	5.68%
66. Black-capped Chickadee	5.43%
67. American Goldfinch	5.02%
68. Pygmy Nuthatch	5.01%
69. Northern Pintail	4.97%
70. Chihuahuan Raven	4.85%
71. Mountain Bluebird	4.81%
72. Black-throated Sparrow	4.71%
73. Chipping Sparrow	4.57%
74. Pyrrhuloxia	4.51%
75. Northern Rough-winged Swallow	4.40%
76. Common Merganser	4.17%
77. Black-billed Magpie	3.98%
78. Marsh Wren	3.92%
79. Neotropic Cormorant	3.88%
80. Verdin	3.85%
81. Loggerhead Shrike	3.66%
82. Cactus Wren	3.56%
83. Northern Mockingbird	3.44%
84. Canvasback	3.33%
85. Redhead	3.33%
86. Rock Wren	3.32%

87. Eastern Bluebird	3.25%
88. Horned Lark	3.16%
89. Snow Goose	3.13%
90. Savannah Sparrow	3.12%
91. Greater Yellowlegs	3.01%
92. Great Horned Owl	3.01%
93. Red-breasted Nuthatch	3.00%
94. Belted Kingfisher	2.97%
95. Acorn Woodpecker	2.96%
96. Vermilion Flycatcher	2.94%
97. Canyon Wren	2.91%
98. Hermit Thrush	2.85%
99. Brewer's Sparrow	2.75%
100. Sharp-shinned Hawk	2.59%
101. Barn Swallow	2.51%
102. Tree Swallow	2.49%
103. Brewer's Blackbird	2.46%
104. Double-crested Cormorant	2.45%
105. Evening Grosbeak	2.44%
106. Cedar Waxwing	2.41%
107. Wild Turkey	2.32%
108. Wilson's Snipe	2.26%
109. Scaled Quail	2.18%

110. Blue-winged Teal	2.14%
111. Phainopepla	2.14%
112. Crissal Thrasher	2.13%
113. Great Egret	2.13%
114. White-throated Sparrow	2.11%
115. White-throated Swift	2.00%
116. Vesper Sparrow	1.97%
117. American Avocet	1.90%
118. American Pipit	1.80%
119. Mexican Duck	1.77%
120. Bald Eagle	1.76%
121. Ring-necked Pheasant	1.76%
122. Pinyon Jay	1.75%
123. Red-naped Sapsucker	1.74%
124. Brown Creeper	1.70%
125. Black-necked Stilt	1.69%
126. Chihuahuan Meadowlark	1.55%
127. Common Goldeneye	1.54%
128. Hooded Merganser	1.51%
129. Long-billed Dowitcher	1.50%
130. Violet-green Swallow	1.47%
131. Sage Thrasher	1.43%
132. Ross's Goose	1.43%

133. American White Pelican	1.38%
134. Lucy's Warbler	1.34%
135. Northern Cardinal	1.32%
136. Osprey	1.30%
137. Rufous-crowned Sparrow	1.29%
138. Black-crowned Night Heron	1.24%
139. Green-tailed Towhee	1.23%
140. Least Sandpiper	1.15%
141. Cackling Goose	1.06%
142. Eared Grebe	1.04%
143. Lark Bunting	1.02%
144. Golden Eagle	0.9839%
145. Ferruginous Hawk	0.9461%
146. Gray-crowned Rosy-Finch	0.9299%
147. Snowy Egret	0.9191%
148. Swainson's Hawk	0.9155%
149. Bridled Titmouse	0.8957%
150. Sagebrush Sparrow	0.8849%
151. Cliff Swallow	0.8813%
152. Red Crossbill	0.8562%
153. Black Rosy-Finch	0.8418%
154. Common Black Hawk	0.8220%
155. Merlin	0.8040%

156. Peregrine Falcon	0.7375%
157. Brown-capped Rosy-Finch	0.7213%
158. Clark's Nutcracker	0.7015%
159. Broad-tailed Hummingbird	0.6871%
160. Spotted Sandpiper	0.6745%
161. Virginia Rail	0.6673%
162. White-faced Ibis	0.6673%
163. Prairie Falcon	0.6493%
164. Williamson's Sapsucker	0.6475%
165. Inca Dove	0.6403%
166. Western Cattle Egret	0.6295%
167. Yellow-headed Blackbird	0.6223%
168. Western Screech-Owl	0.6205%
169. Western Grebe	0.6151%
170. Swamp Sparrow	0.5792%
171. Brown-headed Cowbird	0.5792%
172. Mexican Jay	0.5630%
173. Lewis's Woodpecker	0.5288%
174. Blue Jay	0.5270%
175. Cave Swallow	0.5108%
176. Clark's Grebe	0.4874%
177. Long-billed Curlew	0.4856%
178. Burrowing Owl	0.4766%

179. Cassin's Sparrow	0.4694%
180. House Wren	0.4676%
181. Chestnut-collared Longspur	0.4623%
182. Eastern Phoebe	0.4461%
183. Black-chinned Sparrow	0.3813%
184. Orange-crowned Warbler	0.3795%
185. Painted Redstart	0.3741%
186. Black-chinned Hummingbird	0.3489%
187. Red-breasted Merganser	0.3453%
188. Brown Thrasher	0.3327%
189. Bendire's Thrasher	0.3148%
190. Snowy Plover	0.3094%
191. Common Grackle	0.3094%
192. Franklin's Gull	0.2986%
193. Black-tailed Gnatcatcher	0.2968%
194. Lesser Yellowlegs	0.2950%
195. Lesser Prairie-Chicken	0.2878%
196. Golden-crowned Kinglet	0.2788%
197. Hutton's Vireo	0.2716%
198. Yellow Warbler	0.2698%
199. Harris's Sparrow	0.2572%
200. Greater White-fronted Goose	0.2536%
201. Barn Owl	0.2482%

202. Gila Woodpecker	0.2464%
203. Sora	0.2428%
204. American Dipper	0.2374%
205. California Gull	0.2284%
206. Northern Pygmy-Owl	0.2194%
207. Yellow-bellied Sapsucker	0.2051%
208. Lawrence's Goldfinch	0.1925%
209. Fox Sparrow	0.1781%
210. Common Yellowthroat	0.1601%
211. Long-tailed Duck	0.1583%
212. Anna's Hummingbird	0.1583%
213. Northern Bobwhite	0.1547%
214. Golden-crowned Sparrow	0.1547%
215. Common Loon	0.1511%
216. Bonaparte's Gull	0.1475%
217. White-tailed Kite	0.1475%
218. American Bittern	0.1457%
219. Horned Grebe	0.1439%
220. Blue-gray Gnatcatcher	0.1439%
221. Herring Gull	0.1385%
222. Field Sparrow	0.1385%
223. Winter Wren	0.1349%
224. Thick-billed Longspur	0.1349%

225. Lark Sparrow	0.1331%
226. Greater Scaup	0.1295%
227. Harris's Hawk	0.1259%
228. Zone-tailed Hawk	0.1241%
229. Tundra Swan	0.1223%
230. American Goshawk	0.1223%
231. Common Poorwill	0.1169%
232. Rough-legged Hawk	0.1151%
233. Canada Jay	0.1097%
234. Wilson's Phalarope	0.1025%
235. Dunlin	0.1007%
236. Spotted Owl	0.0989%
237. Bell's Vireo	0.0935%
238. Bank Swallow	0.0917%
239. Grasshopper Sparrow	0.0899%
240. American Three-toed Woodpecker	0.0881%
241. Carolina Wren	0.0881%
242. Common Gallinule	0.0827%
243. Pacific Wren	0.0827%
244. Western Sandpiper	0.0809%
245. Lesser Black-backed Gull	0.0809%
246. Northern Saw-whet Owl	0.0809%
247. Gray Catbird	0.0791%

248. Red Phalarope	0.0773%
249. Montezuma Quail	0.0755%
250. Band-tailed Pigeon	0.0737%
251. Northern Shrike	0.0702%
252. American Tree Sparrow	0.0702%
253. Ash-throated Flycatcher	0.0684%
254. Long-eared Owl	0.0648%
255. Olive Warbler	0.0648%
256. Abert's Towhee	0.0648%
257. Arizona Woodpecker	0.0630%
258. Green Heron	0.0576%
259. Baird's Sandpiper	0.0558%
260. Hooded Oriole	0.0558%
261. Dusky Flycatcher	0.0540%
262. Broad-billed Hummingbird	0.0504%
263. Whiskered Screech-Owl	0.0486%
264. Barrow's Goldeneye	0.0468%
265. Rusty Blackbird	0.0468%
266. Bronzed Cowbird	0.0450%
267. Lapland Longspur	0.0396%
268. Short-billed Gull	0.0378%
269. Pine Grosbeak	0.0360%
270. Cassin's Kingbird	0.0342%

271. Eurasian Wigeon	0.0324%
272. Western Kingbird	0.0324%
273. Dusky Grouse	0.0306%
274. Elf Owl	0.0306%
275. Varied Thrush	0.0306%
276. Whimbrel	0.0288%
277. Gray Hawk	0.0288%
278. Rufous-backed Robin	0.0288%
279. Sprague's Pipit	0.0288%
280. Clay-colored Sparrow	0.0288%
281. Black-throated Gray Warbler	0.0288%
282. Ruddy Ground Dove	0.0252%
283. Red-bellied Woodpecker	0.0252%
284. Crested Caracara	0.0252%
285. Northern Beardless-Tyrannulet	0.0252%
286. Streak-backed Oriole	0.0252%
287. Cassin's Vireo	0.0234%
288. Plumbeous Vireo	0.0234%
289. Scott's Oriole	0.0234%
290. Black-and-white Warbler	0.0234%
291. Solitary Sandpiper	0.0216%
292. Glaucous Gull	0.0216%
293. Baird's Sparrow	0.0216%

294. Eastern Towhee	0.0216%
295. Rufous Hummingbird	0.0198%
296. Common Ground Dove	0.0180%
297. Brown Pelican	0.0180%
298. Red-headed Woodpecker	0.0180%
299. Hammond's Flycatcher	0.0180%
300. Red-throated Loon	0.0162%
301. Yellow Grosbeak	0.0162%
302. Trumpeter Swan	0.0126%
303. Gray Flycatcher	0.0126%
304. Pine Warbler	0.0126%
305. Wilson's Warbler	0.0126%
306. Mountain Plover	0.0108%
307. Pectoral Sandpiper	0.0108%
308. Aplomado Falcon	0.0108%
309. Rufous-winged Sparrow	0.0108%
310. Virginia's Warbler	0.0108%
311. Palm Warbler	0.0108%
312. Red-necked Grebe	0.0090%
313. Willet	0.0090%
314. Iceland Gull	0.0090%
315. Pacific Loon	0.0090%
316. Yellow-eyed Junco	0.0090%

317. Lesser Nighthawk	0.0072%
318. Rivoli's Hummingbird	0.0072%
319. Semipalmated Plover	0.0072%
320. Red-necked Phalarope	0.0072%
321. Great Kiskadee	0.0072%
322. Baltimore Oriole	0.0072%
323. Grace's Warbler	0.0072%
324. Western Tanager	0.0072%
325. Calliope Hummingbird	0.0054%
326. American Golden-Plover	0.0054%
327. Short-eared Owl	0.0054%
328. Elegant Trogon	0.0054%
329. Scissor-tailed Flycatcher	0.0054%
330. Yellow-throated Vireo	0.0054%
331. Purple Martin	0.0054%
332. Long-billed Thrasher	0.0054%
333. Bohemian Waxwing	0.0054%
334. Nashville Warbler	0.0054%
335. Northern Parula	0.0054%
336. Surf Scoter	0.0036%
337. Marbled Godwit	0.0036%
338. Red-shouldered Hawk	0.0036%
339. Golden-fronted Woodpecker	0.0036%

340. Dusky-capped Flycatcher	0.0036%
341. Black-capped Gnatcatcher	0.0036%
342. Purple Finch	0.0036%
343. Bullock's Oriole	0.0036%
344. Yellow-throated Warbler	0.0036%
345. Summer Tanager	0.0036%
346. Brant	0.0018%
347. Costa's Hummingbird	0.0018%
348. Black-bellied Plover	0.0018%
349. Laughing Gull	0.0018%
350. Heermann's Gull	0.0018%
351. Forster's Tern	0.0018%
352. Yellow-billed Loon	0.0018%
353. Least Bittern	0.0018%
354. Reddish Egret	0.0018%
355. Broad-winged Hawk	0.0018%
356. Eastern Screech-Owl	0.0018%
357. Greater Pewee	0.0018%
358. Couch's Kingbird	0.0018%
359. Cape May Warbler	0.0018%
360. Townsend's Warbler	0.0018%
361. Rose-breasted Grosbeak	0.0018%
362. Black-headed Grosbeak	0.0018%

363. Blue Grosbeak	0.0018%
364. Lazuli Bunting	0.0018%
365. Indigo Bunting	0.0018%
366. Groove-billed Ani	0.0000%
367. Common Nighthawk	0.0000%
368. King Rail	0.0000%
369. Purple Gallinule	0.0000%
370. American Woodcock	0.0000%
371. Least Tern	0.0000%
372. Wood Stork	0.0000%
373. LeConte's Sparrow	0.0000%
374. Louisiana Waterthrush	0.0000%
EXOTIC: PROVISIONAL	
375. Monk Parakeet	0.0180% frequency
376. Whooping Crane	0.0108%
EXOTIC: ESCAPEE	
Muscovy Duck	0.1385% frequency
Swan Goose	0.1295%
Graylag Goose	0.0558%
Mute Swan	0.0432%
Mandarin Duck	0.0126%
Chukar	0.0126%

Indian Peafowl	0.0072%
Red Junglefowl	0.0000%
African Collared-Dove	0.0000%
Egyptian Goose	0.0000%
HYBRIDS	
Mallard x Mexican Duck (hybrid)	1.22% frequency
Black-capped x Mountain Chickadee (hybrid)	0.0648%
Snow x Ross's Goose (hybrid)	0.0108%
Mallard x Northern Pintail (hybrid)	0.0072%
Blue-winged x Cinnamon Teal (hybrid)	0.0054%
Eurasian x American Wigeon (hybrid)	0.0036%
Scaled x Gambel's Quail (hybrid)	0.0036%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0036%
Northern Cardinal x Pyrrhuloxia (hybrid)	0.0036%
Graylag x Canada Goose (hybrid)	0.0018%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0018%
American Wigeon x Mallard (hybrid)	0.0018%
Ring-necked Duck x scaup sp. (hybrid)	0.0018%