



Target Species

Based on 77,828 complete checklists

475 species observed in New Mexico, US (region/US-NM) in **May** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	0.0424% frequency
2. Fulvous Whistling-Duck	0.0116%
3. Snow Goose	0.8763%
4. Ross's Goose	0.0976%
5. Greater White-fronted Goose	0.0617%
6. Cackling Goose	0.0141%
7. Canada Goose	11.15%
8. Tundra Swan	0.0038%
9. Wood Duck	4.60%
10. Blue-winged Teal	5.91%
11. Cinnamon Teal	4.85%
12. Northern Shoveler	4.78%
13. Gadwall	4.46%
14. Eurasian Wigeon	0.0141%
15. American Wigeon	2.42%
16. Mallard	14.77%
17. Mexican Duck	1.79%

18. Northern Pintail	0.6527%
19. Green-winged Teal	3.26%
20. Canvasback	0.3302%
21. Redhead	1.28%
22. Ring-necked Duck	1.03%
23. Greater Scaup	0.0193%
24. Lesser Scaup	0.8403%
25. Surf Scoter	0.0013%
26. Long-tailed Duck	0.0116%
27. Bufflehead	0.6527%
28. Common Goldeneye	0.0218%
29. Hooded Merganser	0.0437%
30. Common Merganser	0.6450%
31. Red-breasted Merganser	0.0308%
32. Ruddy Duck	4.63%
33. Northern Bobwhite	0.7735%
34. Scaled Quail	5.76%
35. Gambel's Quail	10.58%
36. Montezuma Quail	0.1568%
37. Wild Turkey	3.97%
38. Dusky Grouse	0.0989%
39. Lesser Prairie-Chicken	0.1054%
40. White-tailed Ptarmigan	0.0000%

41. Ring-necked Pheasant	2.60%
42. Pied-billed Grebe	3.12%
43. Horned Grebe	0.0103%
44. Red-necked Grebe	0.0116%
45. Eared Grebe	1.51%
46. Western Grebe	1.18%
47. Clark's Grebe	0.9405%
48. Rock Pigeon	10.32%
49. Band-tailed Pigeon	1.06%
50. Eurasian Collared-Dove	21.99%
51. Inca Dove	0.5821%
52. Common Ground Dove	0.0514%
53. White-winged Dove	30.95%
54. Mourning Dove	45.01%
55. Groove-billed Ani	0.0553%
56. Greater Roadrunner	6.38%
57. Yellow-billed Cuckoo	0.3148%
58. Black-billed Cuckoo	0.0013%
59. Lesser Nighthawk	1.33%
60. Common Nighthawk	2.39%
61. Common Poorwill	1.14%
62. Buff-collared Nightjar	0.0000%
63. Mexican Whip-poor-will	0.3880%

64. Black Swift	0.0026%
65. Chimney Swift	0.1696%
66. Vaux's Swift	0.0026%
67. White-throated Swift	4.29%
68. Rivoli's Hummingbird	0.0707%
69. Blue-throated Mountain-gem	0.0000%
70. Lucifer Hummingbird	0.0270%
71. Ruby-throated Hummingbird	0.0064%
72. Black-chinned Hummingbird	37.77%
73. Anna's Hummingbird	0.0128%
74. Costa's Hummingbird	0.0141%
75. Calliope Hummingbird	0.0103%
76. Rufous Hummingbird	0.0167%
77. Broad-tailed Hummingbird	19.84%
78. Broad-billed Hummingbird	0.1105%
79. Violet-crowned Hummingbird	0.0051%
80. Berylline Hummingbird	0.0000%
81. Clapper Rail	0.0064%
82. Virginia Rail	0.9919%
83. Sora	0.5538%
84. Common Gallinule	0.1927%
85. American Coot	9.05%
86. Purple Gallinule	0.0437%

87. Black Rail	0.0064%
88. Sandhill Crane	0.0540%
89. Common Crane	0.0077%
90. Black-necked Stilt	3.60%
91. American Avocet	3.83%
92. Black-bellied Plover	0.1824%
93. American Golden-Plover	0.0411%
94. Killdeer	12.70%
95. Semipalmated Plover	0.3765%
96. Piping Plover	0.0038%
97. Mountain Plover	0.0360%
98. Snowy Plover	0.8300%
99. Whimbrel	0.1221%
100. Long-billed Curlew	0.7529%
101. Hudsonian Godwit	0.0681%
102. Marbled Godwit	0.2698%
103. Short-billed Dowitcher	0.0038%
104. Long-billed Dowitcher	1.78%
105. Wilson's Snipe	0.1747%
106. Wilson's Phalarope	3.60%
107. Red Phalarope	0.0038%
108. Red-necked Phalarope	0.3392%
109. Spotted Sandpiper	8.49%

110. Solitary Sandpiper	0.4369%
111. Lesser Yellowlegs	0.6900%
112. Willet	0.7170%
113. Greater Yellowlegs	0.7234%
114. Ruddy Turnstone	0.0167%
115. Black Turnstone	0.0038%
116. Red Knot	0.0000%
117. Ruff	0.0141%
118. Sharp-tailed Sandpiper	0.0013%
119. Curlew Sandpiper	0.0026%
120. Stilt Sandpiper	0.5062%
121. Buff-breasted Sandpiper	0.0000%
122. Sanderling	0.1272%
123. Dunlin	0.0180%
124. Baird's Sandpiper	0.5165%
125. Little Stint	0.0000%
126. White-rumped Sandpiper	0.2660%
127. Least Sandpiper	1.23%
128. Pectoral Sandpiper	0.0655%
129. Western Sandpiper	0.7851%
130. Semipalmated Sandpiper	0.2493%
131. Long-tailed Jaeger	0.0013%
132. Pomarine Jaeger	0.0000%

133. Black-legged Kittiwake	0.0000%
134. Bonaparte's Gull	0.1645%
135. Laughing Gull	0.0218%
136. Franklin's Gull	1.10%
137. Ring-billed Gull	1.92%
138. Western Gull	0.0090%
139. Herring Gull	0.0206%
140. Lesser Black-backed Gull	0.0026%
141. California Gull	0.1529%
142. Iceland Gull	0.0013%
143. Black Skimmer	0.0013%
144. Least Tern	0.3533%
145. Caspian Tern	0.0514%
146. Black Tern	0.3649%
147. Forster's Tern	0.5653%
148. Arctic Tern	0.0038%
149. Common Tern	0.0090%
150. Elegant Tern	0.0026%
151. Royal Tern	0.0013%
152. Red-throated Loon	0.0013%
153. Pacific Loon	0.0064%
154. Common Loon	0.1015%
155. Brown Booby	0.0000%

156. Double-crested Cormorant	2.05%
157. Neotropic Cormorant	2.85%
158. American White Pelican	0.7285%
159. Brown Pelican	0.0051%
160. American Bittern	0.0720%
161. Least Bittern	0.1696%
162. Yellow-crowned Night Heron	0.0398%
163. Black-crowned Night Heron	3.33%
164. Little Blue Heron	0.1118%
165. Tricolored Heron	0.0321%
166. Reddish Egret	0.0128%
167. Snowy Egret	5.99%
168. Green Heron	2.33%
169. Western Cattle Egret	2.34%
170. Great Egret	2.70%
171. Great Blue Heron	5.21%
172. White Ibis	0.0141%
173. Glossy Ibis	0.0553%
174. White-faced Ibis	3.78%
175. Turkey Vulture	25.08%
176. Osprey	1.43%
177. White-tailed Kite	0.0334%
178. Swallow-tailed Kite	0.0026%

179. Golden Eagle	0.5538%
180. Mississippi Kite	1.57%
181. Northern Harrier	1.25%
182. Sharp-shinned Hawk	1.00%
183. Cooper's Hawk	8.10%
184. American Goshawk	0.1002%
185. Bald Eagle	0.2416%
186. Common Black Hawk	1.18%
187. Harris's Hawk	0.0720%
188. Gray Hawk	0.1979%
189. Red-shouldered Hawk	0.0013%
190. Broad-winged Hawk	0.1799%
191. Swainson's Hawk	8.43%
192. Zone-tailed Hawk	0.6553%
193. Red-tailed Hawk	7.67%
194. Ferruginous Hawk	0.2107%
195. Barn Owl	0.4664%
196. Flammulated Owl	0.3508%
197. Whiskered Screech-Owl	0.0398%
198. Western Screech-Owl	0.5499%
199. Eastern Screech-Owl	0.0013%
200. Great Horned Owl	3.17%
201. Northern Pygmy-Owl	0.2287%

202. Elf Owl	0.1927%
203. Burrowing Owl	0.7966%
204. Spotted Owl	0.1940%
205. Barred Owl	0.0000%
206. Long-eared Owl	0.0912%
207. Short-eared Owl	0.0000%
208. Northern Saw-whet Owl	0.0745%
209. Elegant Trogon	0.0038%
210. Belted Kingfisher	1.25%
211. Green Kingfisher	0.0000%
212. Williamson's Sapsucker	0.4381%
213. Yellow-bellied Sapsucker	0.0026%
214. Red-naped Sapsucker	1.02%
215. Lewis's Woodpecker	1.11%
216. Red-headed Woodpecker	0.8583%
217. Acorn Woodpecker	4.71%
218. Gila Woodpecker	0.3495%
219. Golden-fronted Woodpecker	0.0013%
220. Red-bellied Woodpecker	0.0077%
221. American Three-toed Woodpecker	0.1657%
222. Downy Woodpecker	4.93%
223. Ladder-backed Woodpecker	11.86%
224. Hairy Woodpecker	8.68%

225. Arizona Woodpecker	0.0964%
226. Northern Flicker	13.41%
227. Crested Caracara	0.0000%
228. American Kestrel	9.39%
229. Merlin	0.0154%
230. Aplomado Falcon	0.0013%
231. Peregrine Falcon	0.8210%
232. Prairie Falcon	0.2775%
233. Northern Beardless-Tyrannulet	0.0437%
234. Olive-sided Flycatcher	4.28%
235. Greater Pewee	0.1208%
236. Western Wood-Pewee	18.68%
237. Eastern Wood-Pewee	0.0103%
238. Acadian Flycatcher	0.0000%
239. Willow Flycatcher	2.69%
240. Least Flycatcher	0.0809%
241. Hammond's Flycatcher	1.80%
242. Gray Flycatcher	4.09%
243. Dusky Flycatcher	4.89%
244. Western Flycatcher	3.64%
245. Buff-breasted Flycatcher	0.0424%
246. Black Phoebe	10.38%
247. Eastern Phoebe	0.3431%

248. Say's Phoebe	22.11%
249. Vermilion Flycatcher	3.76%
250. Dusky-capped Flycatcher	0.2788%
251. Ash-throated Flycatcher	22.69%
252. Great Crested Flycatcher	0.0064%
253. Brown-crested Flycatcher	0.4895%
254. Great Kiskadee	0.0103%
255. Sulphur-bellied Flycatcher	0.0090%
256. Tropical Kingbird	0.0038%
257. Couch's Kingbird	0.0013%
258. Cassin's Kingbird	11.48%
259. Thick-billed Kingbird	0.0244%
260. Western Kingbird	27.78%
261. Eastern Kingbird	0.3546%
262. Scissor-tailed Flycatcher	1.07%
263. Black-capped Vireo	0.0141%
264. White-eyed Vireo	0.1169%
265. Bell's Vireo	2.42%
266. Gray Vireo	1.45%
267. Hutton's Vireo	0.3379%
268. Yellow-throated Vireo	0.1311%
269. Cassin's Vireo	0.7915%
270. Blue-headed Vireo	0.0038%

271. Plumbeous Vireo	10.52%
272. Philadelphia Vireo	0.0103%
273. Warbling Vireo	10.83%
274. Red-eyed Vireo	0.1272%
275. Loggerhead Shrike	2.02%
276. Canada Jay	0.0591%
277. Pinyon Jay	2.68%
278. Steller's Jay	5.47%
279. Blue Jay	0.7992%
280. Woodhouse's Scrub-Jay	11.66%
281. Mexican Jay	0.6476%
282. Black-billed Magpie	4.76%
283. Clark's Nutcracker	0.7504%
284. American Crow	11.68%
285. Chihuahuan Raven	4.51%
286. Common Raven	28.71%
287. Black-capped Chickadee	4.02%
288. Mountain Chickadee	9.10%
289. Mexican Chickadee	0.0154%
290. Bridled Titmouse	0.8056%
291. Juniper Titmouse	5.79%
292. Verdin	2.92%
293. Horned Lark	3.26%

294. Bank Swallow	3.10%
295. Tree Swallow	2.19%
296. Violet-green Swallow	16.74%
297. Purple Martin	0.5692%
298. Northern Rough-winged Swallow	9.97%
299. Barn Swallow	24.28%
300. Cliff Swallow	13.15%
301. Cave Swallow	0.8506%
302. Bushtit	12.40%
303. Ruby-crowned Kinglet	5.36%
304. Golden-crowned Kinglet	0.2261%
305. White-breasted Nuthatch	15.34%
306. Pygmy Nuthatch	5.10%
307. Red-breasted Nuthatch	2.53%
308. Brown Creeper	0.9200%
309. Blue-gray Gnatcatcher	5.67%
310. Black-tailed Gnatcatcher	0.2518%
311. Black-capped Gnatcatcher	0.0038%
312. Rock Wren	5.40%
313. Canyon Wren	4.00%
314. House Wren	8.02%
315. Pacific Wren	0.0013%
316. Marsh Wren	0.3842%

317. Carolina Wren	0.1362%
318. Bewick's Wren	12.93%
319. Cactus Wren	2.97%
320. American Dipper	0.2133%
321. European Starling	15.25%
322. Gray Catbird	1.55%
323. Curve-billed Thrasher	10.17%
324. Brown Thrasher	0.2994%
325. Long-billed Thrasher	0.0000%
326. Bendire's Thrasher	0.4047%
327. Crissal Thrasher	1.33%
328. Sage Thrasher	0.2081%
329. Northern Mockingbird	22.03%
330. Eastern Bluebird	1.73%
331. Western Bluebird	11.22%
332. Mountain Bluebird	3.05%
333. Townsend's Solitaire	1.46%
334. Varied Thrush	0.0013%
335. Veery	0.0103%
336. Gray-cheeked Thrush	0.0064%
337. Swainson's Thrush	1.14%
338. Hermit Thrush	7.63%
339. Wood Thrush	0.0578%

340. American Robin	31.30%
341. Rufous-backed Robin	0.0064%
342. Cedar Waxwing	3.99%
343. Phainopepla	2.41%
344. Olive Warbler	0.2570%
345. House Sparrow	25.97%
346. American Pipit	0.5139%
347. Sprague's Pipit	0.0026%
348. Evening Grosbeak	4.50%
349. Pine Grosbeak	0.0218%
350. Black Rosy-Finch	0.0026%
351. Brown-capped Rosy-Finch	0.0013%
352. House Finch	51.52%
353. Cassin's Finch	2.82%
354. Red Crossbill	1.47%
355. Pine Siskin	16.62%
356. Lesser Goldfinch	20.57%
357. Lawrence's Goldfinch	0.0000%
358. American Goldfinch	4.34%
359. Chestnut-collared Longspur	0.0000%
360. Smith's Longspur	0.0000%
361. Rufous-winged Sparrow	0.0090%
362. Botteri's Sparrow	0.0295%

363. Cassin's Sparrow	2.63%
364. Grasshopper Sparrow	0.2287%
365. Chipping Sparrow	20.51%
366. Clay-colored Sparrow	0.5525%
367. Black-chinned Sparrow	1.16%
368. Field Sparrow	0.0334%
369. Brewer's Sparrow	3.07%
370. Black-throated Sparrow	5.90%
371. Lark Sparrow	10.56%
372. Lark Bunting	1.20%
373. Fox Sparrow	0.0064%
374. Dark-eyed Junco	6.90%
375. Yellow-eyed Junco	0.0398%
376. White-crowned Sparrow	15.15%
377. Golden-crowned Sparrow	0.0090%
378. Harris's Sparrow	0.0488%
379. White-throated Sparrow	0.3829%
380. Sagebrush Sparrow	0.1336%
381. Vesper Sparrow	1.76%
382. LeConte's Sparrow	0.0000%
383. Savannah Sparrow	0.5666%
384. Baird's Sparrow	0.0026%
385. Song Sparrow	3.23%

386. Lincoln's Sparrow	2.70%
387. Swamp Sparrow	0.0835%
388. Canyon Towhee	11.96%
389. Abert's Towhee	0.0899%
390. Rufous-crowned Sparrow	1.86%
391. Green-tailed Towhee	7.35%
392. Spotted Towhee	31.45%
393. Eastern Towhee	0.0090%
394. Yellow-breasted Chat	13.15%
395. Yellow-headed Blackbird	2.10%
396. Bobolink	0.0784%
397. Western Meadowlark	10.09%
398. Chihuahuan Meadowlark	2.26%
399. Orchard Oriole	0.8724%
400. Hooded Oriole	0.9739%
401. Streak-backed Oriole	0.0013%
402. Bullock's Oriole	18.76%
403. Baltimore Oriole	0.0411%
404. Scott's Oriole	3.32%
405. Red-winged Blackbird	20.76%
406. Bronzed Cowbird	1.35%
407. Brown-headed Cowbird	16.82%
408. Brewer's Blackbird	3.65%

409. Common Grackle	3.48%
410. Great-tailed Grackle	15.77%
411. Ovenbird	0.2313%
412. Worm-eating Warbler	0.1182%
413. Louisiana Waterthrush	0.0038%
414. Northern Waterthrush	1.77%
415. Golden-winged Warbler	0.0745%
416. Blue-winged Warbler	0.0591%
417. Black-and-white Warbler	0.3713%
418. Prothonotary Warbler	0.0437%
419. Swainson's Warbler	0.0295%
420. Tennessee Warbler	0.1503%
421. Orange-crowned Warbler	5.64%
422. Lucy's Warbler	5.39%
423. Nashville Warbler	0.5191%
424. Virginia's Warbler	6.36%
425. MacGillivray's Warbler	9.05%
426. Mourning Warbler	0.0193%
427. Kentucky Warbler	0.0771%
428. Common Yellowthroat	9.47%
429. Hooded Warbler	0.3546%
430. American Redstart	0.8056%
431. Cape May Warbler	0.0026%

432. Cerulean Warbler	0.0116%
433. Northern Parula	0.3906%
434. Tropical Parula	0.0463%
435. Magnolia Warbler	0.1105%
436. Bay-breasted Warbler	0.0642%
437. Blackburnian Warbler	0.0257%
438. Yellow Warbler	15.56%
439. Chestnut-sided Warbler	0.2403%
440. Blackpoll Warbler	0.0604%
441. Black-throated Blue Warbler	0.0463%
442. Palm Warbler	0.0630%
443. Pine Warbler	0.0013%
444. Yellow-rumped Warbler	23.40%
445. Yellow-throated Warbler	0.0295%
446. Prairie Warbler	0.0103%
447. Grace's Warbler	4.75%
448. Black-throated Gray Warbler	3.29%
449. Townsend's Warbler	0.6566%
450. Hermit Warbler	0.0437%
451. Black-throated Green Warbler	0.0270%
452. Fan-tailed Warbler	0.0103%
453. Golden-crowned Warbler	0.0064%
454. Canada Warbler	0.0244%

455. Wilson's Warbler	13.05%
456. Red-faced Warbler	1.05%
457. Painted Redstart	0.7337%
458. Hepatic Tanager	1.99%
459. Summer Tanager	11.48%
460. Scarlet Tanager	0.0424%
461. Western Tanager	22.09%
462. Northern Cardinal	1.91%
463. Pyrrhuloxia	1.87%
464. Yellow Grosbeak	0.0000%
465. Rose-breasted Grosbeak	1.41%
466. Black-headed Grosbeak	27.22%
467. Blue Grosbeak	11.59%
468. Lazuli Bunting	3.78%
469. Indigo Bunting	1.71%
470. Varied Bunting	0.1657%
471. Painted Bunting	0.8891%
472. Dickcissel	0.0809%
EXOTIC: PROVISIONAL	
473. Egyptian Goose	0.0013% frequency
474. Monk Parakeet	0.0038%
475. Thick-billed Parrot	0.0064%

EXOTIC: ESCAPEE

Bar-headed Goose	0.0013% frequency
Graylag Goose	0.0154%
Swan Goose	0.0437%
Mute Swan	0.0283%
Muscovy Duck	0.0848%
Mandarin Duck	0.0013%
Helmeted Guineafowl	0.0026%
Indian Peafowl	0.0013%
African Collared-Dove	0.0026%
Budgerigar	0.0000%
Rosy-faced Lovebird	0.0000%
Lilac-crowned Parrot	0.0026%

HYBRIDS

Snow x Ross's Goose (hybrid)	0.0026% frequency
Graylag x Swan Goose (hybrid)	0.0013%
Mallard x Mexican Duck (hybrid)	0.5923%
Scaled x Gambel's Quail (hybrid)	0.0026%
Western x Clark's Grebe (hybrid)	0.0038%
Glossy x White-faced Ibis (hybrid)	0.0090%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0013%
Black x Eastern Phoebe (hybrid)	0.0026%
Black-capped x Mountain Chickadee (hybrid)	0.0475%

Dark-eyed x Yellow-eyed Junco (hybrid)	0.0013%
Bullock's x Baltimore Oriole (hybrid)	0.0154%
Golden-winged x Blue-winged Warbler (hybrid)	0.0013%
Lawrence's Warbler (hybrid)	0.0000%
Western x Flame-colored Tanager (hybrid)	0.0013%
Lazuli x Indigo Bunting (hybrid)	0.0437%