



Target Species

Based on 41,271 complete checklists

398 species observed in New Mexico, US (region/US-NM) in Nov that you need for your **World Life List**

1. Dark-eyed Junco	65.73% frequency
2. House Finch	47.27%
3. Northern Flicker	39.40%
4. White-crowned Sparrow	39.06%
5. Common Raven	30.38%
6. American Robin	30.18%
7. American Crow	30.13%
8. Sandhill Crane	26.20%
9. Spotted Towhee	23.84%
10. White-winged Dove	23.73%
11. Mallard	21.68%
12. Red-tailed Hawk	20.99%
13. American Coot	20.39%
14. House Sparrow	20.24%
15. Canada Goose	20.02%
16. Red-winged Blackbird	18.83%
17. Ruby-crowned Kinglet	17.79%

18. Song Sparrow	17.11%
19. White-breasted Nuthatch	16.92%
20. American Wigeon	16.70%
21. Woodhouse's Scrub-Jay	16.68%
22. Mourning Dove	16.49%
23. Yellow-rumped Warbler	16.00%
24. Say's Phoebe	15.85%
25. American Kestrel	15.35%
26. Northern Shoveler	14.94%
27. Western Bluebird	14.83%
28. Rock Pigeon	14.80%
29. Northern Harrier	14.76%
30. Mountain Chickadee	14.56%
31. Lesser Goldfinch	14.03%
32. European Starling	14.02%
33. Eurasian Collared-Dove	13.02%
34. Canyon Towhee	12.81%
35. Pine Siskin	12.53%
36. Great Blue Heron	12.40%
37. Gadwall	12.04%
38. Pied-billed Grebe	11.63%
39. Ladder-backed Woodpecker	11.53%
40. Townsend's Solitaire	10.94%

41. Ring-necked Duck	10.57%
42. Northern Pintail	10.55%
43. Bufflehead	10.35%
44. Bushtit	9.68%
45. Western Meadowlark	9.67%
46. Snow Goose	9.50%
47. Bewick's Wren	9.49%
48. Curve-billed Thrasher	9.41%
49. Killdeer	9.38%
50. Cooper's Hawk	9.02%
51. Great-tailed Grackle	8.94%
52. Black Phoebe	8.45%
53. Green-winged Teal	8.32%
54. Ruddy Duck	8.24%
55. Gambel's Quail	8.20%
56. Greater Roadrunner	8.09%
57. American Goldfinch	7.77%
58. Ring-billed Gull	7.55%
59. Wood Duck	6.67%
60. Steller's Jay	6.65%
61. Juniper Titmouse	6.19%
62. Hairy Woodpecker	6.17%
63. Belted Kingfisher	6.17%

64. Lesser Scaup	6.12%
65. Downy Woodpecker	6.03%
66. American Pipit	5.99%
67. Black-capped Chickadee	5.89%
68. Mountain Bluebird	5.63%
69. Loggerhead Shrike	5.41%
70. Canvasback	5.41%
71. Redhead	5.38%
72. Marsh Wren	5.16%
73. Hooded Merganser	5.12%
74. Bald Eagle	4.82%
75. Black-billed Magpie	4.73%
76. Lincoln's Sparrow	4.71%
77. Western Grebe	4.68%
78. Pyrrhuloxia	4.66%
79. Chihuahuan Raven	4.55%
80. Chipping Sparrow	4.54%
81. Horned Lark	4.53%
82. Sharp-shinned Hawk	4.51%
83. Pygmy Nuthatch	4.40%
84. Cassin's Finch	4.36%
85. Cackling Goose	4.17%
86. Hermit Thrush	4.10%

87. Verdin	4.10%
88. Red-breasted Nuthatch	3.82%
89. Ross's Goose	3.75%
90. Eastern Bluebird	3.57%
91. Eared Grebe	3.45%
92. Rock Wren	3.38%
93. Brewer's Blackbird	3.35%
94. White-throated Sparrow	3.11%
95. Cedar Waxwing	3.06%
96. Acorn Woodpecker	3.03%
97. Common Merganser	2.94%
98. Brown Creeper	2.83%
99. Evening Grosbeak	2.77%
100. Greater Yellowlegs	2.63%
101. Black-throated Sparrow	2.62%
102. Savannah Sparrow	2.58%
103. Crissal Thrasher	2.40%
104. Wilson's Snipe	2.28%
105. Northern Mockingbird	2.26%
106. Canyon Wren	2.20%
107. Cactus Wren	2.18%
108. Ferruginous Hawk	2.12%
109. American White Pelican	2.09%

110. Great Horned Owl	2.08%
111. Scaled Quail	2.07%
112. Red-naped Sapsucker	2.05%
113. Double-crested Cormorant	2.04%
114. Phainopepla	1.99%
115. Wild Turkey	1.95%
116. Brewer's Sparrow	1.94%
117. Pinyon Jay	1.92%
118. Least Sandpiper	1.89%
119. Long-billed Dowitcher	1.82%
120. Merlin	1.78%
121. Common Goldeneye	1.69%
122. Golden Eagle	1.61%
123. Green-tailed Towhee	1.60%
124. Bonaparte's Gull	1.47%
125. Ring-necked Pheasant	1.46%
126. Mexican Duck	1.44%
127. Prairie Falcon	1.44%
128. Red Crossbill	1.33%
129. Great Egret	1.26%
130. Williamson's Sapsucker	1.24%
131. Clark's Grebe	1.22%
132. House Wren	1.21%

133. Chestnut-collared Longspur	1.18%
134. Common Loon	1.12%
135. Swamp Sparrow	1.12%
136. Black-crowned Night Heron	1.03%
137. Rufous-crowned Sparrow	1.03%
138. Spotted Sandpiper	0.9983%
139. Virginia Rail	0.9910%
140. Clark's Nutcracker	0.9377%
141. Vesper Sparrow	0.9377%
142. Sagebrush Sparrow	0.9207%
143. American Avocet	0.9014%
144. Blue Jay	0.9014%
145. Golden-crowned Kinglet	0.8795%
146. Osprey	0.8699%
147. Red-breasted Merganser	0.8480%
148. Northern Cardinal	0.8432%
149. Sage Thrasher	0.8311%
150. Chihuahuan Meadowlark	0.7923%
151. Greater White-fronted Goose	0.7657%
152. Brown Thrasher	0.7414%
153. Yellow-headed Blackbird	0.6881%
154. Neotropic Cormorant	0.6784%
155. Sora	0.6760%

156. Gray Catbird	0.6712%
157. Eastern Phoebe	0.6494%
158. Vermilion Flycatcher	0.6251%
159. Herring Gull	0.6179%
160. Cinnamon Teal	0.5864%
161. Inca Dove	0.5839%
162. California Gull	0.5791%
163. Bridled Titmouse	0.5670%
164. Horned Grebe	0.5621%
165. Western Cattle Egret	0.5476%
166. Black Rosy-Finch	0.5476%
167. White-faced Ibis	0.5403%
168. Orange-crowned Warbler	0.5403%
169. American Tree Sparrow	0.4967%
170. Lark Bunting	0.4846%
171. Western Screech-Owl	0.4822%
172. Anna's Hummingbird	0.4773%
173. Peregrine Falcon	0.4773%
174. Gray-crowned Rosy-Finch	0.4676%
175. Blue Mockingbird	0.4386%
176. Black-tailed Gnatcatcher	0.4240%
177. Common Grackle	0.4240%
178. Fox Sparrow	0.4192%

179. Brown-headed Cowbird	0.4168%
180. Lewis's Woodpecker	0.4143%
181. Greater Scaup	0.4022%
182. Winter Wren	0.3998%
183. Harris's Sparrow	0.3853%
184. Snowy Egret	0.3804%
185. Blue-winged Teal	0.3683%
186. Rough-legged Hawk	0.3683%
187. Brown-capped Rosy-Finch	0.3586%
188. Mexican Jay	0.3174%
189. Surf Scoter	0.3077%
190. Rusty Blackbird	0.2956%
191. Pacific Wren	0.2908%
192. Thick-billed Longspur	0.2883%
193. Dunlin	0.2762%
194. Barn Owl	0.2762%
195. Yellow-bellied Sapsucker	0.2738%
196. American Dipper	0.2641%
197. Northern Shrike	0.2423%
198. American Bittern	0.2350%
199. Common Yellowthroat	0.2278%
200. Tundra Swan	0.2084%
201. Broad-tailed Hummingbird	0.2035%

202. Black-chinned Sparrow	0.2035%
203. Northern Pygmy-Owl	0.1938%
204. Common Gallinule	0.1841%
205. Golden-crowned Sparrow	0.1817%
206. Red-shouldered Hawk	0.1720%
207. Greater Pewee	0.1623%
208. Barn Swallow	0.1526%
209. Blue-gray Gnatcatcher	0.1502%
210. White-winged Scoter	0.1478%
211. Harris's Hawk	0.1478%
212. Lesser Yellowlegs	0.1430%
213. American Goshawk	0.1430%
214. Tree Swallow	0.1357%
215. Rufous Hummingbird	0.1333%
216. Grasshopper Sparrow	0.1308%
217. Long-tailed Duck	0.1284%
218. Lesser Black-backed Gull	0.1284%
219. Canada Jay	0.1284%
220. Field Sparrow	0.1260%
221. American Three-toed Woodpecker	0.1212%
222. White-tailed Kite	0.1187%
223. Cassin's Sparrow	0.1187%
224. Brant	0.1163%

225. Pacific Loon	0.1163%
226. Burrowing Owl	0.1163%
227. Pectoral Sandpiper	0.1139%
228. Sprague's Pipit	0.1115%
229. Franklin's Gull	0.1090%
230. Pine Warbler	0.1090%
231. Northern Bobwhite	0.1066%
232. Buff-breasted Sandpiper	0.1066%
233. Clay-colored Sparrow	0.1066%
234. Gila Woodpecker	0.0993%
235. Turkey Vulture	0.0969%
236. Hutton's Vireo	0.0921%
237. Lawrence's Goldfinch	0.0921%
238. Lapland Longspur	0.0921%
239. Green Heron	0.0824%
240. Dusky Flycatcher	0.0751%
241. Pine Grosbeak	0.0751%
242. Broad-billed Hummingbird	0.0703%
243. Western Sandpiper	0.0678%
244. Hammond's Flycatcher	0.0678%
245. Montezuma Quail	0.0654%
246. Whooping Crane	0.0654%
247. Long-eared Owl	0.0654%

248. Northern Saw-whet Owl	0.0654%
249. Couch's Kingbird	0.0654%
250. Long-billed Curlew	0.0606%
251. Aplomado Falcon	0.0606%
252. White-throated Swift	0.0557%
253. Great Kiskadee	0.0533%
254. Iceland Gull	0.0509%
255. Ash-throated Flycatcher	0.0509%
256. Carolina Wren	0.0509%
257. Lark Sparrow	0.0509%
258. Band-tailed Pigeon	0.0485%
259. Wilson's Phalarope	0.0485%
260. Red-bellied Woodpecker	0.0485%
261. Wood Thrush	0.0485%
262. Black Scoter	0.0460%
263. Black-necked Stilt	0.0460%
264. Eurasian Wigeon	0.0436%
265. Black-bellied Plover	0.0436%
266. Short-eared Owl	0.0412%
267. Townsend's Warbler	0.0412%
268. Wilson's Warbler	0.0412%
269. Red Phalarope	0.0388%
270. Abert's Towhee	0.0388%

271. Groove-billed Ani	0.0364%
272. Black-chinned Hummingbird	0.0364%
273. Cassin's Vireo	0.0364%
274. Northern Parula	0.0364%
275. Snowy Plover	0.0339%
276. Spotted Owl	0.0339%
277. Plumbeous Vireo	0.0339%
278. Northern Rough-winged Swallow	0.0339%
279. Nashville Warbler	0.0339%
280. Chestnut-sided Warbler	0.0339%
281. Blue Grosbeak	0.0339%
282. Barrow's Goldeneye	0.0315%
283. Red-necked Grebe	0.0315%
284. Olive Warbler	0.0315%
285. Yellow-footed Gull	0.0291%
286. Cave Swallow	0.0291%
287. Purple Finch	0.0291%
288. Baird's Sparrow	0.0291%
289. Dusky Grouse	0.0267%
290. Arizona Woodpecker	0.0267%
291. Crested Caracara	0.0267%
292. Rose-breasted Grosbeak	0.0267%
293. Red-throated Loon	0.0242%

294. Least Bittern	0.0242%
295. Ruddy Ground Dove	0.0218%
296. Varied Thrush	0.0218%
297. Black-throated Blue Warbler	0.0218%
298. Baird's Sandpiper	0.0194%
299. Common Black Hawk	0.0194%
300. Cassin's Kingbird	0.0194%
301. Streak-backed Oriole	0.0194%
302. Northern Waterthrush	0.0194%
303. Black-throated Gray Warbler	0.0194%
304. Western Tanager	0.0194%
305. Common Poorwill	0.0170%
306. Bendire's Thrasher	0.0170%
307. Rivoli's Hummingbird	0.0145%
308. Semipalmated Plover	0.0145%
309. Sanderling	0.0145%
310. Brown Pelican	0.0145%
311. Prothonotary Warbler	0.0145%
312. Black-throated Green Warbler	0.0145%
313. Marbled Godwit	0.0121%
314. Solitary Sandpiper	0.0121%
315. Reddish Egret	0.0121%
316. Western Kingbird	0.0121%

317. LeConte's Sparrow	0.0121%
318. American Redstart	0.0121%
319. Sungrebe	0.0097%
320. Short-billed Gull	0.0097%
321. Red-breasted Sapsucker	0.0097%
322. Golden-fronted Woodpecker	0.0097%
323. Bell's Vireo	0.0097%
324. Common Redpoll	0.0097%
325. Bullock's Oriole	0.0097%
326. Bronzed Cowbird	0.0097%
327. Painted Redstart	0.0097%
328. Summer Tanager	0.0097%
329. Painted Bunting	0.0097%
330. Lesser Prairie-Chicken	0.0073%
331. Common Crane	0.0073%
332. Black-legged Kittiwake	0.0073%
333. Glaucous-winged Gull	0.0073%
334. Forster's Tern	0.0073%
335. Yellow-billed Loon	0.0073%
336. Zone-tailed Hawk	0.0073%
337. Whiskered Screech-Owl	0.0073%
338. White-eyed Vireo	0.0073%
339. Rufous-backed Robin	0.0073%

340. Yellow-eyed Junco	0.0073%
341. Hooded Oriole	0.0073%
342. Palm Warbler	0.0073%
343. Black-bellied Whistling-Duck	0.0049%
344. Trumpeter Swan	0.0049%
345. Calliope Hummingbird	0.0049%
346. Violet-crowned Hummingbird	0.0049%
347. American Golden-Plover	0.0049%
348. Black Vulture	0.0049%
349. Red-headed Woodpecker	0.0049%
350. Willow Flycatcher	0.0049%
351. Gray Flycatcher	0.0049%
352. Scissor-tailed Flycatcher	0.0049%
353. Blue-headed Vireo	0.0049%
354. Violet-green Swallow	0.0049%
355. Yellow Warbler	0.0049%
356. Yellow-throated Warbler	0.0049%
357. Fulvous Whistling-Duck	0.0024%
358. Common Ground Dove	0.0024%
359. Costa's Hummingbird	0.0024%
360. Willet	0.0024%
361. Sharp-tailed Sandpiper	0.0024%
362. Stilt Sandpiper	0.0024%

363. Pomarine Jaeger	0.0024%
364. Sabine's Gull	0.0024%
365. White Ibis	0.0024%
366. Eastern Screech-Owl	0.0024%
367. Boreal Owl	0.0024%
368. Nutting's Flycatcher	0.0024%
369. Red-eyed Vireo	0.0024%
370. Purple Martin	0.0024%
371. Bohemian Waxwing	0.0024%
372. White-winged Crossbill	0.0024%
373. Snow Bunting	0.0024%
374. Eastern Towhee	0.0024%
375. Worm-eating Warbler	0.0024%
376. Black-and-white Warbler	0.0024%
377. Magnolia Warbler	0.0024%
378. Bay-breasted Warbler	0.0024%
379. Prairie Warbler	0.0024%
380. Indigo Bunting	0.0024%
381. Dickcissel	0.0024%
382. Garganey	0.0000%
383. Lesser Nighthawk	0.0000%
384. Mexican Violetear	0.0000%
385. Red Knot	0.0000%

386. Ancient Murrelet	0.0000%
387. Little Gull	0.0000%
388. Laughing Gull	0.0000%
389. Western Gull	0.0000%
390. Caspian Tern	0.0000%
391. Clay-colored Thrush	0.0000%
392. Smith's Longspur	0.0000%
393. Scott's Oriole	0.0000%
394. Kentucky Warbler	0.0000%
395. Hooded Warbler	0.0000%
396. Cape May Warbler	0.0000%
EXOTIC: PROVISIONAL	
397. Monk Parakeet	0.0145% frequency
398. White-tailed Ptarmigan	0.0049%
EXOTIC: ESCAPEE	
Muscovy Duck	0.0945% frequency
Swan Goose	0.0460%
Mute Swan	0.0388%
Graylag Goose	0.0339%
Mandarin Duck	0.0218%
Chukar	0.0049%
Helmeted Guineafowl	0.0024%

Budgerigar	0.0024%
Northern Red Bishop	0.0024%
Bar-headed Goose	0.0000%
Lilac-crowned Parrot	0.0000%
Swainson's Hawk	0.0000%
Egyptian Goose	0.0000%

HYBRIDS

Mallard x Mexican Duck (hybrid)	1.18% frequency ■
Black-capped x Mountain Chickadee (hybrid)	0.0436%
Greater White-fronted x Canada Goose (hybrid)	0.0194%
Eurasian x American Wigeon (hybrid)	0.0194%
Western x Clark's Grebe (hybrid)	0.0170%
Snow x Ross's Goose (hybrid)	0.0121%
Scaled x Gambel's Quail (hybrid)	0.0097%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0073%
Snow x Canada Goose (hybrid)	0.0049%
Snow x Cackling Goose (hybrid)	0.0024%
Ross's x Cackling Goose (hybrid)	0.0024%
Mallard x Northern Pintail (hybrid)	0.0024%
Ring-necked Duck x scaup sp. (hybrid)	0.0024%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0024%
White-crowned x Harris's Sparrow (hybrid)	0.0024%
Spotted x Eastern Towhee (hybrid)	0.0024%

