



Target Species

Based on 44,791 complete checklists

472 species observed in New Mexico, US (region/US-NM) in Oct that you need for your World Life List

1. House Finch	50.01% frequency
2. Dark-eyed Junco	47.55%
3. Northern Flicker	45.85%
4. White-crowned Sparrow	37.98%
5. Yellow-rumped Warbler	32.48%
6. American Robin	32.46%
7. Common Raven	31.85%
8. Lesser Goldfinch	25.33%
9. Spotted Towhee	24.84%
10. White-winged Dove	22.82%
11. Ruby-crowned Kinglet	22.25%
12. Mourning Dove	22.07%
13. Woodhouse's Scrub-Jay	21.33%
14. American Crow	20.74%
15. White-breasted Nuthatch	19.29%
16. House Sparrow	19.16%
17. Pine Siskin	17.05%
18. Chipping Sparrow	17.00%

19. Mallard	16.62%
20. Red-tailed Hawk	16.60%
21. Red-winged Blackbird	16.25%
22. Mountain Chickadee	15.65%
23. Say's Phoebe	15.54%
24. Sandhill Crane	15.38%
25. Western Bluebird	15.26%
26. Eurasian Collared-Dove	14.72%
27. American Coot	14.28%
28. Canyon Towhee	13.78%
29. Rock Pigeon	13.74%
30. American Kestrel	13.46%
31. Canada Goose	13.27%
32. Song Sparrow	13.07%
33. Townsend's Solitaire	12.14%
34. American Wigeon	12.05%
35. Ladder-backed Woodpecker	12.00%
36. European Starling	11.79%
37. Curve-billed Thrasher	11.60%
38. Bewick's Wren	11.31%
39. Killdeer	11.31%
40. Cooper's Hawk	11.13%
41. Great Blue Heron	10.60%

42. Northern Harrier	9.85%
43. Lincoln's Sparrow	9.82%
44. Bushtit	9.79%
45. Western Meadowlark	9.37%
46. Pied-billed Grebe	9.17%
47. Steller's Jay	8.62%
48. Black Phoebe	8.62%
49. Turkey Vulture	8.42%
50. Hermit Thrush	7.51%
51. Belted Kingfisher	7.46%
52. Hairy Woodpecker	7.36%
53. Greater Roadrunner	7.31%
54. Black-capped Chickadee	7.28%
55. Juniper Titmouse	7.21%
56. Gambel's Quail	7.15%
57. Wood Duck	7.03%
58. Barn Swallow	6.97%
59. Northern Shoveler	6.96%
60. Gadwall	6.67%
61. Downy Woodpecker	6.66%
62. Ring-necked Duck	6.45%
63. Green-winged Teal	6.26%
64. Great-tailed Grackle	6.09%

65. Orange-crowned Warbler	6.05%
66. Ruddy Duck	5.88%
67. Wilson's Warbler	5.61%
68. Black-billed Magpie	5.53%
69. Northern Pintail	5.40%
70. Red-breasted Nuthatch	5.38%
71. Pygmy Nuthatch	5.20%
72. Brewer's Blackbird	4.99%
73. Red-naped Sapsucker	4.93%
74. Mountain Bluebird	4.92%
75. Cassin's Finch	4.90%
76. American Pipit	4.76%
77. Sharp-shinned Hawk	4.61%
78. Blue-winged Teal	4.48%
79. Rock Wren	4.44%
80. Broad-tailed Hummingbird	4.43%
81. American Goldfinch	4.42%
82. Green-tailed Towhee	4.26%
83. Chihuahuan Raven	4.17%
84. Verdin	4.12%
85. Vesper Sparrow	4.04%
86. Horned Lark	3.99%
87. Loggerhead Shrike	3.83%

88. Marsh Wren	3.78%
89. Black-chinned Hummingbird	3.69%
90. House Wren	3.54%
91. Pinyon Jay	3.51%
92. Savannah Sparrow	3.44%
93. Ring-billed Gull	3.42%
94. Pyrrhuloxia	3.37%
95. Evening Grosbeak	3.29%
96. Acorn Woodpecker	3.11%
97. Brown Creeper	3.10%
98. Brewer's Sparrow	3.01%
99. Redhead	2.95%
100. Northern Mockingbird	2.92%
101. American White Pelican	2.73%
102. Western Grebe	2.72%
103. Scaled Quail	2.67%
104. Double-crested Cormorant	2.59%
105. Cactus Wren	2.58%
106. Canyon Wren	2.56%
107. Osprey	2.50%
108. Great Horned Owl	2.49%
109. Crissal Thrasher	2.48%
110. Long-billed Dowitcher	2.45%

111. Snow Goose	2.38%
112. Eared Grebe	2.38%
113. Black-throated Sparrow	2.37%
114. Cedar Waxwing	2.30%
115. Yellow-headed Blackbird	2.23%
116. Eastern Bluebird	2.20%
117. Sage Thrasher	2.18%
118. Greater Yellowlegs	2.16%
119. Williamson's Sapsucker	2.11%
120. Wild Turkey	1.99%
121. Rufous Hummingbird	1.97%
122. Least Sandpiper	1.96%
123. Townsend's Warbler	1.96%
124. American Avocet	1.90%
125. Spotted Sandpiper	1.82%
126. Clark's Nutcracker	1.76%
127. White-faced Ibis	1.71%
128. Common Yellowthroat	1.69%
129. Lesser Scaup	1.67%
130. Snowy Egret	1.67%
131. Ring-necked Pheasant	1.63%
132. Swainson's Hawk	1.63%
133. Bufflehead	1.62%

134. Merlin	1.60%
135. Cassin's Kingbird	1.59%
136. Great Egret	1.58%
137. Wilson's Snipe	1.57%
138. White-throated Sparrow	1.55%
139. Clay-colored Sparrow	1.52%
140. Cinnamon Teal	1.48%
141. Red Crossbill	1.46%
142. Blue Jay	1.44%
143. Chestnut-collared Longspur	1.43%
144. Phainopepla	1.39%
145. Canvasback	1.35%
146. Sora	1.25%
147. Chihuahuan Meadowlark	1.25%
148. Virginia Rail	1.20%
149. Common Grackle	1.19%
150. Blue-gray Gnatcatcher	1.14%
151. Golden-crowned Kinglet	1.13%
152. Prairie Falcon	1.12%
153. Western Tanager	1.09%
154. White-throated Swift	1.09%
155. Golden Eagle	1.09%
156. Ferruginous Hawk	1.08%

157. Black-crowned Night Heron	1.07%
158. Rufous-crowned Sparrow	1.05%
159. Peregrine Falcon	1.03%
160. Blue Grosbeak	0.9935%
161. Clark's Grebe	0.9265%
162. Mexican Duck	0.9042%
163. Gray Catbird	0.9042%
164. Baird's Sandpiper	0.8484%
165. Summer Tanager	0.7926%
166. Inca Dove	0.7881%
167. MacGillivray's Warbler	0.7859%
168. Lewis's Woodpecker	0.7836%
169. Sagebrush Sparrow	0.7658%
170. Lesser Yellowlegs	0.7256%
171. Brown Thrasher	0.7167%
172. Northern Cardinal	0.7144%
173. Bridled Titmouse	0.7122%
174. Bald Eagle	0.7010%
175. Eastern Phoebe	0.6921%
176. Vermilion Flycatcher	0.6899%
177. Cackling Goose	0.6564%
178. Western Wood-Pewee	0.6542%
179. Brown-headed Cowbird	0.6542%

180. Hooded Merganser	0.6497%
181. Common Merganser	0.6251%
182. Cassin's Vireo	0.6184%
183. Lark Bunting	0.5961%
184. Pectoral Sandpiper	0.5894%
185. Neotropic Cormorant	0.5782%
186. Hammond's Flycatcher	0.5738%
187. Western Cattle Egret	0.5537%
188. Green Heron	0.5202%
189. Scissor-tailed Flycatcher	0.5046%
190. Tree Swallow	0.4889%
191. Franklin's Gull	0.4867%
192. Swamp Sparrow	0.4867%
193. Western Screech-Owl	0.4845%
194. European Golden-Plover	0.4778%
195. Mexican Jay	0.4755%
196. Black-tailed Gnatcatcher	0.4644%
197. Lark Sparrow	0.4577%
198. Band-tailed Pigeon	0.4532%
199. Cave Swallow	0.4487%
200. Western Sandpiper	0.4465%
201. Ross's Goose	0.4443%
202. Nashville Warbler	0.4421%

203. Western Kingbird	0.4264%
204. Plumbeous Vireo	0.4264%
205. Dickcissel	0.4153%
206. Barn Owl	0.4130%
207. Cliff Swallow	0.3996%
208. Long-billed Curlew	0.3862%
209. Red-necked Phalarope	0.3438%
210. Grasshopper Sparrow	0.3349%
211. Canada Jay	0.3327%
212. Northern Rough-winged Swallow	0.3148%
213. Thick-billed Longspur	0.3103%
214. Anna's Hummingbird	0.2969%
215. Stilt Sandpiper	0.2969%
216. Lazuli Bunting	0.2969%
217. Black-necked Stilt	0.2858%
218. Sprague's Pipit	0.2858%
219. California Gull	0.2746%
220. Gray Flycatcher	0.2724%
221. American Dipper	0.2634%
222. Black-throated Blue Warbler	0.2634%
223. Violet-green Swallow	0.2590%
224. Herring Gull	0.2501%
225. Swainson's Thrush	0.2478%

226. Common Black Hawk	0.2433%
227. Wilson's Phalarope	0.2411%
228. Cassin's Sparrow	0.2411%
229. Warbling Vireo	0.2389%
230. Black-throated Gray Warbler	0.2389%
231. Common Loon	0.2367%
232. Black-bellied Plover	0.2344%
233. Hepatic Tanager	0.2344%
234. Fox Sparrow	0.2322%
235. Burrowing Owl	0.2300%
236. Northern Pygmy-Owl	0.2166%
237. Yellow-bellied Sapsucker	0.2166%
238. American Bittern	0.2143%
239. Black-chinned Sparrow	0.2121%
240. Hutton's Vireo	0.2099%
241. Horned Grebe	0.2076%
242. Forster's Tern	0.2054%
243. Calliope Hummingbird	0.2032%
244. American Three-toed Woodpecker	0.1942%
245. Dusky Flycatcher	0.1942%
246. Field Sparrow	0.1831%
247. Northern Bobwhite	0.1764%
248. American Goshawk	0.1719%

249. Broad-winged Hawk	0.1719%
250. Surf Scoter	0.1697%
251. Common Poorwill	0.1697%
252. Eurasian Wigeon	0.1674%
253. Blue-headed Vireo	0.1674%
254. White-tailed Kite	0.1608%
255. Winter Wren	0.1608%
256. Broad-billed Hummingbird	0.1563%
257. Sabine's Gull	0.1563%
258. Red-headed Woodpecker	0.1540%
259. Yellow-breasted Chat	0.1518%
260. Gila Woodpecker	0.1429%
261. Black-headed Grosbeak	0.1429%
262. Yellow-crowned Night Heron	0.1407%
263. Harris's Hawk	0.1362%
264. Varied Thrush	0.1340%
265. Semipalmated Plover	0.1317%
266. Black-throated Green Warbler	0.1273%
267. Greater White-fronted Goose	0.1250%
268. Dunlin	0.1206%
269. Northern Parula	0.1206%
270. Yellow Warbler	0.1206%
271. Long-eared Owl	0.1183%

272. Common Gallinule	0.1139%
273. American Redstart	0.1139%
274. Lesser Prairie-Chicken	0.1116%
275. Common Nighthawk	0.1049%
276. Virginia's Warbler	0.1049%
277. Scott's Oriole	0.0982%
278. Sanderling	0.0938%
279. Ovenbird	0.0938%
280. Dusky Grouse	0.0915%
281. Ruby-throated Hummingbird	0.0915%
282. Bonaparte's Gull	0.0915%
283. Least Flycatcher	0.0915%
284. Golden-crowned Sparrow	0.0893%
285. Philadelphia Vireo	0.0871%
286. Montezuma Quail	0.0826%
287. Least Bittern	0.0826%
288. Solitary Sandpiper	0.0804%
289. Common Tern	0.0804%
290. Tennessee Warbler	0.0804%
291. Magnolia Warbler	0.0804%
292. Willet	0.0781%
293. Lawrence's Goldfinch	0.0759%
294. Black-and-white Warbler	0.0759%

295. Rose-breasted Grosbeak	0.0759%
296. Pine Grosbeak	0.0737%
297. Flammulated Owl	0.0714%
298. Indigo Bunting	0.0714%
299. Chestnut-sided Warbler	0.0670%
300. White-eared Hummingbird	0.0648%
301. Zone-tailed Hawk	0.0648%
302. Ash-throated Flycatcher	0.0648%
303. Baird's Sparrow	0.0648%
304. Wood Thrush	0.0625%
305. Common Redpoll	0.0625%
306. Prothonotary Warbler	0.0625%
307. Palm Warbler	0.0625%
308. Arizona Woodpecker	0.0603%
309. White-eyed Vireo	0.0603%
310. Bank Swallow	0.0603%
311. Lucy's Warbler	0.0603%
312. Lesser Nighthawk	0.0558%
313. Blue-winged Warbler	0.0536%
314. Northern Saw-whet Owl	0.0514%
315. Red-eyed Vireo	0.0514%
316. Carolina Wren	0.0514%
317. Abert's Towhee	0.0514%

318. Painted Redstart	0.0514%
319. Painted Bunting	0.0514%
320. Olive-sided Flycatcher	0.0491%
321. Lesser Black-backed Gull	0.0469%
322. Brown Pelican	0.0469%
323. Western Flycatcher	0.0469%
324. Harris's Sparrow	0.0469%
325. Yellow-footed Gull	0.0446%
326. Great Kiskadee	0.0446%
327. Nelson's Sparrow	0.0446%
328. Red-necked Grebe	0.0424%
329. Snowy Plover	0.0424%
330. Spotted Owl	0.0424%
331. Couch's Kingbird	0.0424%
332. Marbled Godwit	0.0402%
333. Gray Hawk	0.0402%
334. Northern Shrike	0.0402%
335. Scarlet Tanager	0.0402%
336. American Golden-Plover	0.0380%
337. Rough-legged Hawk	0.0380%
338. Northern Waterthrush	0.0380%
339. Red-breasted Merganser	0.0357%
340. Sedge Wren	0.0357%

341. Rivoli's Hummingbird	0.0335%
342. Red Phalarope	0.0335%
343. Pacific Loon	0.0335%
344. Great Crested Flycatcher	0.0335%
345. Pacific Wren	0.0313%
346. Olive Warbler	0.0313%
347. Bullock's Oriole	0.0313%
348. Greater Scaup	0.0290%
349. Reddish Egret	0.0290%
350. LeConte's Sparrow	0.0290%
351. Blackpoll Warbler	0.0290%
352. Common Ground Dove	0.0268%
353. Anhinga	0.0268%
354. Golden-fronted Woodpecker	0.0268%
355. Yellow-bellied Flycatcher	0.0268%
356. Bendire's Thrasher	0.0268%
357. Rufous-backed Robin	0.0268%
358. American Tree Sparrow	0.0268%
359. Violet-crowned Hummingbird	0.0246%
360. Hooded Warbler	0.0246%
361. Mountain Plover	0.0223%
362. Caspian Tern	0.0223%
363. Eared Quetzal	0.0223%

364. Bell's Vireo	0.0223%
365. Rusty Blackbird	0.0223%
366. Hermit Warbler	0.0223%
367. Chimney Swift	0.0201%
368. Vaux's Swift	0.0201%
369. Black Tern	0.0201%
370. Mississippi Kite	0.0201%
371. Whiskered Screech-Owl	0.0201%
372. Yellow-throated Vireo	0.0201%
373. Blackburnian Warbler	0.0201%
374. Black Scoter	0.0179%
375. Ruddy Ground Dove	0.0179%
376. Mexican Whip-poor-will	0.0179%
377. Red-shouldered Hawk	0.0179%
378. Bronzed Cowbird	0.0179%
379. Cape May Warbler	0.0179%
380. Yellow-eyed Junco	0.0156%
381. Bobolink	0.0156%
382. Worm-eating Warbler	0.0156%
383. Red-bellied Woodpecker	0.0134%
384. Willow Flycatcher	0.0134%
385. Rufous-winged Sparrow	0.0134%
386. Bay-breasted Warbler	0.0134%

387. Pine Warbler	0.0134%
388. Common Goldeneye	0.0112%
389. Aplomado Falcon	0.0112%
390. White-winged Crossbill	0.0112%
391. Grace's Warbler	0.0112%
392. Least Grebe	0.0089%
393. Groove-billed Ani	0.0089%
394. Yellow-billed Cuckoo	0.0089%
395. Lucifer Hummingbird	0.0089%
396. Ruddy Turnstone	0.0089%
397. Semipalmated Sandpiper	0.0089%
398. Red-throated Loon	0.0089%
399. Short-eared Owl	0.0089%
400. Tropical Kingbird	0.0089%
401. Black-capped Gnatcatcher	0.0089%
402. Purple Finch	0.0089%
403. Orchard Oriole	0.0089%
404. Canada Warbler	0.0089%
405. Black-bellied Whistling-Duck	0.0067%
406. White-winged Scoter	0.0067%
407. Blue-throated Mountain-gem	0.0067%
408. Costa's Hummingbird	0.0067%
409. American Woodcock	0.0067%

410. Little Gull	0.0067%
411. Boreal Owl	0.0067%
412. Black Rosy-Finch	0.0067%
413. Brown-capped Rosy-Finch	0.0067%
414. Lapland Longspur	0.0067%
415. Baltimore Oriole	0.0067%
416. Short-billed Dowitcher	0.0045%
417. Buff-breasted Sandpiper	0.0045%
418. Black-legged Kittiwake	0.0045%
419. Iceland Gull	0.0045%
420. Arctic Tern	0.0045%
421. Tricolored Heron	0.0045%
422. Greater Pewee	0.0045%
423. Mexican Chickadee	0.0045%
424. Gray-crowned Rosy-Finch	0.0045%
425. Botteri's Sparrow	0.0045%
426. Eastern Towhee	0.0045%
427. Hooded Oriole	0.0045%
428. Streak-backed Oriole	0.0045%
429. Prairie Warbler	0.0045%
430. Tundra Swan	0.0022%
431. Black-billed Cuckoo	0.0022%
432. Eastern Whip-poor-will	0.0022%

433. Wandering Tattler	0.0022%
434. Red Knot	0.0022%
435. Laughing Gull	0.0022%
436. Glaucous-winged Gull	0.0022%
437. Magnificent Frigatebird	0.0022%
438. Little Blue Heron	0.0022%
439. Eastern Screech-Owl	0.0022%
440. Elf Owl	0.0022%
441. Red-breasted Sapsucker	0.0022%
442. Crested Caracara	0.0022%
443. Northern Beardless-Tyrannulet	0.0022%
444. Acadian Flycatcher	0.0022%
445. Eastern Kingbird	0.0022%
446. Gray Vireo	0.0022%
447. Long-billed Thrasher	0.0022%
448. Henslow's Sparrow	0.0022%
449. Varied Bunting	0.0022%
450. Fulvous Whistling-Duck	0.0000%
451. Brant	0.0000%
452. Sharp-tailed Grouse	0.0000%
453. Purple Gallinule	0.0000%
454. Black Rail	0.0000%
455. Ruff	0.0000%

456. Sharp-tailed Sandpiper	0.0000%
457. Pomarine Jaeger	0.0000%
458. Heermann's Gull	0.0000%
459. Short-billed Gull	0.0000%
460. Black Skimmer	0.0000%
461. Royal Tern	0.0000%
462. Wood Stork	0.0000%
463. Roseate Spoonbill	0.0000%
464. Barred Owl	0.0000%
465. Sulphur-bellied Flycatcher	0.0000%
466. Veery	0.0000%
467. Cerulean Warbler	0.0000%
468. Yellow-throated Warbler	0.0000%
469. Yellow Grosbeak	0.0000%
EXOTIC: PROVISIONAL	
470. Monk Parakeet	0.0179% frequency
471. White-tailed Ptarmigan	0.0089%
472. Whooping Crane	0.0045%
EXOTIC: ESCAPEE	
Muscovy Duck	0.1005% frequency
Mute Swan	0.0714%
Swan Goose	0.0558%

Mandarin Duck	0.0357%
Graylag Goose	0.0313%
Budgerigar	0.0112%
Helmeted Guineafowl	0.0089%
Indian Peafowl	0.0067%
Lilac-crowned Parrot	0.0022%
Egyptian Goose	0.0000%

HYBRIDS

Mallard x Mexican Duck (hybrid)	0.5715% frequency
Black-capped x Mountain Chickadee (hybrid)	0.0558%
Eurasian x American Wigeon (hybrid)	0.0089%
Scaled x Gambel's Quail (hybrid)	0.0067%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0067%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0045%
Spotted x Eastern Towhee (hybrid)	0.0045%
Townsend's x Hermit Warbler (hybrid)	0.0045%
Gadwall x Mallard (hybrid)	0.0022%
Mallard x Northern Pintail (hybrid)	0.0022%
Northern Cardinal x Pyrrhuloxia (hybrid)	0.0022%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0000%