



Target Species

Based on 45,483 complete checklists

452 species observed in New Mexico, US (region/US-NM) in Sep that you need for your **World Life List**

1. House Finch	45.50% frequency
2. Lesser Goldfinch	36.23%
3. Mourning Dove	35.64%
4. Wilson's Warbler	33.55%
5. Northern Flicker	31.04%
6. Common Raven	29.69%
7. Chipping Sparrow	28.37%
8. Turkey Vulture	28.02%
9. Black-chinned Hummingbird	26.61%
10. Yellow-rumped Warbler	24.52%
11. American Robin	23.99%
12. Barn Swallow	23.80%
13. White-winged Dove	23.28%
14. Woodhouse's Scrub-Jay	22.09%
15. White-breasted Nuthatch	21.78%
16. Say's Phoebe	20.05%
17. Spotted Towhee	20.01%

18. Eurasian Collared-Dove	18.60%
19. Broad-tailed Hummingbird	16.91%
20. House Sparrow	16.71%
21. Western Wood-Pewee	15.56%
22. American Kestrel	14.79%
23. Mountain Chickadee	14.38%
24. Rock Pigeon	14.11%
25. Rufous Hummingbird	14.10%
26. Canyon Towhee	13.69%
27. Killdeer	13.64%
28. Green-tailed Towhee	13.56%
29. Western Tanager	13.55%
30. Ladder-backed Woodpecker	13.36%
31. Mallard	13.14%
32. Orange-crowned Warbler	13.05%
33. Cooper's Hawk	12.78%
34. American Crow	12.48%
35. Black Phoebe	12.22%
36. Pine Siskin	11.93%
37. House Wren	11.71%
38. Western Bluebird	11.65%
39. Blue Grosbeak	11.59%
40. European Starling	11.39%

41. Bewick's Wren	11.28%
42. White-crowned Sparrow	11.09%
43. Bushtit	11.05%
44. Red-tailed Hawk	11.04%
45. Canada Goose	11.03%
46. Curve-billed Thrasher	10.87%
47. Great Blue Heron	10.73%
48. MacGillivray's Warbler	10.54%
49. Ruby-crowned Kinglet	10.05%
50. Brewer's Sparrow	9.96%
51. Lark Sparrow	9.72%
52. American Coot	9.36%
53. Summer Tanager	9.28%
54. Western Kingbird	9.24%
55. Vesper Sparrow	8.97%
56. Steller's Jay	8.96%
57. Dark-eyed Junco	8.79%
58. Swainson's Hawk	8.76%
59. Hairy Woodpecker	8.75%
60. Lincoln's Sparrow	8.23%
61. Red-winged Blackbird	8.21%
62. Greater Roadrunner	7.97%
63. Juniper Titmouse	7.64%

64. Yellow-headed Blackbird	7.62%
65. Downy Woodpecker	7.62%
66. Black-capped Chickadee	7.54%
67. Yellow Warbler	7.53%
68. Townsend's Warbler	7.40%
69. Red-breasted Nuthatch	6.64%
70. Pygmy Nuthatch	6.57%
71. Blue-winged Teal	6.53%
72. Wood Duck	6.53%
73. Clay-colored Sparrow	6.38%
74. Townsend's Solitaire	6.27%
75. Belted Kingfisher	6.13%
76. Gambel's Quail	6.07%
77. Pinyon Jay	5.87%
78. Spotted Sandpiper	5.84%
79. Warbling Vireo	5.83%
80. Great-tailed Grackle	5.73%
81. Cassin's Kingbird	5.32%
82. Common Yellowthroat	5.31%
83. Green-winged Teal	5.29%
84. Western Meadowlark	5.25%
85. Northern Shoveler	5.20%
86. Violet-green Swallow	5.18%

87. Virginia's Warbler	5.08%
88. Rock Wren	4.91%
89. Pied-billed Grebe	4.87%
90. Plumbeous Vireo	4.82%
91. Snowy Egret	4.80%
92. Black-billed Magpie	4.76%
93. Blue-gray Gnatcatcher	4.71%
94. Black-headed Grosbeak	4.63%
95. Loggerhead Shrike	4.61%
96. Northern Harrier	4.33%
97. Hermit Thrush	4.15%
98. White-faced Ibis	4.13%
99. Lazuli Bunting	4.08%
100. Northern Mockingbird	3.97%
101. Olive-sided Flycatcher	3.94%
102. Brewer's Blackbird	3.93%
103. Yellow-breasted Chat	3.89%
104. Verdin	3.73%
105. American Wigeon	3.73%
106. Red-naped Sapsucker	3.67%
107. Acorn Woodpecker	3.60%
108. Osprey	3.57%
109. Song Sparrow	3.55%

110. Savannah Sparrow	3.53%
111. Cinnamon Teal	3.45%
112. Baird's Sandpiper	3.42%
113. Cassin's Vireo	3.39%
114. Williamson's Sapsucker	3.25%
115. Chihuahuan Raven	3.21%
116. Least Sandpiper	3.20%
117. American Goldfinch	3.14%
118. Canyon Wren	3.11%
119. Horned Lark	3.07%
120. Cliff Swallow	3.03%
121. Ruddy Duck	2.98%
122. Calliope Hummingbird	2.94%
123. Dusky Flycatcher	2.93%
124. Sharp-shinned Hawk	2.92%
125. Great Horned Owl	2.79%
126. Scaled Quail	2.69%
127. Black-throated Sparrow	2.67%
128. Clark's Nutcracker	2.65%
129. Mountain Bluebird	2.60%
130. American Avocet	2.58%
131. Sage Thrasher	2.54%
132. Western Sandpiper	2.53%

133. Western Flycatcher	2.47%
134. Double-crested Cormorant	2.43%
135. Cedar Waxwing	2.38%
136. Solitary Sandpiper	2.37%
137. Hammond's Flycatcher	2.33%
138. Gadwall	2.28%
139. Brown Creeper	2.28%
140. American White Pelican	2.27%
141. Willow Flycatcher	2.25%
142. Cactus Wren	2.25%
143. Green Heron	2.22%
144. Sora	2.20%
145. Lark Bunting	2.20%
146. Gray Flycatcher	2.18%
147. Northern Rough-winged Swallow	2.17%
148. Evening Grosbeak	2.16%
149. Wild Turkey	2.14%
150. Greater Yellowlegs	2.13%
151. White-throated Swift	2.12%
152. Northern Pintail	2.11%
153. Vermilion Flycatcher	2.11%
154. Wilson's Phalarope	2.10%
155. Ring-billed Gull	2.08%

156. Lesser Yellowlegs	2.08%
157. Crissal Thrasher	2.00%
158. Bullock's Oriole	2.00%
159. Black-crowned Night Heron	1.96%
160. Peregrine Falcon	1.88%
161. Dickcissel	1.80%
162. Brown-headed Cowbird	1.74%
163. Pyrrhuloxia	1.71%
164. Bank Swallow	1.68%
165. Red Crossbill	1.68%
166. Common Nighthawk	1.59%
167. Great Egret	1.55%
168. Eastern Bluebird	1.54%
169. Nashville Warbler	1.53%
170. Tree Swallow	1.46%
171. Black-necked Stilt	1.44%
172. Western Cattle Egret	1.41%
173. Virginia Rail	1.38%
174. Cassin's Finch	1.37%
175. Rufous-crowned Sparrow	1.30%
176. Eared Grebe	1.29%
177. Long-billed Dowitcher	1.28%
178. Gray Catbird	1.27%

179.	Common Grackle	1.27%
180.	Lewis's Woodpecker	1.26%
181.	Band-tailed Pigeon	1.21%
182.	American Redstart	1.17%
183.	Black-throated Gray Warbler	1.16%
184.	Stilt Sandpiper	1.16%
185.	Pectoral Sandpiper	1.16%
186.	Western Grebe	1.16%
187.	Marsh Wren	1.15%
188.	Ring-necked Pheasant	1.06%
189.	Northern Waterthrush	1.03%
190.	Wilson's Snipe	1.02%
191.	American Pipit	1.00%
192.	Phainopepla	0.9894%
193.	Red-necked Phalarope	0.9828%
194.	Mexican Duck	0.9652%
195.	Hepatic Tanager	0.9586%
196.	Scissor-tailed Flycatcher	0.9542%
197.	Painted Bunting	0.9520%
198.	Bell's Vireo	0.9454%
199.	Northern Cardinal	0.9168%
200.	Prairie Falcon	0.8882%
201.	Blue Jay	0.8487%

202. Cave Swallow	0.8377%
203. Chihuahuan Meadowlark	0.8245%
204. Mississippi Kite	0.7981%
205. Clark's Grebe	0.7915%
206. Redhead	0.7827%
207. Bridled Titmouse	0.7739%
208. Semipalmated Plover	0.7695%
209. Forster's Tern	0.7651%
210. Common Black Hawk	0.7607%
211. Black Tern	0.7519%
212. Least Flycatcher	0.7233%
213. Golden Eagle	0.7211%
214. Inca Dove	0.7124%
215. Barn Owl	0.6904%
216. Long-billed Curlew	0.6728%
217. Ring-necked Duck	0.6684%
218. Cassin's Sparrow	0.6662%
219. Neotropic Cormorant	0.6596%
220. Indigo Bunting	0.6530%
221. Eastern Kingbird	0.6266%
222. Western Screech-Owl	0.6222%
223. Zone-tailed Hawk	0.6024%
224. Sandhill Crane	0.6002%

225. Sabine's Gull	0.5980%
226. Golden-crowned Kinglet	0.5694%
227. Merlin	0.5672%
228. Common Poorwill	0.5651%
229. Black-and-white Warbler	0.5387%
230. Ash-throated Flycatcher	0.5365%
231. Scott's Oriole	0.5211%
232. Mexican Jay	0.5167%
233. Grace's Warbler	0.5101%
234. Sanderling	0.4969%
235. Burrowing Owl	0.4881%
236. Lesser Scaup	0.4705%
237. Red-headed Woodpecker	0.4683%
238. Orchard Oriole	0.4639%
239. Swainson's Thrush	0.4507%
240. Common Merganser	0.4485%
241. Lucy's Warbler	0.4463%
242. Painted Redstart	0.4419%
243. Canada Jay	0.4243%
244. Eastern Phoebe	0.4199%
245. Black-tailed Gnatcatcher	0.4177%
246. Great Crested Flycatcher	0.4155%
247. Ferruginous Hawk	0.4111%

248. Semipalmated Sandpiper	0.3562%
249. American Three-toed Woodpecker	0.3408%
250. Bald Eagle	0.3276%
251. Dusky Grouse	0.3122%
252. Black-chinned Sparrow	0.3078%
253. Chestnut-sided Warbler	0.2924%
254. Brown Thrasher	0.2836%
255. Hermit Warbler	0.2704%
256. Broad-winged Hawk	0.2682%
257. American Goshawk	0.2660%
258. Northern Bobwhite	0.2616%
259. California Gull	0.2616%
260. Northern Pygmy-Owl	0.2616%
261. Hutton's Vireo	0.2528%
262. Yellow-billed Cuckoo	0.2506%
263. Snowy Plover	0.2375%
264. Red-eyed Vireo	0.2155%
265. Common Tern	0.2133%
266. Sagebrush Sparrow	0.2045%
267. Blackpoll Warbler	0.2001%
268. Lesser Nighthawk	0.1979%
269. American Dipper	0.1979%
270. Marbled Godwit	0.1869%

271. Franklin's Gull	0.1847%
272. Gray Vireo	0.1803%
273. Black-bellied Plover	0.1671%
274. Prothonotary Warbler	0.1627%
275. Willet	0.1605%
276. Gray Hawk	0.1605%
277. Ovenbird	0.1605%
278. Chestnut-collared Longspur	0.1561%
279. Grasshopper Sparrow	0.1561%
280. Blue-headed Vireo	0.1495%
281. Gila Woodpecker	0.1429%
282. Yellow-footed Gull	0.1341%
283. Upland Sandpiper	0.1319%
284. Canvasback	0.1165%
285. Short-billed Dowitcher	0.1165%
286. Ruby-throated Hummingbird	0.1143%
287. Pine Grosbeak	0.1121%
288. Bufflehead	0.1055%
289. Northern Parula	0.1055%
290. Anna's Hummingbird	0.1033%
291. Olive Warbler	0.1033%
292. Red-shouldered Hawk	0.1011%
293. Tropical Kingbird	0.1011%

294. Baltimore Oriole	0.0967%
295. Rose-breasted Grosbeak	0.0967%
296. Hooded Oriole	0.0923%
297. Blackburnian Warbler	0.0879%
298. Common Gallinule	0.0813%
299. Least Bittern	0.0813%
300. Ruddy Turnstone	0.0769%
301. Spotted Owl	0.0747%
302. Long-eared Owl	0.0747%
303. Northern Saw-whet Owl	0.0747%
304. Snow Goose	0.0725%
305. Philadelphia Vireo	0.0725%
306. Carolina Wren	0.0704%
307. Rivoli's Hummingbird	0.0682%
308. Yellow-crowned Night Heron	0.0682%
309. Lesser Prairie-Chicken	0.0660%
310. Mountain Plover	0.0660%
311. Herring Gull	0.0660%
312. Common Loon	0.0660%
313. Flammulated Owl	0.0660%
314. Tennessee Warbler	0.0660%
315. Reddish Egret	0.0638%
316. Arizona Woodpecker	0.0638%

317. Canada Warbler	0.0638%
318. Broad-billed Hummingbird	0.0616%
319. Hooded Merganser	0.0594%
320. Yellow-bellied Flycatcher	0.0572%
321. Piratic Flycatcher	0.0572%
322. Red Phalarope	0.0550%
323. Long-tailed Jaeger	0.0550%
324. Harris's Hawk	0.0550%
325. Black-throated Blue Warbler	0.0550%
326. Dunlin	0.0528%
327. Bendire's Thrasher	0.0528%
328. Montezuma Quail	0.0506%
329. Caspian Tern	0.0506%
330. Abert's Towhee	0.0506%
331. American Bittern	0.0484%
332. Greater White-fronted Goose	0.0462%
333. Tricolored Heron	0.0462%
334. Purple Martin	0.0462%
335. Golden-winged Warbler	0.0462%
336. Black-throated Green Warbler	0.0462%
337. White-eyed Vireo	0.0440%
338. Hooded Warbler	0.0440%
339. Red-faced Warbler	0.0440%

340. Least Grebe	0.0418%
341. White-tailed Kite	0.0418%
342. Dusky-capped Flycatcher	0.0418%
343. Kentucky Warbler	0.0418%
344. Lesser Black-backed Gull	0.0396%
345. Swallow-tailed Kite	0.0396%
346. Laughing Gull	0.0374%
347. Brown Pelican	0.0374%
348. Magnolia Warbler	0.0374%
349. Vaux's Swift	0.0352%
350. Varied Bunting	0.0330%
351. Mexican Whip-poor-will	0.0308%
352. Violet-crowned Hummingbird	0.0308%
353. Eastern Wood-Pewee	0.0308%
354. White-throated Sparrow	0.0286%
355. Bronzed Cowbird	0.0286%
356. Yellow-throated Vireo	0.0264%
357. Field Sparrow	0.0264%
358. Connecticut Warbler	0.0242%
359. Tropical Parula	0.0242%
360. Chimney Swift	0.0220%
361. Parasitic Jaeger	0.0220%
362. Eared Quetzal	0.0220%

363. Botteri's Sparrow	0.0220%
364. Louisiana Waterthrush	0.0220%
365. Cackling Goose	0.0198%
366. White-tailed Ptarmigan	0.0198%
367. Costa's Hummingbird	0.0198%
368. Red Knot	0.0198%
369. Little Blue Heron	0.0198%
370. Yellow-eyed Junco	0.0198%
371. Bobolink	0.0198%
372. Scarlet Tanager	0.0198%
373. American Golden-Plover	0.0176%
374. Roseate Spoonbill	0.0176%
375. Whiskered Screech-Owl	0.0176%
376. Elf Owl	0.0176%
377. Palm Warbler	0.0176%
378. Horned Grebe	0.0154%
379. Prairie Warbler	0.0154%
380. Rufous-winged Sparrow	0.0132%
381. Common Ground Dove	0.0110%
382. Black-billed Cuckoo	0.0110%
383. Pomarine Jaeger	0.0110%
384. Great Kiskadee	0.0110%
385. Wood Thrush	0.0110%

386. Thick-billed Longspur	0.0110%
387. Worm-eating Warbler	0.0110%
388. Mourning Warbler	0.0110%
389. Ross's Goose	0.0088%
390. Lucifer Hummingbird	0.0088%
391. White Ibis	0.0088%
392. Yellow-bellied Sapsucker	0.0088%
393. Thick-billed Kingbird	0.0088%
394. Black-capped Vireo	0.0088%
395. Baird's Sparrow	0.0088%
396. Swamp Sparrow	0.0088%
397. Black-bellied Whistling-Duck	0.0066%
398. Arctic Tern	0.0066%
399. Boreal Owl	0.0066%
400. Aplomado Falcon	0.0066%
401. Northern Beardless-Tyrannulet	0.0066%
402. Greater Pewee	0.0066%
403. Acadian Flycatcher	0.0066%
404. Brown-crested Flycatcher	0.0066%
405. Blue-winged Warbler	0.0066%
406. Ruddy Ground Dove	0.0044%
407. Black Swift	0.0044%
408. Whimbrel	0.0044%

409. Buff-breasted Sandpiper	0.0044%
410. Little Gull	0.0044%
411. Red-bellied Woodpecker	0.0044%
412. Sulphur-bellied Flycatcher	0.0044%
413. Veery	0.0044%
414. Sprague's Pipit	0.0044%
415. White-winged Crossbill	0.0044%
416. Yellow-throated Warbler	0.0044%
417. Common Goldeneye	0.0022%
418. Blue-throated Mountain-gem	0.0022%
419. Cinnamon Hummingbird	0.0022%
420. European Golden-Plover	0.0022%
421. American Woodcock	0.0022%
422. Wandering Tattler	0.0022%
423. Bonaparte's Gull	0.0022%
424. Western Gull	0.0022%
425. Glaucous-winged Gull	0.0022%
426. Least Tern	0.0022%
427. Blue-footed Booby	0.0022%
428. Barred Owl	0.0022%
429. Green Kingfisher	0.0022%
430. Black-capped Gnatcatcher	0.0022%
431. Winter Wren	0.0022%

432. Long-billed Thrasher	0.0022%
433. Lapland Longspur	0.0022%
434. Fox Sparrow	0.0022%
435. Bay-breasted Warbler	0.0022%
436. Fulvous Whistling-Duck	0.0000%
437. Greater Scaup	0.0000%
438. White-winged Scoter	0.0000%
439. Red-breasted Merganser	0.0000%
440. Gunnison Sage-Grouse	0.0000%
441. Chuck-will's-widow	0.0000%
442. White-eared Hummingbird	0.0000%
443. Black-legged Kittiwake	0.0000%
444. Wood Stork	0.0000%
445. Anhinga	0.0000%
446. Elegant Trogon	0.0000%
447. Couch's Kingbird	0.0000%
448. Pacific Wren	0.0000%
449. Nelson's Sparrow	0.0000%
450. Swainson's Warbler	0.0000%
451. Cape May Warbler	0.0000%
EXOTIC: PROVISIONAL	
452. Monk Parakeet	0.0044% frequency

EXOTIC: ESCAPEE

Mute Swan	0.0725% frequency
Swan Goose	0.0616%
Muscovy Duck	0.0572%
Graylag Goose	0.0264%
Budgerigar	0.0066%
Indian Peafowl	0.0044%
African Collared-Dove	0.0022%
Alexandrine Parakeet	0.0022%
Tricolored Munia	0.0022%
Helmeted Guineafowl	0.0000%
Chukar	0.0000%
Fischer's Lovebird	0.0000%
Egyptian Goose	0.0000%

HYBRIDS

Mallard x Mexican Duck (hybrid)	0.3100% frequency
Black-capped x Mountain Chickadee (hybrid)	0.0747%
Townsend's x Hermit Warbler (hybrid)	0.0286%
Bullock's x Baltimore Oriole (hybrid)	0.0066%
MacGillivray's x Mourning Warbler (hybrid)	0.0066%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0044%
Snow x Ross's Goose (hybrid)	0.0022%
Greater White-fronted x Canada Goose (hybrid)	0.0022%

Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0022%
Black x Eastern Phoebe (hybrid)	0.0022%
Yellow x Black-throated Blue Warbler (hybrid)	0.0022%
Lazuli x Indigo Bunting (hybrid)	0.0022%
