



# Target Species

Based on 642,986 complete checklists

**561** species observed in New Mexico, US (region/US-NM) that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0075%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0096%</b>
3. <b>Snow Goose</b>	<b>2.72%</b>
4. <b>Ross's Goose</b>	<b>1.02%</b>
5. <b>Greater White-fronted Goose</b>	<b>0.2619%</b>
6. <b>Brant</b>	<b>0.0515%</b>
7. <b>Cackling Goose</b>	<b>1.45%</b>
8. <b>Canada Goose</b>	<b>13.76%</b>
9. <b>Trumpeter Swan</b>	<b>0.0515%</b>
10. <b>Tundra Swan</b>	<b>0.1831%</b>
11. <b>Wood Duck</b>	<b>5.65%</b>
12. <b>Garganey</b>	<b>0.0000%</b>
13. <b>Blue-winged Teal</b>	<b>2.93%</b>
14. <b>Cinnamon Teal</b>	<b>4.00%</b>
15. <b>Northern Shoveler</b>	<b>8.14%</b>
16. <b>Gadwall</b>	<b>6.78%</b>
17. <b>Eurasian Wigeon</b>	<b>0.0426%</b>
18. <b>American Wigeon</b>	<b>6.96%</b>

19. Mallard	15.53%
20. Mexican Duck	1.42%
21. Northern Pintail	3.75%
22. Green-winged Teal	6.10%
23. Canvasback	2.03%
24. Redhead	2.22%
25. Ring-necked Duck	4.61%
26. Greater Scaup	0.0984%
27. Lesser Scaup	2.58%
28. Harlequin Duck	0.0000%
29. Surf Scoter	0.0518%
30. White-winged Scoter	0.0207%
31. Black Scoter	0.0061%
32. Long-tailed Duck	0.0694%
33. Bufflehead	3.99%
34. Common Goldeneye	1.19%
35. Barrow's Goldeneye	0.0510%
36. Hooded Merganser	1.32%
37. Common Merganser	2.76%
38. Red-breasted Merganser	0.2586%
39. Ruddy Duck	4.93%
40. Northern Bobwhite	0.2885%
41. Scaled Quail	3.11%

42. Gambel's Quail	8.37%
43. Montezuma Quail	0.1023%
44. Wild Turkey	2.46%
45. Gunnison Sage-Grouse	0.0000%
46. Dusky Grouse	0.1381%
47. Sharp-tailed Grouse	0.0000%
48. Lesser Prairie-Chicken	0.1051%
49. White-tailed Ptarmigan	0.0056%
50. Ring-necked Pheasant	1.64%
51. Least Grebe	0.0036%
52. Pied-billed Grebe	5.81%
53. Horned Grebe	0.1404%
54. Red-necked Grebe	0.0163%
55. Eared Grebe	1.33%
56. Western Grebe	1.37%
57. Clark's Grebe	0.7044%
58. Rock Pigeon	12.85%
59. Band-tailed Pigeon	0.7376%
60. Eurasian Collared-Dove	17.92%
61. Inca Dove	0.6227%
62. Common Ground Dove	0.0367%
63. Ruddy Ground Dove	0.0260%
64. White-winged Dove	27.73%

65. Mourning Dove	30.11%
66. Groove-billed Ani	0.0106%
67. Greater Roadrunner	7.20%
68. Yellow-billed Cuckoo	0.2803%
69. Black-billed Cuckoo	0.0011%
70. Lesser Nighthawk	0.4325%
71. Common Nighthawk	1.60%
72. Common Poorwill	0.4496%
73. Chuck-will's-widow	0.0003%
74. Buff-collared Nightjar	0.0002%
75. Eastern Whip-poor-will	0.0002%
76. Mexican Whip-poor-will	0.1123%
77. Black Swift	0.0210%
78. Chimney Swift	0.0418%
79. Vaux's Swift	0.0045%
80. White-throated Swift	2.13%
81. Mexican Violetear	0.0000%
82. Rivoli's Hummingbird	0.0631%
83. Blue-throated Mountain-gem	0.0016%
84. Lucifer Hummingbird	0.0191%
85. Ruby-throated Hummingbird	0.0212%
86. Black-chinned Hummingbird	17.21%
87. Anna's Hummingbird	0.1684%

88. Costa's Hummingbird	0.0117%
89. Calliope Hummingbird	1.08%
90. Rufous Hummingbird	4.58%
91. Allen's Hummingbird	0.0006%
92. Broad-tailed Hummingbird	10.43%
93. Broad-billed Hummingbird	0.0949%
94. White-eared Hummingbird	0.0048%
95. Violet-crowned Hummingbird	0.0157%
96. Berylline Hummingbird	0.0000%
97. Cinnamon Hummingbird	0.0002%
98. King Rail	0.0003%
99. Clapper Rail	0.0008%
100. Virginia Rail	0.8736%
101. Rufous-necked Wood-Rail	0.0190%
102. Sora	0.7891%
103. Common Gallinule	0.1401%
104. American Coot	11.97%
105. Purple Gallinule	0.0233%
106. Yellow Rail	0.0000%
107. Black Rail	0.0009%
108. Sungrebe	0.0006%
109. Sandhill Crane	7.79%
110. Common Crane	0.0109%

111. Whooping Crane	0.0215%
112. Black-necked Stilt	1.72%
113. American Avocet	2.04%
114. Black-bellied Plover	0.0650%
115. European Golden-Plover	0.0334%
116. American Golden-Plover	0.0207%
117. Killdeer	10.53%
118. Semipalmated Plover	0.2079%
119. Piping Plover	0.0016%
120. Mountain Plover	0.0393%
121. Snowy Plover	0.3635%
122. Upland Sandpiper	0.0778%
123. Whimbrel	0.0243%
124. Long-billed Curlew	0.5146%
125. Hudsonian Godwit	0.0154%
126. Marbled Godwit	0.1602%
127. Short-billed Dowitcher	0.0201%
128. Long-billed Dowitcher	1.36%
129. American Woodcock	0.0155%
130. Wilson's Snipe	1.24%
131. Wilson's Phalarope	1.29%
132. Red Phalarope	0.0185%
133. Red-necked Phalarope	0.1582%

134. <b>Spotted Sandpiper</b>	<b>3.23%</b>
135. <b>Solitary Sandpiper</b>	<b>0.6761%</b>
136. <b>Wandering Tattler</b>	<b>0.0003%</b>
137. <b>Lesser Yellowlegs</b>	<b>0.8031%</b>
138. <b>Willet</b>	<b>0.2975%</b>
139. <b>Greater Yellowlegs</b>	<b>1.92%</b>
140. <b>Ruddy Turnstone</b>	<b>0.0082%</b>
141. <b>Black Turnstone</b>	<b>0.0005%</b>
142. <b>Red Knot</b>	<b>0.0030%</b>
143. <b>Ruff</b>	<b>0.0019%</b>
144. <b>Sharp-tailed Sandpiper</b>	<b>0.0003%</b>
145. <b>Curlew Sandpiper</b>	<b>0.0003%</b>
146. <b>Stilt Sandpiper</b>	<b>0.2728%</b>
147. <b>Buff-breasted Sandpiper</b>	<b>0.0118%</b>
148. <b>Sanderling</b>	<b>0.0717%</b>
149. <b>Dunlin</b>	<b>0.0795%</b>
150. <b>Purple Sandpiper</b>	<b>0.0025%</b>
151. <b>Baird's Sandpiper</b>	<b>0.7215%</b>
152. <b>Little Stint</b>	<b>0.0000%</b>
153. <b>White-rumped Sandpiper</b>	<b>0.0467%</b>
154. <b>Least Sandpiper</b>	<b>1.74%</b>
155. <b>Pectoral Sandpiper</b>	<b>0.1776%</b>
156. <b>Western Sandpiper</b>	<b>0.8635%</b>

157. Semipalmated Sandpiper	0.1554%
158. Long-tailed Jaeger	0.0050%
159. Parasitic Jaeger	0.0034%
160. Pomarine Jaeger	0.0009%
161. Long-billed Murrelet	0.0000%
162. Ancient Murrelet	0.0000%
163. Little Gull	0.0014%
164. Black-legged Kittiwake	0.0079%
165. Sabine's Gull	0.0537%
166. Bonaparte's Gull	0.2369%
167. Laughing Gull	0.0101%
168. Franklin's Gull	0.5369%
169. Black-tailed Gull	0.0005%
170. Heermann's Gull	0.0003%
171. Short-billed Gull	0.0366%
172. Ring-billed Gull	4.04%
173. Yellow-footed Gull	0.0145%
174. Western Gull	0.0020%
175. Herring Gull	0.2650%
176. Glaucous Gull	0.0163%
177. Lesser Black-backed Gull	0.0824%
178. California Gull	0.3120%
179. Glaucous-winged Gull	0.0020%



180. Iceland Gull	0.0299%
181. Black Skimmer	0.0002%
182. Sooty Tern	0.0000%
183. Least Tern	0.0885%
184. Gull-billed Tern	0.0002%
185. Caspian Tern	0.0268%
186. Black Tern	0.2260%
187. Forster's Tern	0.2482%
188. Arctic Tern	0.0051%
189. Common Tern	0.0252%
190. Elegant Tern	0.0005%
191. Royal Tern	0.0002%
192. Red-throated Loon	0.0154%
193. Pacific Loon	0.0247%
194. Common Loon	0.2199%
195. Yellow-billed Loon	0.0096%
196. Least Storm-Petrel	0.0000%
197. Wood Stork	0.0000%
198. Magnificent Frigatebird	0.0002%
199. Brown Booby	0.0000%
200. Blue-footed Booby	0.0039%
201. Anhinga	0.0020%
202. Double-crested Cormorant	1.91%

203.	<b>Neotropic Cormorant</b>	<b>2.03%</b>
204.	<b>American White Pelican</b>	<b>1.27%</b>
205.	<b>Brown Pelican</b>	<b>0.0230%</b>
206.	<b>American Bittern</b>	<b>0.1076%</b>
207.	<b>Least Bittern</b>	<b>0.1042%</b>
208.	<b>Yellow-crowned Night Heron</b>	<b>0.0362%</b>
209.	<b>Black-crowned Night Heron</b>	<b>2.06%</b>
210.	<b>Little Blue Heron</b>	<b>0.0323%</b>
211.	<b>Tricolored Heron</b>	<b>0.0266%</b>
212.	<b>Reddish Egret</b>	<b>0.0171%</b>
213.	<b>Snowy Egret</b>	<b>3.19%</b>
214.	<b>Green Heron</b>	<b>1.15%</b>
215.	<b>Western Cattle Egret</b>	<b>1.34%</b>
216.	<b>Great Egret</b>	<b>1.89%</b>
217.	<b>Great Blue Heron</b>	<b>8.39%</b>
218.	<b>White Ibis</b>	<b>0.0076%</b>
219.	<b>Glossy Ibis</b>	<b>0.0183%</b>
220.	<b>White-faced Ibis</b>	<b>2.05%</b>
221.	<b>Roseate Spoonbill</b>	<b>0.0059%</b>
222.	<b>California Condor</b>	<b>0.0005%</b>
223.	<b>Black Vulture</b>	<b>0.0009%</b>
224.	<b>Turkey Vulture</b>	<b>14.33%</b>
225.	<b>Osprey</b>	<b>1.49%</b>

226. <b>White-tailed Kite</b>	<b>0.1235%</b>
227. <b>Swallow-tailed Kite</b>	<b>0.0034%</b>
228. <b>Golden Eagle</b>	<b>0.9356%</b>
229. <b>Mississippi Kite</b>	<b>0.6531%</b>
230. <b>Northern Harrier</b>	<b>6.16%</b>
231. <b>Sharp-shinned Hawk</b>	<b>2.42%</b>
232. <b>Cooper's Hawk</b>	<b>9.38%</b>
233. <b>American Goshawk</b>	<b>0.1490%</b>
234. <b>Bald Eagle</b>	<b>2.26%</b>
235. <b>Common Black Hawk</b>	<b>0.6776%</b>
236. <b>Harris's Hawk</b>	<b>0.1070%</b>
237. <b>White-tailed Hawk</b>	<b>0.0002%</b>
238. <b>Gray Hawk</b>	<b>0.0930%</b>
239. <b>Red-shouldered Hawk</b>	<b>0.0264%</b>
240. <b>Broad-winged Hawk</b>	<b>0.0863%</b>
241. <b>Short-tailed Hawk</b>	<b>0.0000%</b>
242. <b>Swainson's Hawk</b>	<b>4.77%</b>
243. <b>Zone-tailed Hawk</b>	<b>0.3291%</b>
244. <b>Red-tailed Hawk</b>	<b>13.52%</b>
245. <b>Rough-legged Hawk</b>	<b>0.1364%</b>
246. <b>Ferruginous Hawk</b>	<b>1.03%</b>
247. <b>Barn Owl</b>	<b>0.3386%</b>
248. <b>Flammulated Owl</b>	<b>0.1054%</b>

249. Whiskered Screech-Owl	0.0269%
250. Western Screech-Owl	0.5565%
251. Eastern Screech-Owl	0.0008%
252. Great Horned Owl	2.44%
253. Northern Pygmy-Owl	0.1913%
254. Elf Owl	0.0575%
255. Burrowing Owl	0.5325%
256. Spotted Owl	0.0865%
257. Barred Owl	0.0002%
258. Long-eared Owl	0.0922%
259. Short-eared Owl	0.0118%
260. Boreal Owl	0.0081%
261. Northern Saw-whet Owl	0.0630%
262. Eared Quetzal	0.0031%
263. Elegant Trogon	0.0037%
264. Belted Kingfisher	3.46%
265. Green Kingfisher	0.0003%
266. Williamson's Sapsucker	1.10%
267. Yellow-bellied Sapsucker	0.1334%
268. Red-naped Sapsucker	1.83%
269. Red-breasted Sapsucker	0.0031%
270. Lewis's Woodpecker	0.8445%
271. Red-headed Woodpecker	0.2205%

272. Acorn Woodpecker	3.45%
273. Gila Woodpecker	0.2448%
274. Golden-fronted Woodpecker	0.0030%
275. Red-bellied Woodpecker	0.0174%
276. American Three-toed Woodpecker	0.2688%
277. Downy Woodpecker	6.17%
278. Ladder-backed Woodpecker	12.14%
279. Hairy Woodpecker	7.69%
280. Arizona Woodpecker	0.0638%
281. Northern Flicker	25.51%
282. Crested Caracara	0.0095%
283. American Kestrel	12.09%
284. Merlin	0.7233%
285. Aplomado Falcon	0.0109%
286. Peregrine Falcon	0.8425%
287. Prairie Falcon	0.7731%
288. Northern Beardless-Tyrannulet	0.0238%
289. Olive-sided Flycatcher	1.32%
290. Greater Pewee	0.0502%
291. Western Wood-Pewee	7.31%
292. Eastern Wood-Pewee	0.0064%
293. Yellow-bellied Flycatcher	0.0061%
294. Acadian Flycatcher	0.0006%

295. Willow Flycatcher	0.8451%
296. Least Flycatcher	0.0798%
297. Hammond's Flycatcher	0.7563%
298. Gray Flycatcher	1.52%
299. Dusky Flycatcher	1.30%
300. Western Flycatcher	2.45%
301. Buff-breasted Flycatcher	0.0082%
302. Black Phoebe	9.46%
303. Eastern Phoebe	0.4195%
304. Say's Phoebe	18.85%
305. Vermilion Flycatcher	2.05%
306. Dusky-capped Flycatcher	0.1045%
307. Ash-throated Flycatcher	7.24%
308. Nutting's Flycatcher	0.0160%
309. Great Crested Flycatcher	0.0361%
310. Brown-crested Flycatcher	0.1729%
311. Great Kiskadee	0.0216%
312. Sulphur-bellied Flycatcher	0.0048%
313. Piratic Flycatcher	0.0040%
314. Tropical Kingbird	0.0261%
315. Couch's Kingbird	0.0081%
316. Cassin's Kingbird	4.61%
317. Thick-billed Kingbird	0.0155%

318. <b>Western Kingbird</b>	<b>10.16%</b>
319. <b>Eastern Kingbird</b>	<b>0.1988%</b>
320. <b>Scissor-tailed Flycatcher</b>	<b>0.4098%</b>
321. <b>Black-capped Vireo</b>	<b>0.0028%</b>
322. <b>White-eyed Vireo</b>	<b>0.0470%</b>
323. <b>Bell's Vireo</b>	<b>0.9490%</b>
324. <b>Gray Vireo</b>	<b>0.5302%</b>
325. <b>Hutton's Vireo</b>	<b>0.2439%</b>
326. <b>Yellow-throated Vireo</b>	<b>0.0288%</b>
327. <b>Cassin's Vireo</b>	<b>0.5110%</b>
328. <b>Blue-headed Vireo</b>	<b>0.0238%</b>
329. <b>Plumbeous Vireo</b>	<b>3.84%</b>
330. <b>Philadelphia Vireo</b>	<b>0.0126%</b>
331. <b>Warbling Vireo</b>	<b>3.82%</b>
332. <b>Red-eyed Vireo</b>	<b>0.0412%</b>
333. <b>Yellow-green Vireo</b>	<b>0.0031%</b>
334. <b>Loggerhead Shrike</b>	<b>3.82%</b>
335. <b>Northern Shrike</b>	<b>0.0810%</b>
336. <b>Canada Jay</b>	<b>0.2058%</b>
337. <b>Pinyon Jay</b>	<b>2.62%</b>
338. <b>Steller's Jay</b>	<b>6.51%</b>
339. <b>Blue Jay</b>	<b>0.6664%</b>
340. <b>Woodhouse's Scrub-Jay</b>	<b>15.48%</b>

341. Mexican Jay	0.5471%
342. Black-billed Magpie	4.21%
343. Clark's Nutcracker	1.17%
344. American Crow	19.09%
345. Chihuahuan Raven	4.08%
346. Common Raven	28.36%
347. Black-capped Chickadee	5.42%
348. Mountain Chickadee	12.64%
349. Mexican Chickadee	0.0040%
350. Bridled Titmouse	0.7838%
351. Juniper Titmouse	6.83%
352. Black-crested Titmouse	0.0022%
353. Verdin	3.59%
354. Horned Lark	3.77%
355. Bank Swallow	1.20%
356. Tree Swallow	1.60%
357. Violet-green Swallow	6.90%
358. Purple Martin	0.2432%
359. Northern Rough-winged Swallow	4.01%
360. Barn Swallow	12.37%
361. Cliff Swallow	5.35%
362. Cave Swallow	0.4736%
363. Bushtit	11.25%



364. Ruby-crowned Kinglet	10.39%
365. Golden-crowned Kinglet	0.5205%
366. White-breasted Nuthatch	17.59%
367. Pygmy Nuthatch	5.31%
368. Red-breasted Nuthatch	3.55%
369. Brown Creeper	1.96%
370. Blue-gray Gnatcatcher	2.54%
371. Black-tailed Gnatcatcher	0.3467%
372. Black-capped Gnatcatcher	0.0062%
373. Rock Wren	4.16%
374. Canyon Wren	2.95%
375. House Wren	4.13%
376. Pacific Wren	0.0725%
377. Winter Wren	0.1453%
378. Sedge Wren	0.0042%
379. Marsh Wren	2.18%
380. Carolina Wren	0.0947%
381. Bewick's Wren	11.32%
382. Cactus Wren	2.80%
383. American Dipper	0.3064%
384. European Starling	12.36%
385. Blue Mockingbird	0.0804%
386. Gray Catbird	0.8425%

387. Curve-billed Thrasher	10.41%
388. Brown Thrasher	0.4109%
389. Long-billed Thrasher	0.0012%
390. Bendire's Thrasher	0.1953%
391. Crissal Thrasher	1.99%
392. Sage Thrasher	1.05%
393. Northern Mockingbird	8.56%
394. Eastern Bluebird	2.41%
395. Western Bluebird	12.88%
396. Mountain Bluebird	3.96%
397. Townsend's Solitaire	6.12%
398. Varied Thrush	0.0339%
399. Orange-billed Nightingale-Thrush	0.0005%
400. Veery	0.0110%
401. Gray-cheeked Thrush	0.0008%
402. Swainson's Thrush	0.2196%
403. Hermit Thrush	4.94%
404. Wood Thrush	0.0221%
405. Clay-colored Thrush	0.0000%
406. American Robin	29.60%
407. Rufous-backed Robin	0.0376%
408. Northern Wheatear	0.0022%
409. Bohemian Waxwing	0.0112%

410. Cedar Waxwing	2.41%
411. Phainopepla	2.04%
412. Olive Warbler	0.1227%
413. House Sparrow	22.00%
414. White Wagtail	0.0000%
415. American Pipit	2.12%
416. Sprague's Pipit	0.0468%
417. Evening Grosbeak	2.70%
418. Pine Grosbeak	0.0723%
419. Gray-crowned Rosy-Finch	0.4134%
420. Black Rosy-Finch	0.3944%
421. Brown-capped Rosy-Finch	0.3490%
422. House Finch	48.75%
423. Purple Finch	0.0068%
424. Cassin's Finch	3.89%
425. Common Redpoll	0.0067%
426. Red Crossbill	1.43%
427. White-winged Crossbill	0.0087%
428. Pine Siskin	12.52%
429. Lesser Goldfinch	21.99%
430. Lawrence's Goldfinch	0.0593%
431. American Goldfinch	4.73%
432. Lapland Longspur	0.0477%

433. Chestnut-collared Longspur	0.4238%
434. Smith's Longspur	0.0000%
435. Thick-billed Longspur	0.1067%
436. Snow Bunting	0.0037%
437. Rufous-winged Sparrow	0.0115%
438. Botteri's Sparrow	0.0338%
439. Cassin's Sparrow	1.40%
440. Grasshopper Sparrow	0.1652%
441. Chipping Sparrow	13.35%
442. Clay-colored Sparrow	0.7569%
443. Black-chinned Sparrow	0.5958%
444. Field Sparrow	0.0887%
445. Brewer's Sparrow	3.10%
446. Worthen's Sparrow	0.0000%
447. Black-throated Sparrow	4.44%
448. Lark Sparrow	5.02%
449. Lark Bunting	1.17%
450. American Tree Sparrow	0.1426%
451. Fox Sparrow	0.1627%
452. Dark-eyed Junco	33.81%
453. Yellow-eyed Junco	0.0160%
454. White-crowned Sparrow	21.93%
455. Golden-crowned Sparrow	0.1034%














456. Harris's Sparrow	0.1933%
457. White-throated Sparrow	1.46%
458. Sagebrush Sparrow	0.5681%
459. Vesper Sparrow	2.61%
460. LeConte's Sparrow	0.0031%
461. Nelson's Sparrow	0.0031%
462. Savannah Sparrow	2.06%
463. Baird's Sparrow	0.0205%
464. Henslow's Sparrow	0.0002%
465. Song Sparrow	8.85%
466. Lincoln's Sparrow	3.89%
467. Swamp Sparrow	0.4583%
468. Canyon Towhee	13.04%
469. Abert's Towhee	0.0689%
470. Rufous-crowned Sparrow	1.49%
471. Green-tailed Towhee	3.99%
472. Spotted Towhee	26.52%
473. Eastern Towhee	0.0151%
474. Yellow-breasted Chat	4.78%
475. Yellow-headed Blackbird	2.07%
476. Bobolink	0.0155%
477. Western Meadowlark	8.89%
478. Chihuahuan Meadowlark	1.50%

479. Orchard Oriole	0.2392%
480. Hooded Oriole	0.4020%
481. Streak-backed Oriole	0.0059%
482. Bullock's Oriole	4.93%
483. Baltimore Oriole	0.0233%
484. Scott's Oriole	1.09%
485. Red-winged Blackbird	16.39%
486. Bronzed Cowbird	0.3128%
487. Brown-headed Cowbird	5.20%
488. Rusty Blackbird	0.0764%
489. Brewer's Blackbird	3.28%
490. Common Grackle	1.28%
491. Great-tailed Grackle	9.60%
492. Ovenbird	0.0530%
493. Worm-eating Warbler	0.0221%
494. Louisiana Waterthrush	0.0127%
495. Northern Waterthrush	0.3596%
496. Golden-winged Warbler	0.0151%
497. Blue-winged Warbler	0.0121%
498. Black-and-white Warbler	0.1247%
499. Prothonotary Warbler	0.0249%
500. Swainson's Warbler	0.0037%
501. Tennessee Warbler	0.0338%

502. Orange-crowned Warbler	3.24%
503. Lucy's Warbler	2.15%
504. Nashville Warbler	0.2851%
505. Virginia's Warbler	2.46%
506. Connecticut Warbler	0.0017%
507. MacGillivray's Warbler	2.74%
508. Mourning Warbler	0.0031%
509. Kentucky Warbler	0.0187%
510. Common Yellowthroat	3.58%
511. Hooded Warbler	0.0893%
512. American Redstart	0.2190%
513. Cape May Warbler	0.0089%
514. Cerulean Warbler	0.0014%
515. Northern Parula	0.1104%
516. Tropical Parula	0.0078%
517. Magnolia Warbler	0.0292%
518. Bay-breasted Warbler	0.0204%
519. Blackburnian Warbler	0.0110%
520. Yellow Warbler	4.97%
521. Chestnut-sided Warbler	0.0589%
522. Blackpoll Warbler	0.0308%
523. Black-throated Blue Warbler	0.0308%
524. Palm Warbler	0.0266%

525. Pine Warbler	0.0310%
526. Yellow-rumped Warbler	17.66%
527. Yellow-throated Warbler	0.0142%
528. Prairie Warbler	0.0033%
529. Grace's Warbler	1.57%
530. Black-throated Gray Warbler	1.31%
531. Townsend's Warbler	0.9809%
532. Hermit Warbler	0.0454%
533. Golden-cheeked Warbler	0.0000%
534. Black-throated Green Warbler	0.0218%
535. Fan-tailed Warbler	0.0012%
536. Rufous-capped Warbler	0.0005%
537. Golden-crowned Warbler	0.0008%
538. Canada Warbler	0.0086%
539. Wilson's Warbler	5.95%
540. Red-faced Warbler	0.3261%
541. Painted Redstart	0.3997%
542. Slate-throated Redstart	0.0000%
543. Hepatic Tanager	0.7493%
544. Summer Tanager	4.39%
545. Scarlet Tanager	0.0098%
546. Western Tanager	6.62%
547. Northern Cardinal	1.26%



548. <b>Pyrrhuloxia</b>	<b>3.25%</b> 
549. <b>Yellow Grosbeak</b>	<b>0.0036%</b>
550. <b>Rose-breasted Grosbeak</b>	<b>0.2072%</b> 
551. <b>Black-headed Grosbeak</b>	<b>7.87%</b> 
552. <b>Blue Grosbeak</b>	<b>6.39%</b> 
553. <b>Lazuli Bunting</b>	<b>1.49%</b> 
554. <b>Indigo Bunting</b>	<b>0.5820%</b> 
555. <b>Varied Bunting</b>	<b>0.0509%</b> 
556. <b>Painted Bunting</b>	<b>0.3451%</b> 
557. <b>Dickcissel</b>	<b>0.2582%</b>
<b>EXOTIC: PROVISIONAL</b>	
558. <b>Barnacle Goose</b>	<b>0.0006%</b> frequency
559. <b>Egyptian Goose</b>	<b>0.0009%</b>
560. <b>Monk Parakeet</b>	<b>0.0131%</b> 
561. <b>Thick-billed Parrot</b>	<b>0.0012%</b>
<b>EXOTIC: ESCAPEE</b>	
<b>Bar-headed Goose</b>	<b>0.0002%</b> frequency
<b>Graylag Goose</b>	<b>0.0285%</b> 
<b>Swan Goose</b>	<b>0.0650%</b> 
<b>Mute Swan</b>	<b>0.0423%</b> 
<b>Ruddy Shelduck</b>	<b>0.0003%</b>
<b>Muscovy Duck</b>	<b>0.0919%</b> 

<b>Mandarin Duck</b>	<b>0.0073%</b>
<b>Helmeted Guineafowl</b>	<b>0.0022%</b>
<b>Golden Pheasant</b>	<b>0.0003%</b>
<b>Indian Peafowl</b>	<b>0.0042%</b>
<b>Red Junglefowl</b>	<b>0.0000%</b>
<b>Chukar</b>	<b>0.0031%</b>
<b>African Collared-Dove</b>	<b>0.0016%</b>
<b>Cockatiel</b>	<b>0.0002%</b>
<b>Alexandrine Parakeet</b>	<b>0.0002%</b>
<b>Budgerigar</b>	<b>0.0039%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0005%</b>
<b>Fischer's Lovebird</b>	<b>0.0000%</b>
<b>Lilac-crowned Parrot</b>	<b>0.0006%</b>
<b>White-fronted Parrot</b>	<b>0.0009%</b>
<b>Military Macaw</b>	<b>0.0003%</b>
<b>Scarlet Macaw</b>	<b>0.0000%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0000%</b>
<b>Green Jay</b>	<b>0.0002%</b>
<b>Northern Red Bishop</b>	<b>0.0002%</b>
<b>Zebra Finch</b>	<b>0.0000%</b>
<b>Tricolored Munia</b>	<b>0.0002%</b>

**HYBRIDS**

<b>Snow x Ross's Goose (hybrid)</b>	<b>0.0073% frequency</b>
-------------------------------------	--------------------------

Graylag x Swan Goose (hybrid)	0.0012%
Snow x Greater White-fronted Goose (hybrid)	0.0002%
Snow x Cackling Goose (hybrid)	0.0005%
Ross's x Cackling Goose (hybrid)	0.0012%
Greater White-fronted x Cackling Goose (hybrid)	0.0019%
Greater White-fronted x Canada Goose (hybrid)	0.0022%
Graylag x Canada Goose (hybrid)	0.0002%
Domestic goose sp. x Canada Goose (hybrid)	0.0003%
Snow x Canada Goose (hybrid)	0.0009%
Blue-winged x Cinnamon Teal (hybrid)	0.0020%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0003%
Cinnamon Teal x Northern Shoveler (hybrid)	0.0016%
Gadwall x American Wigeon (hybrid)	0.0002%
Eurasian x American Wigeon (hybrid)	0.0026%
Gadwall x Mallard (hybrid)	0.0002%
American Wigeon x Mallard (hybrid)	0.0003%
Mallard x Mexican Duck (hybrid)	0.7855%
Gadwall x Northern Pintail (hybrid)	0.0005%
Mallard x Northern Pintail (hybrid)	0.0019%
Redhead x Ring-necked Duck (hybrid)	0.0003%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0002%
Redhead x scaup sp. (hybrid)	0.0002%

Ring-necked Duck x scaup sp. (hybrid)	0.0003%
Bufflehead x Common Goldeneye (hybrid)	0.0002%
Bufflehead x Hooded Merganser (hybrid)	0.0002%
Scaled x Gambel's Quail (hybrid)	0.0048%
Western x Clark's Grebe (hybrid)	0.0023%
Calliope x Rufous Hummingbird (hybrid)	0.0002%
Herring x Glaucous-winged Gull (hybrid)	0.0003%
Glossy x White-faced Ibis (hybrid)	0.0017%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0006%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0025%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0000%
Black x Eastern Phoebe (hybrid)	0.0006%
Black-capped x Mountain Chickadee (hybrid)	0.0505%
Dark-eyed x Yellow-eyed Junco (hybrid)	0.0019%
White-crowned x Golden-crowned Sparrow (hybrid)	0.0003%
White-crowned x Harris's Sparrow (hybrid)	0.0002%
Green-tailed x Spotted Towhee (hybrid)	0.0002%
Spotted x Eastern Towhee (hybrid)	0.0008%
Western x Eastern Meadowlark (hybrid)	0.0002%
Bullock's x Baltimore Oriole (hybrid)	0.0023%
Golden-winged x Blue-winged Warbler (hybrid)	0.0002%
Brewster's Warbler (hybrid)	0.0003%

Lawrence's Warbler (hybrid)	<b>0.0000%</b>
MacGillivray's x Mourning Warbler (hybrid)	<b>0.0005%</b>
Yellow x Black-throated Blue Warbler (hybrid)	<b>0.0002%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0028%</b>
Western x Flame-colored Tanager (hybrid)	<b>0.0002%</b>
Northern Cardinal x Pyrrhuloxia (hybrid)	<b>0.0039%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0005%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0142%</b>